



Rekord Tech


LEVELLERS





SYMBOLS AND FINISHES LEGEND

SYMBOLS



= SHELF SAFELY LOCKED DURING
TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= WITH BUFFER



= PART NO.



= BLADE SLOT



= WITH MAGNET



= PCS. PER PACKAGE



= COMBI SLOT



= HEXAGONAL SOCKET



= NEWTON



= CAPACITY LOADING



= HEXALOBULAR SOCKET



= FRICTION



= WOOD / GLASS
THICKNESS



= COUNTERSUNK HEAD



= AUTOMATIC



= HOLE DIAMETER



= PAN HEAD



= DROP DOWN



= DIAMETER



= FLANGE HEAD



= LENGTH



= FLAT HEAD



= STANDARD HINGE



= HEIGHT



= TRILOBULAR SCREW



= KIMANA HINGE



= RIGHT VERSION



= SELF-TAPPING SCREW



= FLAP HINGE



= LEFT VERSION



= EURO THREAD



= WITH SPRING



= SETTING CODE



= METRIC THREAD



= WITHOUT SPRING



= PCS. PER PAD



= PRE-INSERTED SCREW



= REVERSED SPRING



= CUT ON REQUEST



= PRE-INSERTED SCREW
AND SPREADING BUSH



= SELF ADHESIVE



= WITH FLANGE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.

MATERIALS

ZA = Zinc Alloy	ST = Steel	HSS = High Speed Steel	BR = Brass	ABS = Acrylonitrile Butadiene Styrene
ZAnk = Nickel-plated Zinc Alloy	STzk = Zinc-plated Steel	AL = Aluminium	WD = Wood	EVA = Ethylene Vinyl Acetate
EP = ENGINEERING PLASTIC		+ EP = other engineering plastic available on request		
		SR = SOFT RUBBER + SR = other soft rubber available on request		
EPn = Natural Engineering Plastic	EPc = Clear Engineering Plastic	SRn = Natural Soft Rubber		
EPw = White Engineering Plastic	EPg = Grey Engineering Plastic	SRw = White Soft Rubber		
EPwg = Water Green Engineering Plastic	EPa = Anthracite Engineering Plastic	SRb = Black Soft Rubber		



FINISHES



+ = OTHER FINISHES AVAILABLE ON REQUEST

PART NO.	FINISHES	PART NO.	FINISHES	PART NO.	FINISHES
00	Insignificant finish	IF	Middle Grey	RO	Red
AA	Natural	IJ	Light Grey	UT	T-Met 9007
AB	White	IL	Grey 20	UZ	T-Met
AE	White 9010	IN	Grey met. 26	WA	Bronzed
EA	Black	JB	Bright Aluminium	WI	Burnished
EC	Matt Black	JC	Aluminium - Chrome	XD	Satin-finished Steel
EE	Anthracite	JD	Matt Aluminium	YA	Nickel-plated
EW	Grey 9007	JE	Satin-finished Aluminium	YB	Bright Nickel-plated
FU	Gunmetal	JF	Aluminium - Brass	YC	Matt Nickel-plated
FV	Gunmetal V52	JG	Aluminium 5	YD	Satin-finished Nickel-plated
GR	Raw	JL	Aluminium PE 11	YQ	Black Nickel
HA	Brass-Plated	JM	Aluminium RAL 9006	Z9	Black Zinc
HH	Tropicalized	KA	Chrome	ZA	Zinc alloy
HL	Raw Brass	KB	Bright Chrome	ZN	Zinc-plated
HX	Graphite	KC	Matt Chrome	ZQ	Bright Gold
IA	Grey	LD	Brown 8019	ZY	Titanium
IB	Metallic Grey	NN	Metallic Beige	ZZ	Clear




LEVELLERS

REKORD TECH

ITALIANA
ferramenta

REKORD TECH





REKORD TECH is a development of the REKORD levellers. REKORD TECH is a concealed leveller to be fixed in the side panels and is suitable for heavy duty wardrobes, bookcases and modular furniture, as well as for flat-pack furniture. It is available in two versions: with rectangular base for side panels with 16mm minimum thickness or with round base for side panels with 18mm minimum thickness. The round base version can be completely embedded by operating a doublediameter hole. REKORD TECH is installed into the bottom edge of the side panel and it is then adjustable through a $\varnothing 6$ mm hole from the inside, by using a S4 mm allen wrench. Even with a loaded cabinet, the adjustment is easy and smooth. REKORD TECH is available in multiple heights, with a maximum adjustment range of 25mm. In any case, all versions grant a capacity loading of 150 Kg each.

150 Kg per piece



REKORD TECH Rectangular base



INSTALLATION




REKORD TECH Round base

INSTALLATION




Standard installation



Suitable for fully embedded installation






ADJUSTMENTS






REKORD TECH H 25 mm

Rectangular base



3030301000




Round base



3030311000




REKORD TECH H 32 mm

Rectangular base



3030302000

Round base



3030312000






LEVELLERS

REKORD TECH

ITALIANA
ferramenta




REKORD TECH H 44 mm

Rectangular base



3030303000




Round base



3030313000



REKORD TECH H 52 mm

Rectangular base





3030304000

Round base





REKORD TECH H 70 mm

Rectangular base



Round base







LEVELLERS

REKORD TECH



ITALIANA
ferramenta

REKORD TECH H 100 mm

Rectangular base





Round base





REKORD TECH H 120 mm

Rectangular base



Round base






LEVELLERS

REKORD TECH

ITALIANA
ferramenta

REKORD TECH ACCESSORY




 = Ø 8 mm  


 EP  = 5000 pcs.

  **23002010AB**

DRILL BITS FOR REKORD TECH




HSS		 = on request	
			Rekord Tech version
-----	60	80	H 25 H 32 H 44
3030158000	78	98	H 52
3030159000	96	116	H 70
3030153000	122	142	H 100
3030152000	146	166	H 120



HSS  = on request



  **1145202000**

DRILLING JIG FOR REKORD TECH









18 - 30 mm




GENERAL SPECIFICATIONS



SETTINGS FOR DIFFERENT REKORD TECH VERSIONS




DRILLING SPACERS FOR OTHER PANEL THICKNESSES






REKORD TECH DRILLING JIG FOR PANEL THICKNESS 18 - 25 mm



AL	ST	EP	= on request
Y0JG0122RO			

NOTE: The product code includes all the components shown in the picture.

REKORD 12 DRILLING JIG ACCESSORIES




AL	= on request		
Y0JG0511GR		1	
Y0JG0512GR		1,5	

DRILLING JIG DEPTH STOP COLLARS



ST	= on request		
Y0JG051700		Ø8	
Y0JG051900		Ø12	


DRILL BIT



HSS	= on request		
Y0JG052800	Ø8	117	Ø8
Y0JG054700	Ø12	205	Ø10

NOTE: For drilling jig we recommend to use precision-





www.italianaferramenta.it