


Packaging for your success.

# Passion for Packaging



beck  
packautomaten

# Packaging solutions for you

already in the third generation.



*Beate Beck-Deharde, managing director*

*Alexander Deharde, sales manager*

*Julia Deharde, member of the management team*

Hans Beck founded our company at the end of the 1950s with a packaging machine prototype. To this day, we welcome the challenge of packaging different products with new requirements.

***Challenge us – we look forward to getting to know you.***

***That is why we take your request very seriously.*** After all, the packaging is the finishing touch for your product –the icing on the cake, ensuring that your goods arrive well presented and well protected at your customers. The packaging gives that all-important first impression; there is no second chance. That is what makes us your number one choice for packaging.



### **Tinkering in the second and third generation.**

We have been in business for more than 60 years. One thing has always stayed the same: the joy of packaging. In 1958, Hans Beck developed the first automatic film packaging machine, and to this day, we remain an innovation leader.



### **At home in every industry.**

In every industry, there are products with weird and wonderful shapes. Frying pans. Ladders. Work trousers. Paper bags. Ketchup bottles. Grinding wheels. Wall plug sets or stacks of plastic cups. Our machines can package anything.



### **True to our word.**

Reliability and fairness are our top priorities. For our customers and employees. We place great emphasis on customer relationships, both internal and external – and it is always appreciated. This is one of the reasons why many customers have been with us since the company was founded.



### **Service across five continents.**

Every year we deliver a large number of packaging machines, from individual units to packaging lines, all over the world. We also place great emphasis on worldwide service. This is because, with good care, maintenance and regular updates, our machines provide decades of reliable operation.



### **Either in film or paper.**

Whether it's classic monofilm, recyclable or recycled film or paper packaging, we offer a wide range of sustainable packaging solutions.



### **Not forever. But almost.**

You can rely on our machines for decades. We pay attention to first-class machining and only use high-quality components. Our machines are accessible and easy to maintain, so if something needs to be adapted to accommodate new requirements, those changes can be easily made.



### **Custom work down to the last seam.**

First we start with the customer's requirements. Then we design and build the ideal packaging system for you. Including training. For the entire duration, we provide you with a dedicated contact person from our company, who is on hand to answer all your questions.



### **Our beck-standard-PLUS principle.**

Our machines also function outstandingly in a team, namely as a packaging line – for example, if you want to print the packaging material between two packaging steps, if you need a label or if individual products need to be grouped before packaging.

# Your industry our solution.

Packaging for your success.

## Contents

Serienpacker

PAGES 06 – 07

Serienpacker for  
**E-Commerce/Film**

PAGES 08 – 09

Serienpacker for  
**E-Commerce/Paper**

PAGES 10 – 11

Form shoulder machines

PAGES 12 – 14

Service

PAGE 15

Shrink tunnels

PAGES 16 – 17

Sustainability

PAGE 18

History

PAGE 19

## Industry solutions

for your company:



Print &  
paper



Textile



Shipping &  
returns



Food &  
consumption



Household &  
leisure



Plastic



Technology



Contract  
packaging



Health  
Care



Wood

As a packaging pioneer and trailblazer, we feel at home in almost every industry today. We have accompanied many companies from the start and are proud of our long-term and trusting customer relationships. We are happy to make you this promise for the future:

**We package for your success**

**and adapt to your requirements.**

# Packaging solutions


for your requirements:




Euro-hole



Reinforced Euro-hole




Handle




Hanging bracket




Print layout




Labelled packaging




Tear-open thread



Easy-opening perforation




Green dot



Packaging with leaflet




Marked packaging




Overlapping below  
shipping packaging



Shipping bag



Resealable bag



Set packaging

Depending on the intended use and requirements, our packaging solutions offer you some clever extras, making logistics and sales promotion easy for you – and make handling pleasant and easy for your customers.



# Serienpacker:


## Unique principle.



### beck-Serienpacker SXJ

The most recent of our SXJ series. Versatile, compact and provided with many options. Permanently guided film run ensures optimal product handling with 4-sided sealing. Can be used as a stand-alone solution or customer-specific packaging line.

#### Technical details




Product width:	80 – 500 mm*
Max. product height:	120 mm*
Max. capacity:	100 strokes/min*
*depending on product, feeding and film	




### beck-Serienpacker SXJ HP

Based on SXJ technology, this machine is specially designed for high or stacked products in mixed operation.

#### Technical details




Product width:	80 – 400 mm*
Max. product height:	250 mm*
Max. capacity:	50 strokes/min*
*depending on product, feeding and film	



◆ **Pressure plate**  
For pressing the air out of the packaging and compressing the product.

◆ **Multiple belt**  
The special belt design enables products with differing dimensions to be tightly packaged on one machine.



### ***Distortion-free and close-fitting.***

That is packaging with the beck-Serienpacker. For stylish packaging with 4-sided sealing. With a high level of energy and resource efficiency, our Serienpacker offers economical and sustainable packaging with the highest precision, quality and durability.




4-sided sealing



## **beck-Serienpacker SXJ mobil**

High cycle rates and gentle product transport. SXJ mobil's speciality. A moving sealing tool ensures continuous and precise product transport.

### **Technical details**




Product width:	80 – 500 mm*
Max. product height:	100 mm*
Max. capacity:	120 strokes/min*
*depending on product, feeding and film	



## **beck-Serienpacker SX**

Large, flexible working width. The SX is designed for large-volume products and guarantees consistent packaging quality, even in mixed operation.

### **Technical details**



Product width:	150 – 900 mm*
Max. product height:	250 mm*
Max. capacity:	50 strokes/min*
*depending on product, feeding and film	




- ◆ **Euro-hole**  
Sealing system executes flap and Euro-hole for producing suspension packs.



- ◆ **Feeder and finger feeding system**  
With finger feeding systems, we feed the packaging machines with multi-packs or edge-to-edge stacks. Feeders furnish information sheets to the products.

# Serienpacker for e-commerce:

Our solutions in film.



- ◆ **3-way sorting station**  
Sorting for different carriers/  
ejection of no-reads

- ◆ **Resealable Packaging**  
Easy opening and resealing  
for returning goods.






**Whether bags are the same size or adapted to the product.** With a printed film or clear product view. Our Serienpacker for the e-commerce industry meet the most diverse requirements. With scanning and labelling, including continuous product tracking – as standard.

**All our packaging machines can process recyclable monofilms, film made from recycled material, bioplastics and many other environmentally friendly types of film and are also extremely energy and resource efficient.**

## beck-Serienpacker SXJ HP adapta vs

Makes light work of producing stable, attractive mailing bags adapted to the product. Various scanning, marking and labelling systems can be integrated.

### Technical details




Product length:	150 – 600 mm*
Product width:	150 – 400 mm*
Max. product height:	220 mm*
Max. capacity:	30 strokes/min*

\*depending on product, feeding, labelling and film

## beck-Serienpacker SXJ HP adapta rt

The SXJ HP adapta rt is specially developed for packaging returns. Like all of beck's packaging lines, it processes recyclable mono films, films made from recycled material, bio films and many other types of environmentally friendly films.

### Technical details




Product length:	150 – 600 mm*
Product width:	150 – 400 mm*
Max. product height:	220 mm*
Max. capacity:	30 strokes/min*

\*depending on product, feeding, labelling and film




◆ **Re-trim station**  
Adapts the film bag to the product dimensions.



◆ **Integrated labeller**  
Application of the customer-specific shipping label.

# Serienpacker for e-commerce:

Our solutions in paper.



- ◆ **Re-trim station paper**  
Adaptation of the paper bag  
to the product size

- ◆ **Resealable Packaging**  
Easy opening and resealing  
for returning goods.




**Paper bags for shipping goods.** The Serienpacker principle ensures reliable processing of e-commerce products and combines our proven packaging principle with an alternative packaging material. Our packaging systems can be expanded with various scanning, marking, labeling and transport lines.

**For our paper packaging machines, we work together with well-known manufacturers of industrial papers.** We attach great importance to recyclable, recycled and certified paper grades.

## beck-paperbag Serienpacker vs

Process-safe packaging in bleached or unbleached paper – printed or unprinted. Based on the proven packaging principle, the paperbag Serienpacker packs different sized shipping products in attractive paper bags that are always the same width and sealed on 4 sides.

### Technical details




Product length:	150 – 600 mm*
Product width:	150 – 400 mm*
Max. product height:	120 mm*
Max. capacity:	20 strokes/min*
* depending on product, feeding, labelling and paper quality	

## beck-paperbag Serienpacker adapta vs

Enhanced with a system for adapted paper bags, the paperbag adapta Serienpacker produces mailing bags of different sizes that are adapted to the product.

### Technical details



Product length:	150 – 600 mm*
Product width:	150 – 400 mm*
Max. product height:	120 mm*
Max. capacity:	20 strokes/min*
* depending on product, feeding, labelling and paper quality	

### Integrated labeller

Application of the customer-specific shipping label on paper.





# Form shoulder machines:


## Versatile and flexible.



### beck-Multiplex MP pico

With its attractive cost-benefit ratio, the compact Multiplex MP pico is particularly suitable as an entry-level model. With a film form shoulder for 3-sided product sealing, it reliably processes different, sustainable types of film.

#### Technical details




Product width:	20 – 400 mm*
Max. product height:	200 mm*
Max. capacity:	50 strokes/min*
*depending on product, feeding, labelling and film	




### beck-Multiplex MP 240 XP

Compact and durable, the Multiplex MP 240 XP with a film form shoulder guarantees a brilliant packaging result for various film formats and types. Energy and resource efficient, it can be used in a packaging line or stand-alone.

#### Technical details



Product width:	20 – 400 mm*
Max. product height:	250 mm*
Max. capacity:	100 strokes/min*
*depending on product, feeding and film	



#### ◆ Folding aggregate with printed film

Folding aggregate with printed flat film, film storage and sealing on device.

#### ◆ Integrated labeller

Labeller for applying labels to the film.





**These machines shoulder everything:** they integrate into existing work processes or pre-systems. They seal on 3 sides or package with overlapping and, on request, can also be one size larger.




3-sided sealing



## beck-Multiplex MP mobil S

High cycle rates and gentle product transport. The Multiplex MP mobil S combines a moving cross-sealing system with the form shoulder principle for 3-sided product sealing. It achieves up to 120 strokes/min and can be integrated into a wide variety of high-performance production processes.

### Technical details




Product width:	20 – 400 mm*
Max. product height:	120 mm*
Max. capacity:	120 strokes/min*
*depending on product, feeding and film	




## beck-Multiplex MP mobil U

Waste-free thanks to film overlapping on the underside. With smooth, even product and film transport through a vacuum belt and intelligent control concept, the beck-Multiplex MP mobil U enables high capacity.

### Technical details




Product width:	100 – 400 mm*
Max. product height:	120 mm*
Max. capacity:	120 strokes/min*
*depending on product, feeding and film	



◆ **Separate labeller**  
Labeller for applying labels to the packaged products.

◆ **Supply systems/  
Feeding systems**  
Automatic product feeding and take-over.



# Form shoulder machines:


## Versatile and flexible.



### beck-Multiplex MP 1070 X

For large-volume or very wide products with a variety of formats and materials, the Multiplex MP 1070 X with a film form shoulder is the optimal solution and guarantees a first-class packaging result – it can be expanded with additional, practical modules or with our shrink tunnel if required.

#### Technical details




Product width:	100 – 700 mm*
Max. product height:	300 mm*
Max. capacity:	40 strokes/min*
*depending on product, feeding and film	



### beck-Fitpacker F 1050 SX

The tightest packaging result without shrinking – the Fitpacker F 1050 SX with a special cross- and bottom- seal system as well as a corner push-in device produces attractive and space-saving packaging from a wide variety of sustainable film types.

#### Technical details



Product length:	150 – 640 mm*
Product width:	100 – 500 mm*
Max. product height:	310 mm*
Max. capacity:	40 strokes/min*
*depending on product, feeding and film	



- ◆ **Corner push-in device**  
Tight-fitting packaging for high product stacks on the beck Fitpacker.

#### Tear-open thread system

For easier package opening.



# First-class service.

## For first-class machines.

**Our mutual success story is still far from being finished when your packaging machine is delivered. Because we also offer many additional services: from training and spare part express delivery to remote maintenance in a time-critical emergency.**

### Maintenance

**We provide preventive maintenance to avoid machine downtime in your production schedule.**

We carry out regular machine inspections, based on your requirements and machine utilisation, within agreed maintenance contracts – a plus for your production reliability.

### Spare parts

**Our packaging machines stand for quality, reliability and a long service life.**

Within 10 years of purchasing your machine, we offer a spare part guarantee: express delivery arrives within 24 hours.

### Technical service

**We provide free technical support over the phone and ensure that service technicians are deployed quickly.**

In an emergency case we can keep an eye on your machine via remote maintenance. Problem sources are often identified more quickly and solved directly and easily. In the event of major technical problems, our trained technicians are available for on-site work.

### Training



**We offer special training courses at your premises or in our training and technology center.**

To give you a comprehensive overview, to explain the advantages of different types of film and to give you the greatest possible confidence in working with our packaging machines.

### Overhaul

**Our packaging machines and technologies are continuously developing**

You can carry out many adaptations of your machine by yourself. However, should things become more complex, we can perform the overhaul, conversion or expansion for you - either on site or at our premises.



# Shrink tunnels:


## Real bundles of energy.

**Greater capacity – lower consumption.** Our shrink tunnels are real bundles of energy when it comes to sustainability. With an impressive energy balance, optimised air ducting and shrink modules, they deliver brilliant shrinkage for a wide variety of films.

### beck-shrink tunnel HV 602

Compact, low-wear and efficient. With its special insulation and air flow technology, the shrink tunnel provides an outstanding, high-quality, shrink-wrap packaging result.

#### Technical details




Max. passage width:	600 mm
Passage height:	310 mm*
*Increases possible	

### beck-shrink tunnel HV 602 HPLS

This shrink tunnel is the ultimate combination of power and performance. For high speeds with simultaneously demanding requirements. Intelligent heat insulation and insulation concept included.

#### Technical details



Max. passage width:	600 mm
Passage height:	310 mm*
*Increases possible	



◆ **Transverse bars transport**

**Plastic link belt** ◆






# Different dimensions.

**Brilliant shrink results for your requirements.** Our shrink tunnels are available as standard in several sizes and capacities as well as with transport bars or plastic chain link conveyors. Tunnels with a low passage height (N) for flat products enable you to achieve significant energy savings. Tunnels with a high passage height (H) are ideal for your large-volume products.



## beck-shrink tunnel HV 802 HPLS


Think big. Thanks to its large shrink area, the HV 802 HPLS enables to pack large-format, large-volume, round or flat products.




Max. passage width:	800 mm
Passage height:	310 mm*
*Increases possible	

## beck-shrink tunnel HV 1002 HPLS

Unique for sophisticated packaging, exclusively from beck. The HV 1002 HPLS effortlessly and efficiently shrinks very large and wide products.



Max. passage width:	1000 mm
Passage height:	310 mm*
*Increases possible	



◆ **Pressure rollers**  
Fixing protruding film on the product side.

**Cooled guiding** ◆  
Guiding products through the shrink area.



# We go for it.

## Sustainability by conviction.

dialogue

SUS  
TAIN  
ABILI  
TY

### Economic sustainability

Our packaging machines, characterized by southern German engineering and family tradition, stand for quality and sustainability. Our parts are purchased from qualified regional suppliers. Right from the start of each development, our designers pay attention to the reduction of resources - such as energy, air, space and material. Even after decades, we ensure that your system retains its value with spare parts and the best maintenance service.

### Ecological sustainability

Although packaging is only a small part of the life cycle assessment, it is still very much in focus for customers as it can be experienced directly. It should be sustainable, environmentally friendly and also aesthetic. There are also requirements for product protection, transport safety and shipment tracking. We offer customized, resource-saving packaging solutions - whether recyclable film, biodegradable film, material-reduced film or in paper (FSC certificate). With us, you are flexible and improve your environmental footprint.

### Social sustainability

As an international family business, we value our long-standing employees from the local area, who benefit from short distances, further training, health services and an appreciative environment. We also maintain a special relationship with our home region through partnerships such as Leben Inklusiv, create jobs and support local clubs, talents and social projects as committed sponsors.

# Time-travelling through 60 years.

Far-sightedness, visions and pioneering packaging.

## 1956 – 1958

A packing idea that matches the spirit of the time.



## 1960

beck – a name becomes a program.




## 1965 – 1980

Growing further – getting better.



## 1990 – 2000

Local thinking, global action.



## 2005 – 2010

Between standardisations and specifications.



## 2020

beck to the future. Thinking locally, acting globally.



## 2023

Packaging machines that impress in terms of packaging and operation.



## 1956 – 1958

The Demand grows. And grows. And grows.

## 1960 – 1965

The logo of a success story.

## 1980 – 1990

Great moments and fateful years.

## 2000 – 2005

Innovations on every level.

## 2010 – 2019

E-Commerce and Sustainability.

## 2021

Sustainable packaging for all goods - in paper and film.

Read in detail at [www.beck-packautomaten.com/en/company/history](http://www.beck-packautomaten.com/en/company/history)



**beck  
packautomaten**

**beck packautomaten GmbH & Co. KG**

Steinbeisstraße 9

72636 Frickenhausen | Germany

Phone: +49 (0) 7022 4009-0

[info@beck-packautomaten.de](mailto:info@beck-packautomaten.de)

[www.beck-packautomaten.com](http://www.beck-packautomaten.com)