


GLUING AND QUALITY INSPECTION SOLUTIONS FOR THE PACKAGING INDUSTRY







ADVANCE INTO ALL-ELECTRIC WITH



All electric hot melt dispensing systems have been the driving force behind reshaping the packaging industry. Join some of the world's leading packagers already benefitting from Ecostitch™ and let the experts at Valco Melton take your production line to an unparalleled level of efficiency.

ecostitch Benefits

1.

More uptime. Improve the efficiency of your packaging process by increasing your production uptime.

2.

No plugging. Eliminate nozzle plugging by working at lower pressures with larger nozzle orifices and glue filtration in the gun body.

3.

Reduce adhesive consumption from 35 to 50%.


4.

No consumable parts. Elimination of compressed air removes moving parts, dynamic seals and frequent parts changes.

With over 2 billion cycle capability and fewer moving parts virtually eliminating the chances of failure, the spare parts stock is reduced to a minimum, resulting in lower investment, storage costs and downtime associated with the replacement of parts. In addition, the reduction in adhesive usage brings additional savings that guarantee payback in as little as 4 months.



No size limitations. Achieve the smallest dot size by setting the valve into stitch mode through the valve driver.



ALL ELECTRIC GLUE MELTERS

The new EcoStitch series melters are the most intelligent, versatile, technologically advanced and most innovative adhesive melter to ever be created. Ethernet IP integration, digital pressure control, adhesive usage data available on screen and full OEM integration with all digital based data.



EcoStitch provides better bond strength and fiber tear compared to a standard glue bead pattern.



The round dots compress and burn deep into the fibers giving the bond significant fiber penetration and surface area for bonding.



DIFFERENT CONFIGURATIONS

The EcoStitch guns are available in nearly any configuration required by your packaging application









MXM2LP

VD2 DRIVERS

The VD2 drivers integrate into any existing machine and provide the EcoStitch dot and gap control to regulate adhesive usage. Each valve can be individually programmed for a specific dot size and gap offering unparalleled flexibility to achieve maximum adhesive savings while maintaining best bond quality.

VD2

VD2e

VD2p











KUBE SERIES

A new generation of energy-efficient melters optimizes the heating process and improves insulation, minimizing energy lost to the environment. Different sizes and melting capacities provide the best configuration for each manufacturing process.





Fully compatible with our previous equipment and other market standards to allow easy replacements.



Ethernet communication kit option with main machine.



Low pressure pump available for processes with low adhesive grammage requirements.



I/O signals included as standard.

FLEXFLOW

CONTROL

Monitors adhesive consumption. It records the total adhesive consumption to avoid deviations and optimize the amount of adhesive needed per product.

Option to include the **VM Connect** card and connection through KubeCloud for Valco Melton to monitor the correct operation of the system by measuring various key parameters. This allows us to act proactively in prodiving the right maintenance, eliminating unprogrammed downtimes.

KUBE ZERO SYSTEMMELT ON DEMAND MELTERS





Designed to allow customers to use the same unit for all their packaging needs, the Kube helps improve system operation by removing degradation problems, as well as minimizes the maintenance and downtime associated with gluing systems.

Melt on demand. Promote adhesive stability and reduce char by only melting adhesive as you need it.

Mount anywhere. Engineered to operate with three different install configurations, the Kube is suitable for both new machine installations, as well as system upgrades/replacements.







Simple conversion. Fully compatible with other industry standard equipment, the Kube retrofits your packaging line without additional investment in hoses, guns or spare parts.

Operator free. Enclosed system with integrated auto feed keeps out dirt and debris, and promotes a safer work environment. Also includes manual fill option.

Zero maintenance. Strategically designed to automatically feed adhesive, contaminants are left out, eliminating any chance of plugged nozzles.


MORE THAN A MELT UNIT

PRO SOLUTION

Designed to integrate all digital characteristics of the heating, on/off, I/O's, pump engage, pump speeds, pump pressure and other various alarm and melter setpoints into your parent machine HMI.

available for a more accurate adhesive measurement when placed

close to each applicator.



COMPLETE THE PACKAGE



Increase your production capabilities and product success with Valco Melton's comprehensive range of hot melt glue guns, designed to satisfy all application requirements in the packaging industry.



HOT MELT APPLICATORS

ECOSTITCH

All-Electric Valves



MK-F

Insulated
Double Effect
Applicators



ME

Double Effect (AO/AC) Applicators



MS

Modular Guns for standard applications



MZ

Spray Guns with Air Heater



MF

Internal Integrated Filter



LP

Low Profile Applicators





PATTERN CONTROLLERS

For the most advanced precision gluing experience, a complete line of pattern controls are available as both an external accessory to the packaging line or as an integrated feature of the EC Series Unit.





HOT MELT INSPECTION

PACKCHEK

The PackChek System is the latest innovation in hot melt inspection for end-of-line packaging. Utilizing both thermal and visual imaging, PackChek inspects the heat signature of the package to ensure hot melt glue has been applied to the correct locations.



PackChek can be installed at the discharge of your machine, without space constraints.

Tolerance levels allow every pattern to be designated as 'good', 'marginal', or 'bad'. Marginal products can set off a warning, alerting operators to adjust the glue pattern or fix an issue in real-time, without shutting down the machine.


PackChek can be programmed for any number of cases and any number of glue patterns. Multi-packers that convert to various size / count packs may require the camera to be moved in or out, if mounted on the discharge conveyor.

How are defects defined by the system?

Defects are defined by predetermined tolerance levels and "glue windows," which are configured by the user. Settings for tolerance levels include:

- Missing glue beads
- · Weak glue beads
- · Crushed, torn or open flaps
- Misaligned glue beads







World Headquarters

USA, OH, Cincinnati | Tel: +1.513.874.6550 info@valcomelton.com

America Manufacturing, Sales & Service Centers

Canada, Vancouver, B.C. ClearVision Technologies Tel: +1.604.998.4012 canada@valcomelton.com

USA West Coast, CA, Petaluma GMS-Vansco

Tel: +1.707.285.3392 inquiry@gmsvansco.com

Mexico, México D.F Tel: +52.55.6278.1727 mexico@valcomelton.com

Colombia, Bogotá Tel: +57.313.421.0926 colombia@valcomelton.com

Brazil, Sao Paulo Tel: +55.11.3071.2117 brazil@valcomelton.com

Europe Manufacturing, Sales & Service Centers

Spain, Navarra, Orkoien | Tel: +34 948 321 580 spain@valcomelton.com

France, Valence | Tel: +33 (0) 4 75 78 13 73 france@valcomelton.com

Italy, Brescia | Tel: +39 030 2732544 italy@valcomelton.com

Italy, Brescia | ERO s.l.r | Tel: +39 030 2731503 info@ero-gluers.com

Benelux, The Netherlands | Tel: +31 252-673673 benelux@valcomelton.com

Hungary, Budapest | Tel: +36 1-214-4705 hungary@valcomelton.com

UK, England, Telford | Tel: +44 1952-677911 uk@valcomelton.com

Germany, Düsseldorf | Tel: +49.211 984 798-0 germany@valcomelton.com

Poland, Dlugoleka | Tel: +48 71 889 04 50 poland@valcomelton.com

Czech Republic, Prague czech@valcomelton.com



South, Southeast, West & Central Asia Manufacturing, Sales & Service Centers

Turkey, Istanbul | Tel: +90 212 327 99 71 turkey@valcomelton.com

India, Bangalore | Tel: +91.80.46553300 india@valcomelton.com

UAE, Sharjah | Tel: +971.521305960 uae@valcomelton.com

Singapore, Singapore | Tel: +65 850 95355 singapore@valcomelton.com

East Asia Sales & Service Centers

China, Shanghai | china@valcomelton.com China, Xiamen | Tel: +86.592.591.7854 Fax: +86.592.591.7834 | china@valcomelton.com

> To find the office nearest you, visit: http://bit.ly/2Cb8Fv2 or snap a picture of this QR Code

