


United Strapping Tools



Feedwheel Tensioners

For Steel Strapping



Part Number	Strap Size				Strap Finish	Weight	
	Width		Thickness			lbs	kg
	inch	mm	inch	mm			
1010	3/8-3/4	9-19	0.017-0.023	0.43-0.58	Painted & Waxed	3	1.4
1015	5/8-3/4	16-19	0.017-0.035	0.43-0.89		5	2.3
1020	3/4-1 1/4	19-32	0.029-0.035	0.74-0.89		7	3.2
1800	3/8-3/4	9-19	0.015-0.025	0.38-0.64		5.5	2.5
1805	3/4-1 1/4	19-32	0.025-0.031	0.64-0.79		8	3.6



Push-Type Tensioners

Part Number	Strap Size				Strap Type	Strap Finish	Mech. Adv.	Weight	
	Width		Thickness					lbs	kg
	inch	mm	inch	mm					
1000	3/8-3/4	9-19	0.017-0.023	0.43-0.58	Apex Plus, Magnus	Painted & Waxed	18	4	1.8
1005	3/4-1 1-4	19-32	0.025-0.035	0.64-0.89			23	6.8	3
1820	3/4-1 1-4	19-32	0.025-0.035	0.64-0.89			23	7.1	3.2



Rack-and-Pinion & Windlass Tensioners

For Steel Strapping



Part Number	Strap Size				Strap Type	Strap Finish	Mech. Adv.	Weight	
	Width		Thickness					lbs	kg
	inch	mm	inch	mm					
1025	3/4-1 1/4	19-32	0.017-0.035	0.43-0.89	Apex Plus, Magnus	Painted & Waxed, Dry	22	7	3.2
1030	1 1/4	32	0.029-0.050	0.74-1.27	Magnus	Painted & Waxed, Dry	28	12	5.4
180	3/8-3/4	9-19	0.015-0.023	0.38-0.58	Apex Plus, Magnus	Painted & Waxed, Dry	10	4	1.8



UST 180

Low Tension



UST 1025

Medium Tension



UST 1030

High Tension

Steel Strap Cutters

Part Number	Cut Size				Weight	
	Width		Thickness		lbs	kg
	inch	mm	inch	mm		
0025	2	51	0.050	1.27	8	3.6
1405	2	51	0.050	1.27	8	3.6
0030	1 1/4	32	0.035	0.89	3	1.35
1415	2	51	0.050	1.27	8	3.6
E-1425	3/8-2	9-51	0.063	1.60	6.8	3.1
E-1430	3/8-1 1/4	9-32	0.019-0.043	0.5-1.1	1.9	0.85



UST 0025

Manual



UST 1405

Manual



UST 0030

Manual



UST 1415

Manual

E 1425

Manual

E 1430

Manual

Manual Sealless Combination

For Steel Strapping



Part Number	Strap Size				Strap type	Weight	
	Width		Thickness			lbs	kg
	Inch	mm	inch	mm			
1360	1/2	12	0.017-0.023	0.43-0.58	Apex Plus, Magnus	8.4	3.8
1365	5/8	16	0.017-0.023	0.43-0.58		8.4	3.8
1370	3/4	19	0.017-0.025	0.43-0.64		8.4	3.8
1380	1/2-3/4	12-19	0.014-0.023	0.38-0.58	Painted & Waxed	8.6	3.9
1385	5/8	16	0.020-0.023	0.51-0.58	Apex Plus, Magnus	11	5.0
1390	3/4	19	0.023-0.031	0.58-0.79		11	5.0



UST 1360
UST 1365
UST 1370



UST 1385
UST 1390



UST 1380



Front-Action Sealers

Part Number	Strap Size				Working Position (Action)	Seal Name	Joint Type	Weight	
	Width		Thickness					lbs	kg
	inch	mm	inch	mm					
1105	1/2	12	0.017-0.023	0.43-0.58	Front	12 C	Double Notch	3	1.4
1110	5/8	16				58 C			
1115	3/4	19				34 C			
1120	1/2	12				12 SPC	Single Rev. Notch		
1125	5/8	16				58 SPC			
1130	3/4	19				34 PNSC			
1905	5/8	16	0.012-0.031	0.30-0.80		58 C	Double Notch	1.8	0.83
1910	3/4	19				38 C			
1504	1/2	12	0.015-0.020	0.38-0.51		50DY, 50DYS	Crimp	2.3	1
1506	1/2	12	0.025-0.030	0.66-0.76		50DY			

UST 1100
UST 1105
UST 1110
UST 1115



Regular duty, Similar to Signode C Series

UST 1120
UST 1125
UST 1130



Regular duty, Similar to Signode SRC Series

UST 1905
UST 1910



Regular duty, front-action Double notch

UST 1504
UST 1506



Side-Action Sealers

For Steel Strapping

Part Number	Strap Size				Working Position (Action)	Seal Name	Joint Type	Weight	
	Width		Thickness					lbs	kg
	inch	mm	inch	mm					
1155	3/4	19	0.025-0.031	0.64-0.79	Side	34 HOC	Double. Rev. Notch	7	3.2
1160	1 1/4	32	0.029-0.031	0.74-0.79		114 OF, 114P		7	3.2
1116	1/2	12	0.017-0.023	0.43-0.58		114 OF, 114 P		5	2.3
1117	5/8	16	0.017-0.023	0.43-0.58		114 OF, 114 P		5	2.3
1118	3/4	19	0.017-0.025	0.43-0.64		114 OF, 114 P		5	2.3
1165	3/4	19	0.025-0.031	0.64-0.79		34 HC OF, 34 HOC	Single Notch	6	2.7
1170	1 1/4	32	0.029-0.031	0.74-0.79		114 OF, 114 P		8	3.6
1175	1 1/4	32	0.044	1.12		114 OF, 114 P		8	3.6
0250	2	51	0.044-0.050	1.12-1.27		208 DG	Single Crimp	12	5.4
1435	1 1/4	32	0.029-0.044	0.74-1.12		114 OF, 114 P	Single Rev Notch	7	3.2



UST 1155
UST-1160



Heavy duty Double reverse notch



UST 1116
UST 1117
UST 1118



Medium duty Double notch



UST 1435



Heavy duty Single reverse notch



UST 1165



Heavy duty Single notch



UST 1170
UST 1175



Heavy duty Single notch



UST 0250



Heavy duty Single crimp

Pneumatic Tensioner & Sealer

For Steel Strapping



Part Number	Strap Size				Tension		Weight	
	Width		Thickness					
	inch	mm	inch	mm	lbs	kg	lbs	kg
1200	3/4-1 1/4	19-32	0.020-0.044	0.51-1.12	1600	725	8.1	3.7
1205	2	51	0.044	1.12				

UST 1200



Push-type, lightweight
Automatic



UST 1205

Part Number	Strap Size				Tension		Weight	
	Width		Thickness					
	inch	mm	inch	mm	lbs	kg	lbs	kg
1250	3/4	19	0.025-0.031	0.64-0.79	1600	725	16	7.3
1320	3/4	19	0.025-0.031	0.64-0.79	1600	725	34	15.4
1322	1	25	0.025-0.031	0.64-0.79	1600	725	34	15.4
1325	1 1/4	32	0.025-0.035	0.64-0.89	1600	725	34	15.4
1330	1 1/4	32	0.035-0.044	0.89-1.12	1600	725	34	15.4
1335	1/2	12	0.017-0.023	0.43-0.58	700	318	9.5	4.3
1340	5/8	16	0.017-0.023	0.43-0.58	700	318	9.5	4.3
1345	3/4	19	0.017-0.025	0.43-0.64	700	318	9.5	4.3
1350	3/4	19	0.017-0.025	0.43-0.64	1000	454	9.5	4.3



UST 1250



Double Reverse Notch



**UST 1320
UST 1322
UST 1325
UST 1330**



Double Reverse Notch



**UST 1335
UST 1340
UST 1345
UST 1350**



Single Reverse Notch

Part Number	Strap Size				Joint type	Weight	
	Width		Thickness			lbs	kg
	inch	mm	inch	mm			
1300	2	51	0.044-0.050	1.12-1.27	Single Crimp	22	10
1305	1 1/4	32	0.044-0.050	1.12-1.27	Double Crimp	22	10
1310	3/4	19	0.025-0.031	0.64-0.79	Single Reverse Notch	9	4.1
1315	1 1/4	32	0.025-0.031	0.64-0.79		9	4.1

**UST 1300
UST 1305**



Heavy-duty
Pneumatic crimper



**UST 1310
UST 1315**

Medium-duty
Pneumatic sealer

Manual Tensioners

For Plastic Strapping



Part Number	Strap Size		Seals Used	Strap type	Weight	
	Width				lbs	kg
	Inch	mm				
1500	3/8-3/4	9-19	Snap-on	PP, PET, Cord	3.7	1.7
1500-R	3/8-3/4	9-19	Snap-on	PP, PET, Cord	3.7	1.7
1510	1/2-3/4	12-16	Snap-on	PP, PET	3.2	1.5
1525	3/8-5/8	9-16	Snap-on	PP, PET	2.9	1.3
1530	3/8-3/4	9-19	Snap-on	PP, PET	2.9	1.3
1540	3/8-3/4	9-19	Snap-on	Cord, Composite	2.6	1.2
1540-R	3/8-3/4	9-19	Snap-on	Cord, Composite	2.6	1.2
1545	1-1 1/4	25-32	Snap-on	Cord, Composite	2.9	1.3
1550	1-1 1/4	25-32	Snap-on	Cord, Composite	2.6	1.2
1550-R	1-1 1/4	25-32	Snap-on	Cord, Composite	2.6	1.2



UST 1500
Manual



UST 1500-R
Manual



UST 1510
Manual



UST 1525
Manual



UST 1530
Manual



UST 1540
Manual



UST 1540-R
Manual



UST 1545
Manual



UST 1550
Manual



UST 1550-R
Manual

Manual Tensioners & Sealers

For Plastic Strapping



Part Number	Strap Size				Strap type	Weight	
	Width		Thickness			lbs	kg
	Inch	mm	Inch	mm			
1600	1/2	12	0.015-0.030	0.38-0.76	PP, PET	4	1.8
1610	5/8	16	0.030-0.044	0.76-1.11	PET	4	1.8
1620	3/4	19	0.045-0.055	1.14-1.40	PET	4	1.8
1630	1	25	0.045-0.055	1.14-1.40	PET	4	1.8
1640	1 1/4	32	0.045-0.055	1.14-1.40	PET	4	1.8
1650	5/8	16	0.030-0.044	0.76-1.11	PET	7	3.2
1660	3/4	19	0.045-0.055	1.14-1.40	PET	7	3.2



UST-1600
Feedwheel plastic
strap tensioner



UST-1620-20-30-40
Feedwheel plastic
strap tensioner



UST-1650-60
Feedwheel plastic
strap tensioner w/
cutter

Part Number	Strap Size				Working Position (Action)	Joint Type	Weight	
	Width		Thickness				lbs	kg
	inch	mm	inch	mm				
1930	5/8	16	0.024	0.6	Front	Double Notch	3	1.4
1935	3/4	19	0.024	0.6				
1504	1/2	12	0.020	0.51		Single Crimp	2.3	5.1
1506	1/2	12	0.030	0.76				
0034	3/4	19	0.050	1.27	Side	Crimp	7	3.0



E-1930-1935
Double Notch Plastic
Sealer



UST-1504-1506
50DY Seals




UST-0034
34DY Seals

Walking Gripper Tensioner & Sealer

Part Number	Strap Type		Buckle	Weight	
	Dymax	Contrax		lbs	kg
1440	502, 504	816, 818	50SL, 50DL	1	0.45

UST 1440

Walking gripper with
cutter



Battery Tool*For Plastic Strapping*

Part Number	Strap Size				Tension		Weight	
	Width		Thickness					
	inch	mm	inch	mm	lbs	kg	lbs	kg
2500	1/2-5/8	12-16	0.019-0.040	0.50-1.00	560	254	9.0	4.1

**UST 2500**

Friction Weld PP and PET

Available September 2023

In a user friendly form, this tool performs tensioning, sealing and cutting all at once. This versatility cuts down on time spent preparing cargo and packages, saving valuable time in all industrial and commercial settings.

Compared to other manual or pneumatic tools that require multiple steps, the UST 2500 does it all in mere seconds at just a buttons touch.

UST 3000

Pneumatic Test Bench

- Digital Display
- Safety Protection
- Load Cell
- Wheels with brake system
- Group air-filter regulator



Pneumatic test bench for testing tension strength and force of strapping tools. Usefull for checking performance of pneumatic tool air motors and troubleshooting.

UST 2501



Heavy Duty - Easy Load

Strap Type	: All
Strap Size	: All Sizes
Core diameter	: 16 inch
Wheel Size	: 10 inch pneumatic
Tool Box Size	: $16 \frac{3}{4}'' \times 7 \frac{1}{2}'' \times 3 \frac{1}{4}''$
Shipping Size	: 26'' x 26'' x 21''

UST 2502



Heavy Duty

Strap Type	: Polyester, Steel
Strap Size	: Oscillating $1/2'' - 3/4''$
Core diameter	: 16 inch
Wheel Size	: 8 inch
Tool Box Size	: $16 \frac{1}{2}'' \times 9 \frac{1}{4}'' \times 6 \frac{1}{2}''$
Shipping Size	: 26'' x 26'' x 21''


UST 2550



Heavy Duty

Strap Type	: Polyester
Strap Size	: $1/2'' - 3/4''$
Core diameter	: 16 inch
Wheel Size	: 8 inch
Tool Box Size	: $16 \frac{1}{2}'' \times 9 \frac{1}{4}'' \times 6 \frac{1}{2}''$
Shipping Size	: 26'' x 26'' x 21''

UST 2560



Heavy Duty

Strap Type	: Steel
Strap Size	: Ribbon $1/2'' - 1 \frac{1}{4}''$
Core diameter	: 16 inch
Wheel Size	: 8 inch
Tool Box Size	: $16 \frac{1}{2}'' \times 9 \frac{1}{4}'' \times 6 \frac{1}{2}''$
Shipping Size	: 26'' x 26'' x 21''

UST 2562



Heavy Duty

Strap Type	: Polyester, Steel
Strap Size	: Up to 8"
Core diameter	: 16 inch
Wheel Size	: 8 inch
Tool Box Size	: 16" x 9" x 6"
Shipping Size	: 26" x 26" x 21"

UST 2580



Medium Duty

Strap Type	: Composite, Cord, PP
Core diameter	: 8 inch
Wheel Size	: 8 inch
Shipping Size	: 21" x 18" x 24"

UST 2585



Medium Duty

Strap Type	: Textile
Core diameter	: 8 inch
Wheel Size	: 8 inch
Shipping Size	: 21" x 18" x 24"

Securing and stabilizing pallet loads for transit and shipping is crucial for a business. Using strapping prevents the items from shifting and becoming damaged. We have a variety of strapping dispensers for steel, polyester, polypropylene and textile strapping materials and are confident that our dispensers will suit all of your strapping needs.

United Strapping Tools build quality products and provide excellent service.

We are always striving to do what is best for our clients and our goal is to quickly evaluate and minimize downtime. Time is of the essence and our main priority is to immediately service all of our client needs. We all know that untimely mishaps may happen, but United Strapping Tools will work through any obstacle as efficiently as possible.

United Strapping Tools



United Strapping Tools

[illegible]



United Strapping Tools



US Headquarters



Turkey Factory



COMPANY PROFILE

United Strapping Tools Co is rapidly becoming recognized throughout the USA as a manufacturer of all types of strapping tools, dispensers, buckles & thousands of spare parts, all of which are made in the USA.

United Strapping Tools is to always have the customers best interest at all times, period.

Our unique processing of all orders and our outstanding customer service is unlike any other which has made us as successful as we are today.



220 Gateway Road
Bensenville, IL 60106 USA
Phone: +1 (847) 787 1478

Email: sales@ust28.com
www.unitedstrappingtools.com

G.O.P Mah 21 Sokak No:14
Cerkezkoy / Tekirdag / Turkiye
Phone: +90 (282) 726 3401

www.gurozmetal.com