

Ring Stretch Wrapping

High-performance Automatic Stretch Wrapper

Discover Innova's high-performance Ring Stretch Wrapping machine. Thanks to its wrapping ring and double film carriage, it provides greater speed and efficiency in wrapping, achieving maximum stability and support for the transport of your loads.

The stretch film adapts perfectly to the volume of the load, wrapping it efficiently with the least possible use of film. In addition, the Innova wrapping machine includes a multitude of additional add-ons and accessories for fully customized wrapping.












Ring Stretch Wrapper AWR | PRO: Technical Datasheet | Standard Reference Data

Productive capacity	Up to 100 pallets/hour
Operating film thickness	15 - 35 µm
Minimum load dimensions	800 x 600 mm / 30 x 24 inch.(LxW)
Maximum admissible load dimensions	Standard: 1,200 x 1,200 mm / 50 x 50 inch. (LxW) Large format: 2,000 x 1,400 mm / 80 x 55 inch. (LxW)
Load height	Between 500 - 2,400 mm / 20 – 95 inch (adaptable to other dimensions)
Maximum load weight	2,000 kg /4,400 Lb (adaptable to other weights)
Number of reels carriage	1 to 2
Maximum reel weight	23 Kg / 50 Lb.
Installed capacity	15 Kw
Pneumatic consumption	20 NL/min (for 60 p/h)
Electrical requirements	380V/3F + PE (adaptable to other requirements)
Network frequency	50 Hz (adaptable to other requirements)
Machine dimensions	2,690 x 6,500 x 3,670 / 105 x 256 x 145 inch. (LxWxH)
Accessories	Reinforcement roping system Higher production kit (double reel) Cover applicator at the top of the load Top press for load securing during wrapping Lower support for low-weight pallets Vertical edge protector applicator



SIDE & FRONT views






RING STRETCH WRAPPING process




Lowering of Wrapping Ring













First Stretch Wrapping Cycle

Top Cover Positioning

Roping Application

Second Stretch Wrapping Cycle

Cutting and Welding

INNOVA SUPPORT:

WORLDWIDE TECHNICAL SUPPORT



At Innova, the Technical Support service is one of our packaging projects' most important aspects. We have a network of offices in several countries where we offer an International Technical Support Service with localized and personalized assistance.

4.0 INDUSTRY SUPPORT AT THE SERVICE OF OUR CUSTOMERS

- Troubleshooting by Remote Connection
- 4.0 Connectivity and Real-Time Reporting
- Preventive Maintenance Plan
- Spare parts Smart Warehouse
- Online and remote training

CONTACT WITH INNOVA

LET US ADVISE YOU

Polígono industrial Via Europa Calle Atzeneta, s/n 12550 Almazora (Castellón) +34 964 565 430 innova@innovamaquinaria.com www.innovapackagingsystems.com

