



CONTENTS



09

Wise Kidz Solid Wood



29

Wise Kidz Steel



49

Wise-Plus

- 51 Swings
- 52 Spring riders
- 54 Seesaws
- 54 Spinning equipment

ABOUT US

For over 30 years, Wisdom has been a leading manufacturer of exceptional furniture, educational toys and playground equipment for commercial indoor and outdoor environments.

As part of the WISDOM group of companies - which includes Wisdom Playgrounds USA, based in North Carolina, Wisdom Playgrounds International GmbH and Wisdom Education Europe GmbH, based in Germany, and Wisdom Asia, based in Shanghai - we are committed to providing first-class customer service and high-quality, inclusive playground equipment that is fun, supports development and serves children with and without disabilities. Our mission is to help our partners and their customers create safe, engaging environments where children can discover, learn and play together.

Our focus is on continuously improving the quality, design and safety of our product range. We are proud of our modern, professional, high-quality production processes, confirmed by certifications to ISO 9001, ISO 14001, EN 71, EN 1176, ASTM and IPEMA.

All processes in design, development, manufacturing and service are managed in-house and integrated into a holistic system.

Our success is built on an experienced, highly qualified team of more than 500 employees and managers. Our production site covers 80,000 square metres and is equipped with state-of-the-art facilities. In addition, we operate several warehouses and logistics centres in the USA, EUROPE and ASIA.

What sets us apart is our industry-leading express shipping. With a selection of more than 50 prefabricated modular structures and a wide range of in-stock components, we offer the fastest delivery times in the industry. Most express shipping orders are ready to ship within 3 to 5 days. For those looking for something unique, we offer customised solutions. To personalise your playground, you can add additional stock items to your express shipping order. This combination of speed and flexibility guarantees you receive what you need without unnecessary delays.

Our commitment goes beyond fast shipping and innovative designs. We take pride in creating inclusive play environments that bring joy to children with and without disabilities while meeting the highest safety and quality standards. Whether you are planning a fully customised playground or need a reliable solution at short notice, Wisdom is your dependable partner for building vibrant, imaginative, and durable playgrounds.





FAST DELIVERY IN EUROPE AND BEYOND

To ensure fast delivery of complete, urgently needed playgrounds, we have developed two express playground ranges. These also include various freestanding play units such as swings, spring riders, and seesaws. All products can be delivered to the desired location within 5 to 7 days. If a delivery time of 3 to 4 weeks works for you and your customer, we will gladly adjust the delivery date to your individual needs.

To cover the entire European market as effectively as possible, our warehouse is located in Germany, close to major transport routes and in the heart of Europe (see map).

To reduce our CO2 footprint, we consolidate deliveries to our partners across Europe wherever possible. This also has a positive effect on transport costs.

The express shipping range comprises standard structures made of wood or galvanised steel that offer children a wide variety of play options and promote their motor skills in a safe environment.

In addition, our standard modules can be adapted to individual customer requirements. On pages 27 and 47, you will find a complete list of components and add-ons in stock. Our designers will be happy to adapt playground equipment and provide you with new 3D designs as quickly as possible.

Of course, additional colours and components are available. However, these have a longer delivery time of 8 to 10 weeks. You will find further details in our main catalogue, available on request. Send an email to:

hello@wisdomplaygrounds.eu





5-7 days

Delivery to the desired location within 5-7 days.



3D-Designs

Our designers will gladly adapt the playground equipment to your wishes and will provide 3D design proposals as quickly as possible.



Request our
EXPRESS SHIPPING
catalogue.

Contact our team:

hello@wisdomplaygrounds.eu



WISE KIDZ – STEEL

Wisdom steel playground equipment is suitable for children aged 1 to 12. The product range includes play structures of varying heights with a wide variety of climbing, crawling and sliding options. This variety of activities and play opportunities promote motor skill development and encourages children to play together in a fantastic, safe play environment. At the same time, physical, social and cognitive development is fostered.



PLATFORMS (WPC)

Our platforms are made of wood-plastic composite (WPC) - an innovative, eco-friendly material combining wood fibres and thermoplastic polymers such as polyethylene (PE). This combination creates a material that looks like wood but is more durable and more resistant to moisture, rot and pest infestation. The surface does not need painting, reducing future maintenance costs. Non-slip anthracite-coloured boards, 18 mm thick, with very high resistance to all types of weather conditions worldwide.




WELDING PROCESS

Our expert team works meticulously: uniform weld seams, careful polishing, and the avoidance of burrs, incomplete penetration, and porosity. We strictly follow multiple quality inspection procedures to comprehensively ensure the longevity of our products. The weld seams are stable, solid, and smooth, ensuring long-term lasting product safety.



ROTATIONAL MOULDING

For our slides, roofs, play panels, climbing elements, etc., we use linear low-density polyethylene (LLDPE) to produce attractive, durable components available in a wide variety of colours. LLDPE is known for its strength, impact and puncture resistance, and high resistance to various weather conditions, acids, alkalis and organic solvents. Variable design: no restrictions on size, pattern, colour or thickness; custom production according to your design ideas. Eco-friendly process: single moulding, no waste, no material wastage, non-toxic and odourless.



QUICK & EASY INSTALLATION

All posts are fitted with stainless steel 420 inserts that allow quick, easy installation of components such as slides, play panels and climbing elements. These inserts are highly rust-resistant and perfectly integrated into the posts. The top of each post is fitted with a polypropylene (PP) cap that prevents water from entering the post. Screws and fasteners are made of 420 stainless steel.



PLAY PANELS IN TWO COLOURS

We use HDPE panels in various thicknesses, characterised by strength, resilience and attractive colour combinations. You are free to choose the colour when your equipment is installed. Every play panel is available in two colours... a concept we are proud of.



INCLUSION - PLAYGROUNDS FOR ALL

It is an honour for us to develop playground equipment that is accessible to everyone. Children of all ages, with and without disabilities, can use our equipment and enjoy unforgettable moments of play.





POSTS

1. 1.80 x 80 mm square posts made of galvanised steel with stainless steel 420 inserts for connecting all components such as slides, play panels and climbing elements.
2. Cutting-edge technology: To protect steel posts from rust and ageing, we use modern galvanising technology combined with a high-quality outdoor powder coating. This process ensures long component life and provides long-lasting outdoor corrosion protection.
3. Craftsmanship: Electrolytic galvanising of tubes requires a series of processes, including degreasing, pickling and flux treatment. This ensures a smooth, even surface, rust and corrosion resistance, and a long service life.
4. Two mounting options: surface mounting (round base plate) and in-ground mounting for a wide range of site requirements.
5. The polypropylene (PP) polymer caps provide perfect protection against water ingress.



TWO COLOUR VARIANTS

Our Wise Kidz steel products available for express shipping come in two colour variants to meet customer requirements.

1. Primary: The primary colours red, blue, and yellow, together with orange, enliven the space and stimulate children's curiosity and spirit of discovery.
2. Nature: Soft, natural colours blend harmoniously into the natural play environment.



EXPRESS SHIPPING

Wisdom operates a smart and efficient warehouse management system. Goods can be dispatched within 3 to 5 working days of order confirmation, guaranteeing fast project delivery and high customer satisfaction.



ECO-FRIENDLY PROCESS

The entire manufacturing process strictly complies with international environmental protection standards. From the selection of raw materials to their processing: guaranteed to be free of formaldehyde and harmful substances.



WISE KIDZ – SOLID WOOD

We design and manufacture wooden playgrounds from Scandinavian pine that blend beautifully into their surroundings and give urban areas a natural touch. A natural, safe environment fosters children's interest and joy in play.

The WISE KIDZ SOLID WOOD series comprises a variety of crawling, climbing, and sliding options at different heights. This variety of activities promotes motor skills and encourages children to play together in a happy, safe place. An appealing play landscape that supports children's physical, social, and cognitive development.



POSTS

1. 90 x 90 mm square posts made of Scandinavian pine wood, FSC-certified.
2. Our impregnated pine posts consist of several interconnected sections, which increases strength and reduces the risk of cracking.
3. The pine wood is treated with a preservation technology that extends the life of the wood through physical and chemical treatment. Impregnation protects the wood against moisture, microorganisms, and insect infestation. This method increases the durability class and provides good corrosion protection. Weather-resistant exterior paint is then applied in two coats - a primer and a top coat. The coating ensures longevity, protects against external influences, and prevents peeling and cracking. The paint meets strict VOC emission guidelines and is environmentally friendly.
4. Two mounting options: surface mounting (round base plate) and in-ground mounting for a wide range of site requirements. Wooden posts with mounting plates and metal post anchors set into the ground. This protects the wood and reduces the risk of mould or rot.
5. PE cover at the top of the post for protection against weather-related influences.



PLATFORMS (WPC)

Our platforms are made of wood-plastic composite (WPC) - an innovative, eco-friendly material combining wood fibres and thermoplastic polymers such as polyethylene (PE). This combination creates a material that looks like wood but is more durable and more resistant to moisture, rot, and pest infestation. The surface does not need painting, reducing future maintenance costs. Non-slip anthracite-coloured boards, 18 mm thick, with very high resistance to all types of weather conditions worldwide.



ROTATIONAL MouldING

For our slides, roofs, play panels, climbing elements, etc., we use linear low-density polyethylene (LLDPE) to produce attractive, durable components available in a wide variety of colours. LLDPE is known for its strength, impact and puncture resistance, and high resistance to various weather conditions, acids, alkalis and organic solvents. Variable design: no restrictions on size, pattern, colour or thickness; custom production according to your design ideas.



QUICK & EASY INSTALLATION

Self-drilling wood screws feature an integrated drill point that makes pre-drilling unnecessary and allows screws to be driven in a single operation. This saves time and effort and is particularly appreciated by professionals, as it optimises working time. Our screws and fasteners are made of 304 stainless steel.



WOODEN PLAY PANELS

We use Scandinavian pine panels (FSC-certified), characterised by strength, resilience and natural colouring. Some of our play panels feature interactive elements that invite children to play, spark the imagination and promote motor skills.



WELDING PROCESS

Our expert team works meticulously: uniform weld seams, careful polishing and the avoidance of burrs, incomplete penetration, and porosity. We strictly follow multiple quality inspection procedures to comprehensively ensure the longevity of our products. The weld seams are stable, solid, and smooth, guaranteeing lasting product safety.



ROT-RESISTANT SOLID WOOD

We use Scandinavian pine panels (FSC-certified), characterised by strength, resilience and natural colouring. We apply weather-resistant exterior paint in two coats: a primer and a top coat. This method increases the durability class and ensures a long service life. The coating protects against external influences and prevents peeling and cracking. Various preservation processes such as impregnation and drying protect the wood against insect infestation, weathering, rot, and wood-destroying fungi, ensuring longevity.

The paint meets strict VOC emission guidelines and is environmentally friendly.



EXPRESS SHIPPING

Wisdom operates a smart and efficient warehouse management system. Goods can be dispatched within 3 to 5 working days of order confirmation, guaranteeing fast project delivery and high customer satisfaction.



ECO-FRIENDLY PROCESS

The entire manufacturing process strictly complies with environmental standards. From the selection of raw materials to their processing: guaranteed to be free of formaldehyde and harmful substances.



INCLUSION - PLAYGROUNDS FOR ALL

It is an honour for us to develop playground equipment that is accessible to everyone. Children of all ages, with and without disabilities, can use our equipment and enjoy unforgettable playground moments.



Play, Fun &
Safety

GOOD TO KNOW

TYPES OF GROUND ANCHORING


Loose-fill surfacing material
200/300/400mm

Grass, bark mulch, wood chips, sand, etc.
have impact-attenuating properties and can be used to
cushion falls effectively, giving children greater safety.

Surface


Precast foundation

Concrete foundation: precise, advanced pouring
process for solid ground anchoring of the playground
equipment.




FALL PROTECTION

Ramps and stairs must be fitted with handrails, guardrails or
protective barriers, starting from the lowest position.



a) Fall protection for easily accessible equipment



b) Fall protection for equipment that is difficult to access

Key to symbols:

1. Impact-attenuating surface per 4.2.8.5.2
2. Barriers required
3. Handrail required

Material ^a	Description	Minimum layer thickness ^b	Max. free fall height
If the installed surface has been confirmed in accordance with this table (e.g., by sieve test) or a test report per EN 1177 is available, no additional testing is required.			
	mm	mm	mm
Turf/topsoil	---	---	≤1000 ^d
Bark mulch	Grain size 20-80	200	≤2000
		300	≤3000
Wood chips ^c	Grain size 5-30	200	≤2000
		300	≤3000
Sand or gravel	Grain size 0.25-8	200	≤2000
		300	≤3000
Other materials or layer thicknesses	per HIC test (see 1177)		Critical fall height as tested

a Further information on surfacing materials for use on children's playgrounds can be found in CEN/TR 16598 (collection of rationales for EN 1176-1 requirements).

b For loose-fill surfacing material, 100 mm is added to the minimum layer thickness to compensate for displacement (see 4.2.8.5.1)

c Sand and gravel should be rounded and washed, as this allows silt and clay particles to be removed. Washed sand or gravel is considered to originate from alluvial (naturally eroded) deposits and should contain no silty or clayey particles. Fine gravel is referred to as 'pea gravel'. Particle size distribution D60/D10 < 3.0. Grain size can be determined by sieve test as per EN 933-1 (see Annex G).

d see 4.2.8.5.2, Note 2

Examples of commonly used impact-attenuating materials, depths, and corresponding max. free fall heights.

Wise Kidz Solid wood

We design and manufacture wooden playgrounds from Scandinavian pine that blend beautifully into their surroundings and give urban areas a natural touch.

A natural, safe environment fosters children's interest and joy in play. The Wise Kidz solid wood series comprises a variety of crawling, climbing, and sliding options at different heights. This variety of activities promotes motor skills and encourages children to play together in a happy, safe place. An appealing play landscape that supports children's physical, social and cognitive development.



Square posts
made of pine wood 9×9 cm



Decks (WPC)
76×76cm





www.wisdomplaygrounds.eu



W-B017

Age: 1+

Max. free fall height: 60 cm

Safety zone: 669×550 cm

Product dimensions: 369×250×260 cm

Number of foundations:

Posts: 8

Other: 1

Material

Posts: pine wood

Roof: pine wood

Play panel: PE/pine wood

Slide: LLDPE


Crawl tunnel: LLDPE

Climbing element: none

Stairs: metal/WPC/pine wood

Decks: metal frame,

WPC decking



Activities: 5

- ① Single slide 60 cm
- ④ Window play panel

- ② Crawl tunnel
- ⑤ Maze play panel

- ③ Car play panel, PE





W-B018

Age: 1+

Max. free fall height: 60 cm

Safety zone: 703x520 cm


Product dimensions: 393x223x260 cm

Number of foundations:

Posts: 9 Other: 1

Material:

Posts: pine wood	Climbing element: none
Roof: pine wood	Stairs: metal/WPC/pine wood
Play panel: PE/pine wood	Decks: metal frame, WPC decking
Slide: LLDPE	
Crawl tunnel: LLDPE	



Activities: 5

① Single slide 60 cm
④ Car play panel, PE

② Crawl tunnel
⑤ Window play panel

③ Side panel




W-B001

Age: 3+
Max. free fall height: 200 cm
Safety zone: 617×626 cm
Product dimensions: 318×327×303 cm
Number of foundations:

Posts: 6 Other: 5

Material:

Posts: pine wood	Climbing element: metal
Roof: none	Stairs: none
Play panel: PE/pine wood	Decks: metal frame,
Slide: LLDPE	WPC decking
Crawl tunnel: none	



Activities: 6

- | | |
|---------------------------|---------------------------------------|
| ① Single slide, 120 cm | ② Climbing net, stainless steel frame |
| ③ Rung ladder 120 cm | ④ Car play element, PE |
| ⑤ Motor skills play panel | ⑥ Rotating disc, PE (post side) |




W-B002

Age: 3+
Max. free fall height: 150 cm
Safety zone: 464×678 cm
Product dimensions: 175×378×356 cm
Number of foundations:

Posts: 4 Other: 6

Material:

Posts: pine wood	Climbing element: metal/pine
Roof: pine wood	wood
Play panel: PE/pine wood	Stairs: none
Slide: LLDPE	Decks: metal frame,
Crawl tunnel: none	WPC decking



Activities: 5

- | | |
|---------------------------------------|---------------------------------------|
| ① Single slide 150 cm | ② Climbing wall inclined 150 cm, wood |
| ③ Rung ladder 150 cm, stainless steel | ④ Gears play panel |
| ⑤ Counter play panel (bottom) | |



W-B013

Age: 3+

Max. free fall height: 200 cm

Safety zone: 691×841 cm

Product dimensions: 391×341×310 cm


Number of foundations:

Posts: 9

Other: 6

Material:

Posts: pine wood	Climbing element: metal/pine wood
Roof: none	Stairs: none
Play panel: pine wood	Decks: metal frame, WPC decking
Slide: LLDPE	
Crawl tunnel: none	



Activities: 7

- ① Double slide 120 cm
- ② Beam bridge
- ③ Climbing net, stainless steel frame
- ④ Climbing wall vertical 120 cm, wood
- ⑤ Fireman's pole 120 cm
- ⑥ Side panel 1024
- ⑦ Rung ladder 120 cm, stainless steel





W-B006

Age: 3+

Max. free fall height: 200 cm

Safety zone: 838x797 cm

Product dimensions: 543x497x333 cm

Number of foundations:

Posts: 11

Other: 9

Material:

Posts: pine wood

Roof: LLDPE

Play panel: PE/pine wood

Slide: LLDPE


Crawl tunnel: none

Climbing element: metal

Stairs: none

Decks: metal frame,

WPC decking



Activities: 9

- ① Single slide 120 cm
- ④ Arched net ladder 90 cm
- ⑦ Plank bridge, inclined

- ② Climbing net
- ⑤ Motor skills play panel
- ⑧ Car play panel, PE

- ③ Stepping platform "Rock" 30 cm, PE
- ⑥ Overhead ladder, stainless steel
- ⑨ Gears play panel



x4



x3



x5



19-23



W-B005

Age: 2+

Max. free fall height: 120 cm

Safety zone: 620x835 cm


Product dimensions: 318x540x325 cm

Number of foundations:

Posts: 12 Other: 5

Material:

Posts: pine wood	Climbing element: metal
Roof: pine wood	Stairs: metal/WPC/
Play panel: PE/pine wood	Pine wood
Slide: LLDPE	Decks: metal frame,
Crawl tunnel: LLDPE	WPC decking



Activities: 7

- ① Single slide 120 cm
- ② Rung ladder 120 cm, stainless steel
- ③ Crawl tunnel
- ④ Motor skills play panel
- ⑤ Car play panel, PE
- ⑥ Climbing net
- ⑦ Window play panel





W-B003

Age: 3+

Max. free fall height: 200 cm

Safety zone: 627×623 cm

Product dimensions: 327×331×326 cm

Number of foundations:

Posts: 8

Other: 4

Material:

Posts: pine wood

Roof: pine wood

Play panel: PE/pine wood

Slide: LLDPE


Crawl tunnel: none

Climbing element: metal

Stairs: none

Decks: metal frame,

WPC decking



Activities: 7

① Single slide 120 cm

④ Overhead ladder, stainless steel

⑦ Fireman's pole 120 cm

② Side panel

⑤ Gears play panel

③ Rung ladder 120 cm, stainless steel

⑥ Climbing wall vertical 120 cm, wood





W-B004

Age: 3+

Max. free fall height: 150 cm

Safety zone: 734x703 cm

Product dimensions: 432x410x359 cm

Number of foundations:

Posts: 9

Other: 11

Material:

Posts: pine wood

Roof: LLDPE

Play panel: PE/pine wood

Slide: LLDPE


Crawl tunnel: none

Climbing element: metal/pine wood

Stairs: none

Decks: metal frame,

WPC decking



Activities: 11

① Single slide 150 cm

④ Rung ladder 120 cm

⑦ Fireman's pole 120 cm

⑩ Counter play panel (bottom)

② Net bridge, inclined

⑤ Car play panel, PE

⑧ Climbing wall inclined 150 cm, wood

⑪ Side panel

③ Stepping platform "Rock" 30 cm, PE

⑥ Rotating disc, PE (post side)

⑨ Maze play panel



x1



x1



x3



18-22



W-B007

Age: 2+

Max. free fall height: 150 cm

Safety zone: 772×871 cm

Product dimensions: 454×578×356 cm

Number of foundations:

Posts: 14

Other: 8

Material:

Posts: pine wood

Roof: pine wood

Play panel: PE/pine wood

Slide: LLDPE


Crawl tunnel: LLDPE

Climbing element: metal/pine wood

Stairs: metal/WPC/pine wood

Decks: metal frame,

WPC decking



x2



x2



x3



18-22



x1

Activities: 9

- ① Single slide 120 cm
- ④ Side panel
- ⑦ Crawl tunnel

- ② Single slide 150 cm
- ⑤ Climbing wall inclined 150 cm
- ⑧ Floor window play panel

- ③ Net bridge inclined
- ⑥ Rung ladder 120 cm
- ⑨ Fireman's pole 120 cm



W-B008

Age: 3+

Max. free fall height: 150 cm

Safety zone: 917×837 cm


Product dimensions: 617×543×360 cm

Number of foundations:

Posts: 12 Other: 10

Material:

Posts: pine wood	Climbing element: metal/pine wood
Roof: LLDPE	Stairs: none
Play panel: PE/pine wood	Decks: metal frame,
Slide: LLDPE	WPC decking
Crawl tunnel: LLDPE	



Activities: 13

- | | | |
|--|---------------------------|-------------------------------|
| ① Single slide 120 cm | ② Single slide 150 cm | ③ Fireman's pole 120 cm |
| ④ Rung ladder 120 cm | ⑤ Net bridge inclined | ⑥ Crawl tunnel |
| ⑦ Rung ladder 150 cm | ⑧ Motor skills play panel | ⑨ Car play panel, PE (bottom) |
| ⑩ Rotating disc, PE (post side) (bottom) | ⑪ Window play panel | ⑫ Counter play panel (bottom) |
| ⑬ Climbing wall inclined 150 cm | | |





W-B014

Age: 3+

Max. free fall height: 200 cm

Safety zone: 774x857 cm

Product dimensions: 474x557x360 cm

Number of foundations:

Posts: 13

Other: 9

Material:

Posts: pine wood

Roof: LLDPE

Play panel: PE/pine wood

Slide: LLDPE

Crawl tunnel: LLDPE


Climbing element: metal/

Pine wood

Stairs: none

Decks: metal frame,

WPC decking



Activities: 11

- ① Single slide 120 cm
- ④ Crawl tunnel
- ⑦ Plank bridge, inclined
- ⑩ Spiral slide

- ② Gears play panel
- ⑤ Rung ladder 120 cm
- ⑧ Window play panel
- ⑪ Rung ladder 150 cm

- ③ Climbing wall vertical 120 cm
- ⑥ Climbing net
- ⑨ Counter play panel (bottom)





W-B015

Age: 3+

Max. free fall height: 150 cm

Safety zone: 1204×711 cm

Product dimensions: 903×416×361 cm

Number of foundations:

Posts: 17

Other: 11

Material:

Posts: pine wood

Roof: pine wood

Play panel: PE/pine wood

Slide: LLDPE


Crawl tunnel: none

Climbing element: metal/pine wood

Stairs: none

Decks: metal frame,

WPC decking



Activities: 14

① Single slide 90 cm

④ Climbing net

⑦ Net bridge inclined

⑩ Counter play panel (bottom)

⑬ Arch ladder 90 cm

② Double slide 120 cm

⑤ Beam bridge, inclined

⑧ Climbing wall inclined 150 cm

⑪ Side panel

⑭ Window play panel

③ Spiral slide

⑥ Beam bridge

⑨ Maze play panel

⑫ Rung ladder 120 cm





W-B009

Age: 3+

Max. free fall height: 210 cm

Safety zone: 908×846 cm

Product dimensions: 608×546×331 cm

Number of foundations:

Posts: 17

Other: 7

Material:

Posts: pine wood

Roof: pine wood

Play panel: PE/pine wood

Slide: LLDPE


Crawl tunnel: LLDPE

Climbing element: metal/WPC

Stairs: none

Decks: metal frame,

WPC decking



Activities: 12

① Single slide 90 cm

④ Overhead ladder, stainless steel

⑦ Net bridge inclined

⑩ Arched net ladder

② Single slide 120 cm

⑤ Climbing wall vertical 120 cm

⑧ Counter play panel

⑪ Crawl tunnel

③ Fireman's pole 120 cm

⑥ Car play panel, PE

⑨ Rotating disc, PE (post side)

⑫ Arch ladder 90 cm



×2



×2



×4



25-29



W-B010

Age: 2+

Max. free fall height: 150 cm

Safety zone: 1027x943 cm

Product dimensions: 727x643x360 cm


Number of foundations:

Posts: 19

Other: 11

Material:

Posts: pine wood	Climbing element: metal/pine wood
Roof: pine wood	
Play panel: PE/pine wood	Stairs: metal/WPC/pine wood
Slide: LLDPE	Decks: metal frame, WPC decking
Crawl tunnel: LLDPE	



Activities: 12

- ① Single slide 120 cm
- ④ Climbing wall inclined 150 cm
- ⑦ Fireman's pole 120 cm
- ⑩ Beam bridge

- ② Single slide 150 cm
- ⑤ Stepping platform "Rock" 30 cm.
- ⑥ Net bridge, inclined PE
- ⑧ Crawl tunnel
- ⑨ Gears play panel
- ⑪ Motor skills play panel
- ⑫ Car play panel, PE





W-B011

Age: 2+

Max. free fall height: 210 cm

Safety zone: 1183×890 cm

Product dimensions: 883×590×360 cm

Number of foundations:

Posts: 22

Other: 13

Material:

Posts: pine wood

Roof: pine wood

Play panel: PE/pine wood

Slide: LLDPE


Crawl tunnel: none

Climbing element: metal/pine wood

Stairs: metal/WPC/pine wood

Decks: metal frame,

WPC decking



Activities: 14

① Single slide 120 cm

④ Window play panel

⑦ Stepping platform "Rock" 30 cm, PE

⑩ Arch ladder 90 cm

⑬ Car play panel, PE (bottom)

② Overhead ladder, stainless steel

⑤ Climbing wall inclined 150 cm

⑧ Arched net ladder 90 cm

⑪ Plank bridge inclined

⑭ Fireman's pole 120 cm

③ Net bridge inclined

⑥ Side panel

⑨ Motor skills play panel

⑫ Beam bridge



x2



x4



x4



37-41



x1



W-B012

Age: 3+

Max. free fall height: 240 cm

Safety zone: 1153x922 cm

Product dimensions: 853x633x360 cm


Number of foundations:

Posts: 24

Other: 12

Material:

Posts: pine wood	Climbing element: metal/pine wood
Roof: LLDPE	Stairs: none
Play panel: PE/pine wood	Decks: metal frame, WPC decking
Slide: LLDPE	
Crawl tunnel: LLDPE	



Activities: 16

- ① Single slide 120 cm
- ② Single slide 150 cm
- ③ Beam bridge
- ④ Overhead ladder, stainless steel
- ⑤ Plank bridge inclined
- ⑥ Net bridge inclined
- ⑦ Window play panel
- ⑧ Motor skills play panel
- ⑨ Climbing net
- ⑩ Climbing wall vertical 120 cm
- ⑪ Car play panel, PE (bottom)
- ⑫ Rung ladder 150 cm
- ⑬ Crawl tunnel
- ⑭ Climbing wall inclined 150 cm
- ⑮ Fireman's pole 120 cm
- ⑯ Counter play panel (bottom)



x3



x2



x5



42-46

COMPONENTS ... Create your own playground

DECK HEIGHTS



Deck height 60 cm



Deck height 90 cm



Deck height 120 cm



Deck height 150 cm

ROOFS




Wise Kidz – Roof
LLDPE (silver grey)



Wise Kidz – Roof
Wood

PLAY PANELS



Gears play panel



Maze play panel



Window play panel



Floor window play panel



Motor skills play panel



Side panel



Counter play panel



Double slide access



Single slide access



Climbing element access,
side



Climbing element access



Counter play panel roof



Window play panel,
inclined

CLIMBING ELEMENTS



Arch ladder, stainless steel
frame, height: 90/120/150 cm



Rung ladder, stainless steel
Height: 90/120/150 cm



Fireman's pole
Height: 90/120/150 cm



Arched net ladder,
stainless steel frame



Climbing net, stainless
steel frame



Climbing wall vertical, wood
Height: 90/120/150 cm



Climbing wall inclined, wood
Height: 90/120/150 cm

BRIDGE ELEMENTS



Crawl tunnel



Beam bridge
Option: horizontal/inclined



Net bridge
Option: horizontal/inclined



Plank bridge
Option: horizontal/inclined

LADDERS



Overhead ladder,
Stainless steel

STAIRS



Stairs
Height: 90/120 cm



Step height: 30/60 cm

SLIDES



Single slide
Height: 60 cm



Single slide
Height: 90/120/150 cm



Double slide
Height: 90/120 cm



Spiral slide

ACCESSORIES



Post cap



Rotating disc, PE
(post side)



Stepping platform "Rock" 30 cm, PE

Wise Kidz Steel

Wisdom steel playground equipment is suitable for children aged 1 to 12. The product range includes play structures of varying heights with a wide variety of climbing, crawling, and sliding options. This variety of activities and play options promotes motor skills and encourages children to play together in a fantastic, safe play landscape. At the same time, physical, social and cognitive development is fostered.



Square posts

made of galvanised steel 8×8 cm



Decks (WPC)

76×76cm





www.wisdomplaygrounds.eu



W-A017

Age: 1+

Max. free fall height: 60 cm

Safety zone: 665×536 cm

Product dimensions: 367×256×255 cm

Number of foundations:

Posts: 8

Other: 1

Material:

Posts: metal

Roof: LLDPE

Play panel: PE


Slide: LLDPE

Climbing element: none

Stairs: metal/WPC

Decks: metal/WPC

Crawl tunnel: LLDPE



x1



x2



7-11



x1

Activities: 5

① Single slide 60 cm

④ Crawl tunnel

② Maze play panel, PE

⑤ Car play panel, PE

③ Flower side panel, PE



Nature: ● ● ● ● ●

W-A017N



Primary: ● ● ● ● ●

W-A017P



W-A018

Age: 1+

Max. free fall height: 60 cm

Safety zone: 816×426 cm

Product dimensions: 516×144×255 cm

Number of foundations:


Posts: 9

Other: 5

Material:

Posts: metal
Roof: LLDPE
Play panel: PE
Slide: LLDPE

Climbing element: none
Stairs: metal/WPC
Decks: metal/WPC
Crawl tunnel: LLDPE



x1



x2



11-15



x2

Activities: 5

① Single slide 60 cm
④ Maze play panel, PE

② Motor skills play panel, PE
⑤ Car play panel, PE

③ Crawl tunnel



Nature: ● ● ● ● ●

W-A018N



Primary: ● ● ● ● ●

W-A018P

Wise Kidz – Steel



Nature: ● ● ● ● ●
W-A002N



Primary: ● ● ● ● ●
W-A002P

W-A002

Age: 3+

Max. free fall height: 120 cm

Safety zone: 641x414 cm

Product dimensions: 341x122x323 cm

Number of foundations:


Posts: 4

Other: 4

Material:

Posts: metal
Roof: PE
Play panel: PE
Slide: LLDPE

Climbing element:
PE/metal
Stairs: none
Decks: metal/WPC
Crawl tunnel: none



Activities: 4

① Single slide 120 cm

② Rung ladder 120 cm, stainless steel

③ Fireman's pole 120 cm, stainless steel

④ Climbing wall vertical 120 cm, PE

W-A001

Age: 3+

Max. free fall height: 190 cm

Safety zone: 649x551 cm

Product dimensions: 347x252x202 cm

Number of foundations:

Posts: 6

Other: 3

Material:

Posts: metal
Roof: none
Play panel: PE
Slide: LLDPE


Climbing element:
PE/metal
Stairs: none
Decks: metal/WPC
Crawl tunnel: none



Nature: ● ● ● ● ●
W-A001N



Primary: ● ● ● ● ●
W-A001P



Activities: 4

① Single slide 90 cm

② Overhead ladder, stainless steel

③ Clock & compass play panel, PE

④ Arch ladder 90 cm, stainless steel



W-A003

Age: 3+

Max. free fall height: 120 cm

Safety zone: 636×607 cm

Product dimensions: 345×316×323 cm

Number of foundations:


Posts: 9

Other: 3

Material:

Posts: metal
Roof: PE
Play panel: PE
Slide: LLDPE

Climbing element: PE/metal
Stairs: none
Decks: metal/WPC
Crawl tunnel: LLDPE



Activities: 9

① Single slide 120 cm

④ Crawl tunnel

⑦ Rotating disc, PE (post side)

② Maze play panel, PE

⑤ Car play panel, PE

⑧ Rung ladder 120 cm, stainless steel

③ Climbing wall vertical 120 cm, PE

⑥ Motor skills play panel, PE

⑨ Tic-tac-toe play panel, PE



x1



x1



x2



12-16



Nature: ● ● ● ● ●
W-A003N



Primary: ● ● ● ● ●
W-A003P



W-A013

Age: 3+

Max. free fall height: 200 cm

Safety zone: 723×605 cm

Product dimensions: 423×314×323 cm

Number of foundations:

Posts: 9

Other: 6

Material:

Posts: metal

Roof: PE

Play panel: PE


Slide: LLDPE

Climbing element: PE/metal

Stairs: none

Decks: metal/WPC

Crawl tunnel: none



x1



x1



x3



11-15

Activities: 6

- ① Double slide 120 cm
- ④ Fireman's pole 120 cm

- ② Plank bridge
- ⑤ Climbing wall vertical 120 cm, PE

- ③ Climbing net
- ⑥ Rung ladder 120 cm, stainless steel



Nature: ● ● ● ● ●
W-A013N



Primary: ● ● ● ● ●
W-A013P



W-A005

Age: 3+

Max. free fall height: 120 cm

Safety zone: 828×737 cm

Product dimensions: 535×437×323 cm

Number of foundations:


Posts: 8

Other: 4

Material:

Posts: metal
Roof: PE
Play panel: PE
Slide: LLDPE

Climbing element:
PE/metal
Stairs: none
Decks: metal/WPC
Crawl tunnel: none



Activities: 7

- ① Single slide 90 cm
- ④ Net bridge inclined
- ⑦ Climbing wall vertical 120 cm, PE

- ② Single slide 120 cm
- ⑤ Arched net ladder 90 cm

- ③ Wave side panel, PE
- ⑥ Tic-tac-toe play panel, PE



Nature: ● ● ● ● ●
W-A005N



Primary: ● ● ● ● ●
W-A005P

Wise Kidz – Steel



W-A006

Age: 3+

Max. free fall height: 200 cm

Safety zone: 655×818 cm

Product dimensions: 362×518×323 cm

Number of foundations:

Posts: 8

Other: 7

Material:

Posts: metal

Roof: PE

Play panel: PE


Slide: LLDPE

Climbing element: PE/metal

Stairs: none

Decks: metal/WPC

Crawl tunnel: none



x2



x1



x3



10-14

Activities: 6

① Single slide 120 cm

④ Motor skills play panel, PE

② Climbing net

⑤ Climbing wall vertical, PE

③ Rung ladder 120 cm, stainless steel

⑥ Fireman's pole 120 cm



Nature: ● ● ● ● ●

W-A006N



Primary: ● ● ● ● ●

W-A006P



W-A004

Age: 2+

Max. free fall height: 150 cm

Safety zone: 919×571 cm

Product dimensions: 619×282×354 cm

Number of foundations:


Posts: 11

Other: 5

Material:

Posts: metal
Roof: PE/LLDPE
Play panel: PE
Slide: LLDPE

Climbing element: PE/metal
Stairs: metal/WPC/PE
Decks: metal/WPC
Crawl tunnel: LLDPE



x1



x2



x2



12-16



x1

Activities: 8

- ① Single slide 150 cm
- ④ Flower side panel, PE
- ⑦ Wave side panel, PE

- ② Climbing wall inclined 150 cm, PE
- ⑤ Fireman's pole 120 cm
- ⑧ Rotating disc, PE (post side)
- ③ Plank bridge inclined
- ⑥ Counter play panel, PE



Nature: ● ● ● ● ●
W-A004N



Primary: ● ● ● ● ●
W-A004P



W-A007

Age: 3+

Max. free fall height: 200 cm

Safety zone: 1009×753 cm

Product dimensions: 722×453×325 cm

Number of foundations:

Posts: 15

Other: 9

Material:

Posts: metal

Roof: PE

Play panel: PE


Slide: LLDPE

Climbing element: PE/metal

Stairs: none

Decks: metal/WPC

Crawl tunnel: LLDPE



Activities: 11

① Single slide 90 cm

④ Arch ladder 90 cm

⑦ Crawl tunnel

⑩ Car play panel, PE (bottom)

② Single slide 120 cm

⑤ Net bridge inclined

⑧ Climbing net

⑪ Fireman's pole 120 cm

③ Overhead ladder, stainless steel

⑥ Climbing wall vertical 120 cm, PE

⑨ Side panel inclined, PE



x2



x1



x5



22-26



Nature: ● ● ● ● ●

W-A007N



Primary: ● ● ● ● ●

W-A007P



W-A008

Age: 2+

Max. free fall height: 150 cm

Safety zone: 988x802 cm

Product dimensions: 688x510x355 cm

Number of foundations:

Posts: 14

Other: 12

Material:

Posts: metal

Roof: PE/LLDPE

Play panel: PE


Slide: LLDPE

Climbing element: PE/metal

Stairs: metal/WPC/PE

Decks: metal/WPC

Crawl tunnel: LLDPE



Activities: 11

① Single slide 120 cm

④ Stepping platform "Rock" 30 cm, ② Single slide 150 cm

PE ⑤ Rung ladder 120 cm, stainless steel

⑦ Fireman's pole 120 cm

⑩ Flower side panel, PE

⑪ Car play panel, PE (bottom)

③ Climbing wall inclined 150 cm, PE

⑥ Net bridge inclined

⑧ Crawl tunnel

⑨ Side panel inclined, PE



x2



x3



x3



26-30



x1



Nature: ● ● ● ● ●
W-A008N



Primary: ● ● ● ● ●
W-A008P



W-A014

Age: 3+

Max. free fall height: 200 cm

Safety zone: 857×831 cm

Product dimensions: 555×531×353 cm

Number of foundations:

Posts: 13

Other: 9

Material:

Posts: metal

Roof: PE

Play panel: PE


Slide: LLDPE

Climbing element: PE/metal

Stairs: none

Decks: metal/WPC

Crawl tunnel: LLDPE



Activities: 9

- ① Single slide 120 cm
- ④ Crawl tunnel
- ⑦ Climbing net

- ② Spiral slide
- ⑤ Climbing wall vertical 120 cm, PE
- ⑧ Plank bridge inclined

- ③ Rung ladder 120 cm, stainless steel
- ⑥ Maze play panel, PE
- ⑨ Rung ladder 150 cm, stainless steel





W-A010

Age: 3+

Max. free fall height: 150 cm

Safety zone: 920×658 cm

Product dimensions: 621×358×355 cm

Number of foundations:

Posts: 16

Other: 9

Material:

Posts: metal

Roof: PE/LLDPE

Play panel: PE


Slide: LLDPE

Climbing element: PE/metal

Stairs: none

Decks: metal/WPC

Crawl tunnel: LLDPE



Activities: 13

- ① Single slide 150 cm
- ④ Flower side panel, PE
- ⑦ Counter play panel, PE
- ⑩ Maze play panel, PE
- ⑬ Car play panel, PE (bottom)

- ② Crawl tunnel
- ⑤ Fireman's pole 120 cm
- ⑧ Clock & compass play panel, PE
- ⑪ Fireman's pole 150 cm
- ③ Plank bridge inclined
- ⑥ Rung ladder 120 cm, stainless steel
- ⑨ Rotating disc, PE (post side)
- ⑫ Plank bridge inclined



x2



x4



x4



26-30



Nature: ● ● ● ● ●
W-A010N



Primary: ● ● ● ● ●
W-A010P

Wise Kidz – Steel



W-A009

Age: 2+

Max. free fall height: 150 cm

Safety zone: 802×988 cm

Product dimensions: 502×688×355 cm

Number of foundations:


Posts: 18

Other: 7

Material:

Posts: metal
Roof: PE/LLDPE
Play panel: PE
Slide: LLDPE

Climbing element: PE/metal
Stairs: metal/WPC/PE
Decks: metal/WPC
Crawl tunnel: none



Activities: 12

① Single slide 120 cm

④ Net bridge inclined

⑦ Tic-tac-toe play panel, PE

⑩ Clock & compass play panel, PE

② Single slide 150 cm

⑤ Motor skills play panel, PE

⑧ Arch ladder 90 cm

⑪ Maze play panel, PE

③ Climbing wall inclined 150 cm, PE

⑥ Plank bridge inclined

⑨ Climbing wall vertical 120 cm, PE

⑫ Car play panel, PE (bottom)



x2



x2



x3



28-32



x1



Nature: ● ● ● ● ●

W-A009N



Primary: ● ● ● ● ●

W-A009P



W-A015

Age: 2+

Max. free fall height: 150 cm

Safety zone: 1225×819 cm

Product dimensions: 925×519×355 cm

Number of foundations:


Posts: 18

Other: 9

Material:

Posts: metal
Roof: PE/LLDPE
Play panel: PE
Slide: LLDPE

Climbing element: PE/metal
Stairs: metal/WPC/PE
Decks: metal/WPC
Crawl tunnel: none



Activities: 9

- ① Double slide 120 cm
- ④ Fireman's pole 120 cm
- ⑦ Single slide 90 cm

- ② Plank bridge inclined
- ⑤ Net bridge inclined
- ⑧ Tic-tac-toe play panel, PE

- ③ Climbing wall inclined 150 cm, PE
- ⑥ Arch ladder 90 cm
- ⑨ Spiral slide



Nature: ● ● ● ● ●
W-A015N



Primary: ● ● ● ● ●
W-A015P



W-A011

Age: 3+

Max. free fall height: 200 cm

Safety zone: 1169×954 cm

Product dimensions: 869×663×325 cm

Number of foundations:


Posts: 24

Other: 13

Material:

Posts: metal
Roof: PE/LLDPE
Play panel: PE
Slide: LLDPE

Climbing element: PE/metal
Stairs: metal/WPC/PE
Decks: metal/WPC
Crawl tunnel: LLDPE



Activities: 16

① Single slide 120 cm

④ Motor skills play panel, PE

⑦ Side panel inclined, PE

⑩ Stepping platform "Rock" 30 cm, PE

⑬ Arch ladder 90 cm

⑯ Plank bridge inclined

② Climbing net

⑤ Tic-tac-toe play panel, PE

⑧ Climbing wall vertical 120 cm, PE

⑪ Net bridge inclined

⑭ Rung ladder 90 cm, stainless steel

③ Beam bridge

⑥ Crawl tunnel

⑨ Fireman's pole 120 cm

⑫ Clock & compass play panel, PE

⑮ Flower side panel, PE



x2



x3



x5



39-43



x1



Nature: ● ● ● ● ●

W-A011N



Primary: ● ● ● ● ●

W-A011P



W-A012

Age: 3+

Max. free fall height: 210 cm

Safety zone: 885×920 cm

Product dimensions: 589×615×333 cm

Number of foundations:


Posts: 24

Other: 6

Material:

Posts: metal
Roof: PE/LLDPE
Play panel: PE
Slide: LLDPE

Climbing element: PE/metal
Stairs: none
Decks: metal/WPC
Crawl tunnel: none



Activities: 12

- ① Rung ladder 90 cm, stainless steel
- ② Overhead ladder, stainless steel
- ③ Climbing net
- ④ Plank bridge inclined
- ⑤ Net bridge inclined
- ⑥ Arched net ladder 90 cm
- ⑦ Arch ladder 90 cm
- ⑧ Wave side panel, PE
- ⑨ Climbing wall vertical 120 cm, PE
- ⑩ Flower side panel, PE
- ⑪ Maze play panel, PE
- ⑫ Clock & compass play panel, PE



x2



x5



34-38



Nature: ● ● ● ● ●
W-A012N



Primary: ● ● ● ● ●
W-A012P

COMPONENTS ... Create your own playground

DECK HEIGHTS



Deck height 60 cm



Deck height 90 cm



Deck height 120 cm



Deck height 150 cm

ROOFS



Wise Kidz – Roof, PE
(blue)



Wise Kidz – Roof, PE
(silver grey)



Wise Kidz – Roof, PE



Wise Kidz – Roof,
LLDPE (silver grey)



WiseKidz – Roof,
LLDPE

PLAY PANELS



Clock & compass play panel,
PE (Beige & Lime)




Clock & compass play
panel, PE (Blue & Red)




Maze play panel, PE (Dark
Green & Beige)




Maze play panel, PE
(Orange & Red)




Tic-tac-toe play panel, PE
(Dark Green & Beige)



Tic-tac-toe play panel, PE
(Orange & Red)



Motor skills play panel, PE
(Dark Green & Beige)



Motor skills play panel, PE
(Orange & Red)



Side panel, PE (Beige &
Lime)



Side panel, PE (Blue & Red)



Flower side panel, PE (Dark
Green & Beige)



Flower side panel, PE
(Orange & Red)



Wave side panel, PE (Beige
& Lime)



Wave side panel, PE (Blue
& Red)



Side panel inclined, PE
(Beige & Dark Green)



Side panel inclined, PE
(Blue & Red)



Counter play panel, PE
(Dark Green & Lime)



Counter play panel, PE
(Orange & Blue)



Car play panel, PE (Dark
Green & Lime)



Car play panel, PE (Orange
& Blue)



Crawl tunnel access, PE
(Dark Green & Beige)



Crawl tunnel access, PE
(Orange & Red)



Double slide access, PE
(Beige & Lime)



Double slide access, PE
(Blue & Red)



Single slide access, PE
(Beige & Lime)



Single slide access, PE
(Blue & Red)



Climbing element access,
(Beige & Lime)



Climbing element access,
PE (Blue & Red)



Climbing element access
side, PE (Beige & Lime)



Climbing element access
side, PE (Blue & Red)



Counter play panel roof,
PE (Dark Green & Lime)



Counter play panel roof,
PE (Orange & Blue)

CLIMBING ELEMENTS



Arch ladder
Height: 90/120/150 cm



Climbing wall inclined, PE
Height: 90/120/150 cm



Climbing wall vertical, PE
Height: 90/120/150 cm



Rung ladder, stainless steel
Height: 90/120/150 cm



Fireman's pole, stainless steel
Height: 90/120/150 cm



Arched net ladder



Climbing net

BRIDGE ELEMENTS



Crawl tunnel



Beam bridge
Option: horizontal/inclined



Net bridge
Option: horizontal/inclined



Plank bridge
Option: horizontal/inclined

SLIDES



Single slide
Height: 60 cm



Slide, one-piece
Height: 90/120/150 cm



Double slide
Height: 120 cm



Spiral slide

STAIRS



Stairs
Height: 90/120 cm



Step
Height: 30/60 cm

LADDER



Overhead ladder, stainless
steel

ACCESSORIES



Post cap



Rotating disc, PE
(post side)



Stepping platform "Rock" 30 cm, PE

Wise Plus

A proper playground would not be complete without swings, spring riders, various themed playhouses, and other surprises to delight children, alongside our beautiful wooden and steel playground equipment. Of course, we have also thought of the accompanying adults, who can settle down on comfortable benches while the children play. Not forgetting our loyal four-legged friends, who are also welcome on our playgrounds.

EN
1176

Meet the safety requirements

- 51 SWINGS
- 52 SPRING RIDERS
- 54 SEESAWS
- 54 SPINNING EQUIPMENT





www.wisdomplaygrounds.eu

SWING

Stable and safe construction.
Comfortable & durable seat.



DOUBLE SWING WITH WOODEN POSTS (LIME)

SW-3502

Age: 1+

Material: pine wood + metal

Product dimensions: 366×160×253
cm



DOUBLE SWING WITH STEEL POSTS (LIME & MIDNIGHT)

SS-3502

Age: 1+

Material: metal

Product dimensions: 344×195×251 cm



NEST SWING WITH WOODEN POSTS (LIME)

SW-351D

Age: 1+

Material: pine wood + steel

Product dimensions: 384×160×253 cm



NEST SWING WITH STEEL POSTS (LIME & MIDNIGHT)

SS-351D

Age: 1+

Material: metal

Product dimensions: 299×201×251 cm



Item no.	Description	Product dimensions
SS-016-122	Base frame for double swing with wooden posts (Lime)	366×160×253 cm
SS-012-122131	Base frame for double swing with steel posts (Lime & Midnight)	344×195×251 cm
SS-024-122	Base frame for nest swing with wooden posts (Lime)	384×160×253 cm
SS-023-122131	Base frame for nest swing with steel posts (Lime & Midnight)	299×201×251 cm
SS-026	Base frame for swing seat incl. steel suspension	/
SS-027	Base frame for nest swing incl. steel suspension	100 cm



**NEST SWING WITH STEEL POSTS
(MIDNIGHT)
SSE-021**

Material: metal
Product dimensions: 278x125x213 cm



**BELLY SWING
SSE-022**

Material: safety plastic
Product dimensions: 116x51x162 cm



**BABY SWING SEAT
INCL. STEEL SUSPENSION
SS-0011**

Age: 1+
Material: metal +
safety plastic



**SWING SEAT
INCL. STEEL SUSPENSION
SS-026**

Age: 1+
Material: metal



**NEST SWING
INCL. STEEL SUSPENSION
SS-027**

Age: 1+
Material: metal + rope net
Product dimensions: 100 cm


SPRING RIDERS

Child-friendly, cute and appealing design. Selected materials: sturdy and durable.
Spring riders train the sense of balance and improve body coordination.



**FOUR-SEAT SPRING RIDER
AIRPLANE & BOAT
SR-21027**

Age: 1+
Material: PE + metal
Product dimensions: 108x314x93 cm





AIRPLANE SPRING RIDER SR-21023

Age: 1+
Material: PE + metal
Product dimensions: 43×89×84 cm



WHALE SPRING RIDER SR-21020

Age: 1+
Material: PE + metal
Product dimensions: 41×99×78 cm



BEE SPRING RIDER SR-21019

Age: 1+
Material: PE + metal
Product dimensions: 41×74×82 cm



DOG SPRING RIDER (BLUE) SR-21043

Age: 1+
Material: PE + metal
Product dimensions: 93×30×86 cm



SPRING RIDER MOTORBIKE (TURQUOISE) SR-21044

Age: 1+
Material: PE + metal
Product dimensions: 80×45×68 cm



SPRING RIDER FIRE ENGINE SR-21006-E

Age: 1+
Material: PE + metal
Product dimensions: 92×33×92 cm



SPRING RIDER PONY (BEIGE) SR-21045

Age: 1+
Material: PE + metal
Product dimensions: 94×30×80 cm



SPRING RIDER OFF-ROADER SR-21039-118

Age: 1+
Product dimensions: 114.3×61×86.4 cm



SPRING RIDER BULLDOZER SR-21040-114

Age: 1+
Product dimensions: 91.4×38.1×91.4 cm



SEESAWS & SPRING RIDERS



SEESAW SR-21036

Age: 3+
Material: robinia + PE
Product dimensions: 252×45×65 cm



MOTORBIKE SPRING RIDER, ROBINIA SR-21033

Age: 1+
Material: robinia + metal
Product dimensions: 64×35×63 cm



SPRING RIDER, ROBINIA SR-21031

Age: 1+
Material: robinia + metal
Product dimensions: 60×35×61 cm



SEESAW SR-21030

Age: 3+
Material: PE + metal
Product dimensions: 263×44×82 cm




SPIN- NERS



CHAIN CAROUSEL (SILVER GREY & LIME) 75-21046

Age: 3+
Material: metal frame, safety plastic
Product dimensions: 185.4×185.4×251.5 cm



CAROUSEL (SILVER GREY & TURQUOISE) 75-21014

Age: 3+
Material: metal frame, anti-slip surface
Product dimensions: 179×179×97 cm



Warranty conditions

Wisdom Playgrounds International GmbH warrants its products against structural defects caused by material and workmanship faults for the warranty periods and material categories listed below:

ALL WISDOM EQUIPMENT CARRIES A MINIMUM WARRANTY PERIOD OF 2 YEARS FROM THE INVOICE DATE.

In addition, the warranty periods described below are available:

LIFETIME WARRANTY:

- Structural steel and stainless steel parts; covers material and manufacturing defects

* The lifetime warranty covers the period from the initial installation of the product until its dismantling and/or the decommissioning of the playground.



15 YEARS WARRANTY:

- Robinia wood parts against severe rot
- High-pressure laminate play panels (HPL)
- Play panels made of high-density polyethylene
- Aluminium parts
- Steel playground equipment



10 YEARS WARRANTY:

- Pine wood parts against severe rot
- Hot-dip galvanised steel posts, painted
- Painted surfaces on galvanised steel or aluminium parts
- Stainless steel slides
- Structural stability of LLDPE parts (slides, climbing elements)
- Solid plastic parts
- Parts made of transparent polycarbonate (PC)
- WPC decking made of wood-plastic composites



5 YEARS WARRANTY:

- Rope and net structures
- Graphic prints on polycarbonate play panels
- Springs for spring riders and swings



2 YEARS WARRANTY:

- Moving plastic and metal parts
- Sun sails / shade devices
- Painted softwood parts with high surface wear
- All other parts not listed here



SCOPE OF WARRANTY:

The warranty period begins on the date of purchase by the original buyer. This warranty covers only material and manufacturing defects and defects of structural integrity caused by design, material and manufacturing faults. Wisdom's liability under this warranty is limited to the free repair or replacement of defective products, excluding shipping costs. If a replacement is urgently required and cannot wait until the next delivery to the buyer, the partner/buyer bears the express shipping costs, unless Wisdom agrees to cover part or all of the shipping costs. This consent from Wisdom must be obtained before shipping.

PROFESSIONAL ASSEMBLY AND MAINTENANCE

The warranty applies only if the Wisdom products have been installed in accordance with the assembly instructions provided by Wisdom and properly maintained in accordance with the maintenance manual. Improper assembly and/or maintenance may void the manufacturer's warranty.

WARRANTY EXCLUSIONS

- This warranty does not cover damage resulting from improper care, normal wear and tear, vandalism, accidents, excessive use or negligence.
- Surface discolouration or damage due to improper use is excluded from the warranty.
- Playground equipment/components are exposed to unpredictable environmental conditions, such as exceptional weather events or natural disasters.
- Minor changes to wooden components, such as cracks (which do not affect structural integrity or safety) or knotholes. Wood is a natural material that repeatedly expands and contracts over time. Painted softwood is also susceptible to these minor, naturally occurring changes.

NATURAL WOOD COMPONENTS

Please note that all natural wood components of our playground equipment, except those expressly described above in the warranty conditions, are not covered by this warranty. Wood is a natural material and is therefore subject to natural changes such as warping, cracking, and splintering, as well as changes in appearance and structure due to a wide range of environmental conditions such as dryness and humidity. These changes are part of the uncontrollable properties of wood and impair neither the integrity nor the safety of the structure. Such occurrences are therefore not considered defects and are not covered by the warranty. Improper assembly and/or maintenance may void the manufacturer's warranty.

SPECIAL CONDITIONS FOR INSTALLATION NEAR WATER

- The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or change is considered normal wear in this environment.
- The warranty period for corrosion-related defects is halved for all installations located less than 400 m from the coast. The lifetime warranty from Wisdom, where applicable, is limited to 10 years for these products.
- Equipment that comes into direct contact with salt water or chlorinated water is excluded from the Wisdom warranty for corrosion-related defects.

THIRD-PARTY PRODUCTS AND SERVICES

The Wisdom warranty does not apply to products and/or installation services provided by third parties. The respective third-party warranty applies.



WARRANTY CLAIMS PROCEDURE

- All warranty claims must be reported to Wisdom within two weeks of discovering the defect at the following email address: hello@wisdomplaygrounds.eu
- The buyer must present the original invoice when making a claim. In addition, the buyer must substantiate the claim with photos and, upon request, provide Wisdom with a copy of the documentation evidencing proper inspection and maintenance work.
- Defective or faulty parts must be returned to Wisdom upon request.
- Should a product prove defective within the warranty period, Wisdom will repair or replace the defective product free of charge within a reasonable time and at its own discretion. Wisdom assumes no labour costs associated with dismantling the defective product and/or installing the new product. If a replacement is urgently required and cannot wait until the next delivery to the buyer, the partner/buyer bears the express shipping costs, unless Wisdom agrees to cover part or all of the shipping costs. This consent from Wisdom must be obtained before shipping.
- The partner/buyer agrees that the venue for all actions, disputes, claims or disagreements shall be at a location determined by Wisdom.



ISO 9001/ISO 14001

The International Organization for Standardization (ISO) develops and publishes certification procedures for industry. ISO 9001 is used to assess manufacturing standards and certify companies for establishing and maintaining quality management systems covering design, development, production, assembly, inspection and testing. ISO 14001, also known as the "green certification standard", sets out the requirements for an environmental management system (EMS). An EMS is a systematic approach to handling environmental issues within an organisation. Wisdom Playgrounds International is certified to ISO 9001 and ISO 14001.

ASTM

ASTM International, formerly known as the American Society for Testing and Materials (ASTM), is an independent, globally recognised developer of technical standards used in the testing of materials and products.

The ASTM F15.29 subcommittee on consumer safety performance specifications for playground equipment for public use has met regularly for years to continuously develop standard F1487 (Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use). The original version of the standard was published in 1993 (F1487-93) and was most recently superseded by the current versions in May 2021 (F1487-21) and June 2025 (F1487-25).

In this catalogue, ASTM safety zones are given dimensionally in accordance with ASTM F1487-25; these are minimum dimensions. The number of users and their movement patterns must be taken into account.

ASTM INTERNATIONAL

100 Barr Harbor Drive, PO Box C700

West Conshohocken, PA 19428-2959

Web: www.astm.org

Email: service@astm.org

IPEMA

To ensure playground safety, the International Play Equipment Manufacturers Association (IPEMA) offers a third-party certification programme in which an independent laboratory, TÜV SÜD America Inc., validates the equipment manufacturer's conformity with ASTM F1487 (Standard Consumer Safety Performance Specification for Playground Equipment for Public Use) - excluding sections 7.1.1, 10, 13.1.1, 13.1.2, 13.2 and 13.3 - and/or CAN/CSA Z614 (Children's Playground Equipment and Surfacing) - excluding clauses 10 and 11. A list of currently validated products can be viewed at: www.ipema.org.

CPSC

The Consumer Product Safety Commission (CPSC) is an independent agency of the US federal government empowered to inform the public about current consumer product safety notices and best-practice findings. The CPSC first published its guidelines for public playgrounds in 1981 and has updated them several times since. The current CPSC Public Playground Safety Handbook, publication no. 325, is an excellent guide for owners and operators of public playgrounds.

U.S. Consumer Product Safety Commission

Washington, DC 20207

Website: www.cpsc.org

Email: info@cpsc.gov

CSA

The Canadian Standards Association (CSA) is an independent, renowned developer of technical standards used to evaluate a wide range of products. The CSA standard for children's playgrounds and playground equipment, dating from 1990, was revised in March 2020 and bears the official designation CAN/CSA-Z614:20 (Children's Playground Equipment and Surfacing). The CSA standard is largely harmonised with ASTM F1487-11.

Canadian Standards Association
5060 Spectrum Way Suite 100
Mississauga, Ontario L4W 5N6
Web: www.csa.ca

ADA

The United States Architectural and Transportation Barriers Compliance Board - commonly known as the "Access Board" - has developed accessibility guidelines for newly constructed and renovated playgrounds. The playground guidelines supplement the guidelines of the Americans with Disabilities Act. The Access Board supplemented the accessibility guidelines for play facilities under the Americans with Disabilities Act (ADA) of 1990. The final version of the guidelines, along with fact sheets and analyses, is available from the Department of Justice.

Access Board
1331 F Street, NW, Washington, DC 20004-1111
Web: www.access-board.gov
Email: greenwell@access-board.gov

TÜV

TÜV Product Service is an international testing and certification organisation that, as an EU notified and competent body, offers services such as product testing and product certification. The highly visible TÜV mark shows customers that safety testing and certification have been carried out by an independent third-party organisation. The "S" pictogram, together with the statements "Safety tested", EN 1176 and "Production monitored", confirms that the products have passed a comprehensive test procedure based on the European harmonised standard for commercial playground equipment (EN 1176) and that the Wisdom Playgrounds production facility is regularly monitored by TÜV. Please contact your international Wisdom Playgrounds dealer for full information on compliance with EN 1176.

Overview

WISE KIDZ SOLID WOOD



W-B017
P11



W-B018
P12



W-B001
P13



W-B002
P18



W-B013
P14



W-B006
P15



W-B005
P16



W-B003
P17



W-B004
P18



W-B007
P19



W-B008
P20



W-B014
P21



W-B015
P22



W-B009
P23



W-B010
P24



W-B011
P25



W-B012
P26

WISE KIDZ STEEL



W-A017N
P31



W-A017P
P31



W-A018N
P32



W-A018P
P32



W-A002N
P33



W-A002P
P33



W-A001N
P33



W-A001P
P33



W-A003N
P34



W-A003P
P34



W-A013N
P35



W-A013P
P35



W-A005N
P36



W-A005P
P36



W-A006N
P37



W-A006P
P37



W-A004N
P38



W-A004P
P38



W-A007N
P39



W-A007P
P39




W-A008N
P40



W-A008P
P40



W-A014N
P41





WISDOM EDUCATION EUROPE GMBH

schönherr.fabrik
Schönherrstraße 8
09113 Chemnitz
Germany

Phone: +49 37360 488999
hello@wisdomplaygrounds.eu

Your dealer:

www.wisdomplaygrounds.eu