



MAGTECH[®]

PRODUCT CATALOG



CONTENTS

About Magtech	4
Target Practice	6
Range	8
Low Recoil	12
Polymatch	14
Clean Range	16
Steel Case	18
Rimfire	20
Cowboy	22
Non-Toxic	24
Frangible	25
Duty Defense	26
Bonded	28
Guardian Gold	30
Hunt	32
Precision	34
Tactical Rifle	36
Subsonic	38
Reloading	40
CBC Defense	44
Conclusion	46



A LEGACY BUILT ON FIREPOWER

Relentless in quality. Unmatched in consistency. Trusted globally.

For millions of shooters across more than 100 countries, Magtech is more than just a name. It is a worldwide benchmark for quality and reliability in the ammunition industry. Behind Magtech stands one of the largest ammunition manufacturers in the world, backed by over 100 years of expertise. With an annual production capacity exceeding 2 billion metallic centerfire cartridges, our vertically integrated operation ensures total control over every stage of production—and total confidence in every shot.

As part of CBC Global Ammunition—the world leader in ammunition for portable weapons and a trusted supplier to NATO, allied militaries and law enforcement agencies worldwide—we don't simply follow industry standards. We define them. Whether utilized for competitive shooting, hunting, self-defense, tactical operations or law enforcement, Magtech provides a comprehensive range of products tailored to meet the diverse and demanding needs of shooters across the globe.

Welcome to the next generation of shooting excellence.

Welcome to Magtech.



TARGET | PRACTICE

RANGE | LOW RECOIL | POLYMATCH | CLEAN RANGE | STEEL CASE | RIMFIRE



MAGTECH OFFERS A COMPLETE RANGE OF PREMIUM QUALITY AMMO FOR THE TARGET AND PRACTICE SEGMENT, DELIVERING RELIABLE AND CONSISTENT PERFORMANCE FOR EVERYDAY TRAINING

RANGE

LOW RECOIL

POLYMATCH

CLEAN RANGE

STEEL CASE

RIMFIRE

MAGTECH[®]

RANGE

Premium-quality handgun ammunition, meticulously designed for superior performance in range and training applications.



CONSISTENT ACCURACY
AND RELIABLE FUNCTION
IN A WIDE RANGE OF
FIREARMS

RANGE

LOW RECOIL


POLYMATCH

CLEAN RANGE

STEEL CASE

RIMFIRE

Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
10mm Auto	10A	FMJ	180	375	1230	820	605	5	0.197
10mm Auto	10B	JHP	180	370	1230	820	605	5	0.174
25 Auto	25A	FMJ	50	232	760	87	64	2	0.093
32 Auto	32A	FMJ	71	276	905	175	129	4	0.134
32 Auto	32B	JHP	71	276	905	175	129	4	0.134
32 Auto	32C	LRN	71	276	905	175	129	4	0.134
32 S&W	32SWA	LRN	85	207	702	118	93	3	0.137
32 S&W Long	32SWLA	LRN	98	214	702	126	108	4-V	0.123
32 S&W Long	32SWLB	LWC	98	228	748	137	102	4-V	0.039
32 S&W Long	32SWLC	SJHP	98	237	778	178	132	4-V	0.141
357 MAG	357A	SJSP Flat w/o nickel	158	376	1235	724	535	4-V	0.172
357 MAG	357B	SJHP	158	376	1235	724	535	4-V	0.172
357 MAG	357D	FMJ Flat	158	376	1235	724	535	4-V	0.172
357 MAG	357E	SJSP Flat w/o nickel	158	376	1235	724	535	4-V	0.172
357 MAG	357Q	FMJ Flat	125	428	1405	938	693	4-V	0.174
380 Auto	380A	FMJ	95	290	951	259	191	3.75	0.082
380 Auto	380B	JHP	95	290	951	259	190	3.75	0.082
380 Auto	380D	LRN	95	290	951	259	190	3.75	0.082
38 SPL	38A	LRN	158	230	755	271	200	4-V	0.149
38 SPL	38B	LWC	148	247	810	293	216	7.7	0.055
38 SPL	38C	SJSP Flat	158	230	755	271	200	4-V	0.149
38 SPL	38D	SJSP Flat +P	125	320	1050	415	306	4-V	0.163
38 SPL	38E	SJHP	158	246	807	310	229	4-V	0.149
38 SPL	38F	SJHP +P	125	286	938	331	244	4-V	0.163
38 SPL Short	38G	LRN Short	125	209	686	177	131	4-V	0.139
38 SPL	38H	SJHP + P	158	270	886	373	275	4-V	0.172
38 SPL	38J	LSWC	158	230	755	271	200	4-V	0.149
38 SPL	38N	SJSP Flat + P	158	270	886	373	275	4-V	0.172
38 SPL	38P	FMJ Flat	158	230	755	271	200	4-V	0.172
38 SPL	38Q	FMJ Flat	125	286	938	331	244	4-V	0.163



Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
38 Super Auto	38S	FMJ + P	130	370	1215	577	426	5	0.159
38 S&W	38SWA	LRN	146	209	686	207	153	4-V	0.146
38 SPL	38T	FMJ Flat	130	244	800	251	185	4-V	0.181
40 S&W	40A	JHP	180	302	990	532	392	4	0.174
40 S&W	40B	FMJ Flat	180	302	990	532	392	4	0.191
40 S&W	40C	LSWC	160	355	1165	654	482	4	0.169
40 S&W	40G	FMJ Flat	165	320	1050	548	404	4	0.200
40 S&W	40PS	FMJ Flat	180	320	1050	597	441	4	0.197
44-40 WIN	4440A	LFN	200	256	840	425	313	4-V	0.173
44 REM MAG	44A	SJSP Flat	240	493	1617	1891	1394	8.3	0.172
44 REM MAG	44C	FMJ Flat	240	493	1617	1891	1385	8.3	0.172
454 Casull	454A	SJSP Flat	260	536	1759	2422	1787	7.5	0.167
454 Casull	454B	FMJ Flat	260	548	1798	2531	1867	7.5	0.167
45 Auto	45A	FMJ	230	255	837	485	358	5	0.194
45 Auto	45B	FMJ-SWC	230	238	780	422	311	5	0.184
45 GAP	45GA	FMJ	230	255	837	485	358	5	0.167
500 S&W	500A	SJSP Flat	400	495	1624	3177	2343	10	0.186
500 S&W	500B	SJSP Flat	325	532	1745	2982	2198	10	0.155
500 S&W	500D	FMJ Flat	325	550	1805	3187	2352	10	0.155
500 S&W	500L	SJSP-Flat Light	325	420	1380	1858	1375	10	0.155
9×21mm	921A	FMJ	124	352	1155	500	369	4	0.176
9×21mm	921B	LRN	124	350	1150	492	364	4	0.176
9×21mm	921G	FMJ Flat Subsonic	147	302	990	434	320	4	0.200
9mm Luger	9A	FMJ	115	346	1135	446	329	4	0.144
9mm Luger	9B	FMJ	124	338	1109	459	339	4	0.160
9mm Luger	9C	JHP	115	352	1155	462	341	4	0.144
9mm Luger	9D	JSP Flat	95	410	1345	517	382	4	0.137
9mm Luger	9E	LRN	124	338	1109	459	339	4	0.160
9mm Luger	9F	JSP Flat w/o Grooves	95	410	1345	517	382	4	0.137
9mm Luger	9H	JHP +P+	115	405	1330	611	452	4	0.142
9mm Luger	9NATO	NATO Ball	124	395	1296	627	463	8	0.160
9mm Luger	9S	JSP	124	338	1109	459	339	4	0.160

MAGTECH
LOW RECOIL

Designed to deliver a softer shooting experience with reduced felt recoil. This allows for better control, faster follow up shots and greater comfort during extended practice or defensive use, all while maintaining consistent accuracy and reliable performance.



DESIGNED FOR IMPROVED
HANDLING IN SMALL
REVOLVERS

LOWER RECOIL REDUCES
STRESS ON THE SHOOTER
AND FIREARM

RELIABLE FUNCTION AND
CONSISTENT TERMINAL
PERFORMANCE IN A MORE
MANAGEABLE LOAD

Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
38 SPL	38PMB	LHP	148	230	755	254	187	4-V	0.055
38 SPL	38PMD	LPC	148	247	810	292	216	7.7	0.055
44 S&W SPL	44F	FMJ	240	220	722	376	278	4-V	0.175

MAGTECH
POLYMATCH

Ammunition coated with four layers of specialized polymer, preventing metal-on-metal contact between the bullet and bore. This innovative design eliminates copper and lead fouling, ensuring a cleaner, more consistent shooting experience.



Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
357 MAG	357PMA	LPC	158	376	1235	724	535	4-V	0.172
380 Auto	380PMA	LPC	95	290	951	259	190	3.75	0.082
38 SPL	38PMA	LPC	158	230	755	271	200	4-V	0.149
40 S&W	40PMB	LPC	180	302	990	532	392	4	0.200
40 S&W	40PMG	LPC	165	318	1043	541	399	4	0.201
45 Auto	45PMA	LPC	230	261	856	508	374	5	0.190
9mm Luger	9PMB	LPC	124	338	1109	459	339	4	0.160

MAGTECH

CLEAN RANGE

Crafted with a non-toxic primer and a fully encapsulated projectile, effectively eliminating exposure to lead and other heavy metals. Designed for safety and environmental consideration, Clean Range ammunition is the ideal choice for indoor shooting.




NON-TOXIC PRIMER
WITH FULLY
ENCAPSULATED
BULLETS



CLEAN RANGE



STANDARD



Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
380 Auto	CR380A	FEB	95	290	951	259	191	3.75	0.082
38 SPL	CR38A	FEB Flat	158	230	755	271	200	4-V	0.149
40 S&W	CR40A	FEB Flat	180	312	1024	568	392	4	0.200
45 Auto	CR45A	FEB	230	255	837	485	358	5	0.196
9mm Luger	CR9A	FEB	115	346	1135	446	329	4	0.144
9mm Luger	CR9B	FEB	124	353	1158	501	369	4	0.160

MAGTECH
STEEL CASE

Experience shooting excellence with Magtech Steel ammunition, featuring a brass-jacketed lead core bullet, non-corrosive boxer primer, clean-burning powder, and zinc-plated steel cases. This clean-shooting ammunition elevates training, target shooting, and range sessions, delivering reliable, accurate performance. With a wide range of calibers and bullet weights to choose from, Magtech Steel ensures you rule the range with confidence, backed by exceptional consistency and precision in every shot.



Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
9mm Luger	9AS	FMJ	115	346	1135	446	329	4	0.144
9mm Luger	9BS	FMJ	124	338	1109	459	339	4	0.160

RANGE

LOW RECOIL

POLYMATCH

CLEAN RANGE

STEEL CASE

RIMFIRE

MAGTECH
RIMFIRE

Magtech rimfire ammunition is crafted with the finest materials and cutting-edge manufacturing technology to deliver exceptional performance, precision, and reliability.



RANGE

LOW RECOIL

POLYMATCH

CLEAN RANGE

STEEL CASE

RIMFIRE



Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
22 LR	22A	LRN HVBP	40	380	1245	187	138	24	0.150
22 LR	22B	LRN SV	40	350	1150	159	117	24	0.150
22 LR	22C	LHP HVCP	36	390	1280	177	131	24	0.125
22 LR	22D	LHP Subsonic	40	320	1050	133	98	24	0.139
22 LR	22E	LHP HYPV	33	455	1495	222	164	24	0.108
22 SHORT	22F	LRN SV	29	320	1050	96	71	24	0.107
22 LR	22G	LRN CP	40	350	1150	159	117	24	0.150
22 WMR	22WMA	FMJ	40	582	1909	439	324	24	0.122
22 WMR	22WMC	JHP	40	582	1909	439	324	24	0.118



COWBOY

MAGTECH® COWBOY

Magtech Cowboy flat nose bullets are engineered for single-action revolvers and lever-action rifles—delivering quick, reliable and repeatable knockdown on steel targets.



Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
357 MAG	357L	LFN	158	330	1085	558	413	4-V	0.172
38 SPL	38L	LFN	158	244	800	305	225	4-V	0.172
38 SPL	38U	LFN	125	280	920	318	235	4-V	0.172
44-40 WIN	4440B	LFN	225	230	755	386	285	4-V	0.175
44-40 WIN	4440C	LFN	200	221	725	317	232	4-V	0.173
44 S&W SPL	44B	LFN	240	221	725	380	280	4-V	0.177
45 Long Colt	45D	LFN	250	232	760	436	321	4-V	0.200
45 Long Colt	45F	LFN	200	215	705	300	221	4-V	0.170



NON-TOXIC

MAGTECH[®] FRANGIBLE

Magtech Frangible ammunition is specifically designed to enhance safety while minimizing environmental and health concerns associated with lead. This lead-free ammunition features SinterFire[®] projectiles and a Magtech Clean Range non-toxic primer. The frangible projectiles are crafted using a unique blend of copper and tin composite material, coupled with a proprietary heat-treatment process. Unlike traditional lead projectiles that may ricochet or fragment into large, dangerous pieces, Magtech Frangible projectiles disintegrate into small particles upon impact with harder surfaces, offering a safer, more controlled shooting experience.

SINTERFIRE[®] LEAD-FREE
FRANGIBLE BULLET

BULLET DISINTEGRATES
ON IMPACT AGAINST
HARD TARGETS

SAFER REDUCED
RICOCHET FOR TRAINING
AND CONFINED RANGES



Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
10mm Auto	10FRANA	Frangible	125	411	1348	684	504	4	0.134
223 REM	223FRANA	Frangible	42	1052	3451	1506	1111	24	0.108
40 S&W	40FRANA	Frangible	125	370	1214	555	409	4	0.133
9mm Luger	9FRANA	Frangible	90	427	1401	532	392	4	0.049
9mm Luger	9FRANB	Frangible	100	384	1260	478	353	4	0.067



DUTY | DEFENSE

BONDED

GUARDIAN GOLD

Magtech offers a comprehensive ammunition portfolio tailored for self-defense and duty applications. Each item is meticulously engineered with distinct features and purposes. These lines consistently deliver exceptional precision and dependable performance, even in the most demanding conditions—ensuring optimal weight retention, accuracy, and penetration.

TRUSTED BY LAW ENFORCEMENT
AGENCIES WORLDWIDE

PREMIUM HOLLOW
POINT DESIGN

MAGTECH
BONDED

At Magtech, our JHP bonded ammunition delivers accurate, reliable performance in the most demanding environments—delivering the best in weight retention, accuracy and penetration through a wide variety of duty and self-defense firearms.



PREMIUM HOLLOW
POINT DESIGN

ELECTROPLATED BONDED
COPPER JACKET FOR
SUPERIOR WEIGHT
RETENTION

SEALED WATERPROOF
PRIMER



Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
40 S&W	40BONA	JHP Bonded	155	365	1198	669	494	4	0.165
40 S&W	40BONB	JHP Bonded	180	302	990	532	392	4	0.174
45 Auto	45BONA	JHP Bonded	230	255	837	485	358	5	0.169
9mm Luger	9BONA	JHP Bonded	124	355	1165	506	374	4	0.152
9mm Luger	9BONB	JHP Bonded + P	124	370	1215	550	407	4	0.152
9mm Luger	9BONC	JHP Bonded	147	302	990	434	320	4	0.200
9mm Luger	9BOND	JHP Bonded + P	147	320	1050	488	360	4	0.200

BONDED GUARDIAN GOLD

MAGTECH®
GUARDIAN GOLD

Magtech's JHP Guardian Gold loads offer shooters a high-performance, controlled expansion option for self-defense or hunting applications.



BONDED GUARDIAN GOLD



HEX INTERIOR HOLLOW
POINT GEOMETRY



SEALED
WATERPROOF
PRIMER



CONTROLLED EXPANSION AND
HIGH ENERGY TRANSFER

MINIMIZES OVERPENETRATION
FOR ENHANCED STOPPING POWER

OPTIMIZED WEIGHT RETENTION
FOR EFFECTIVE TERMINAL IMPACT

Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
32 Auto	GG32A	JHP	65	283	928	169	124	4	0.134
357 MAG	GG357A	JHP	125	420	1378	715	527	4	0.173
38 SPL	GG38A	JHP + P	125	310	1017	389	287	4-V	0.174
40 S&W	GG40A	JHP	155	367	1205	676	500	4	0.166
40 S&W	GG40B	JHP	180	302	990	532	392	4	0.174
45 Auto	GG45B	JHP + P	230	350	1150	734	541	5	0.147
9mm Luger	GG9A	JHP + P	115	380	1247	538	397	4	0.144
9mm Luger	GG9B	JHP	124	334	1096	448	331	4	0.152



HUNT

MAGTECH[®] HUNT

Experience unparalleled precision with our latest rifle ammunition line meticulously crafted for hunting. Engineered with top-quality components to ensure absolute accuracy and reliability, our Magtech Hunt line elevates your shooting experience with the essence of precision in every shot.

ENGINEERED
FOR HUNTING
AND FIELD USE

CONTROLLED
EXPANSION AND
RELIABLE TERMINAL
PERFORMANCE

CONSISTENT LONG
RANGE ACCURACY AND
ENERGY TRANSFER



Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
223 REM	223B	PSP	55	990	3250	1745	1290	24	0.250
223 REM	223E	JHP	58	950	3117	1696	1251	24	0.234
223 REM	223F	PSP	63	925	3034	1746	1288	24	0.144
300 Blackout	300BLKD	PSP	147	630	2067	1889	1393	16	0.175
308 WIN	308B	PSP	150	858	2815	3579	2640	24	0.360
308 WIN	308E	PSP	165	815	2674	3552	2620	24	0.275
308 WIN	308F	PSP	180	795	2608	3686	2719	24	0.415
30-06 Springfield	3006B	PSP	180	823	2700	3622	2672	24	0.246
30-06 Springfield	3006C	PSP	165	853	2799	3891	2871	24	0.247
6.5 Creedmoor	65B	PSP	140	812	2664	2991	2207	24	0.283





PRECISION

MAGTECH® PRECISION

Magtech Precision projectiles are designed to deliver exceptional accuracy and consistency. Featuring a HPBT profile, they combine a high ballistic coefficient with stable flight and reduced drag. Produced under strict quality control with uniform cores and precise dimensional tolerances, Magtech Precision ensures reliable performance and repeatable results, making it the trusted choice for demanding shooters.



HIGH BALLISTIC
COEFFICIENT HPBT
DESIGN FOR MATCH
PERFORMANCE

SUB MOA ACCURACY
WHEN USED IN
PRECISION RIFLE
PLATFORMS

MATCH GRADE
COMPONENTS FOR
CONSISTENT VELOCITY
AND LONG RANGE
PERFORMANCE

Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
223 REM	223C	HPBT	77	805	2641	1618	1193	24	0.191
308 WIN	308D	HPBT	168	803	2635	3513	2591	24	0.246
308 WIN	308G	HPBT	175	803	2635	3658	2698	24	0.263
338 LAPUA	338LMA	HPBT	250	899	2950	6551	4832	24	0.279
.50 BMG	50BMGB	Solid	770	857	2812	18333	13520	45	0.511



TACTICAL RIFLE

MAGTECH
TACTICAL

Manufactured to stringent military and law-enforcement standards, Magtech Tactical ammunition offers the precision and reliability demanded by professional users.



Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
223 REM	223A	FMJ	55	990	3250	1745	1290	24	0.272
5.56x45mm	556A	Ball M193	55	995	3265	1763	1302	20	0.272
5.56x45mm	556A-LK	Ball M193	55	995	3265	1763	1302	20	0.272
5.56x45mm	556B	FMJ	62	940	3085	1768	1311	20	0.340
5.56x45mm	556B-LK	FMJ	62	940	3085	1768	1311	20	0.340
5.56x45mm	556C	HPBT	77	850	2790	1803	1331	20	0.362
5.56x45mm	556NATO	Nato Ball	62	940	3083	1778	1306	20	0.340
300 Blackout	300BLKA	OTM	115	695	2280	1800	1328	16	0.325
300 Blackout	300BLKB	FMJ	123	680	2230	1843	1359	16	0.330
300 Blackout	300BLKC	FMJ	147	600	1969	1715	1265	16	0.211
308 WIN	308A	FMJ	150	858	2815	3579	2640	24	0.398
308 WIN	308C	FMJ	180	795	2608	3686	2719	24	0.475
7.62x51mm	762A	Ball Mil Std	147	832	2729	3320	2451	22	0.398
7.62x51mm	762A-LK	Ball Mil Std	147	832	2729	3320	2451	22	0.398
7.62x51mm	762NATO	Nato Ball	144	850	2814	3372	2479	22	0.430
30-06 Springfield	3006A	FMJ	180	822	2697	3613	2666	24	0.282
6.5 Creedmoor	65A	FMJ BT	140	813	2667	2998	2212	24	0.264
30 Carbine	30A	FMJ	110	610	2000	1327	977	20	0.178
30 Carbine	30B	JSP	110	610	2000	1327	977	20	0.178
30 Carbine	30C	JHP	110	610	2000	1327	977	20	0.158
.50 BMG	50BMGA	Ball	656	900	2953	17213	12657	45	0.663



SUBSONIC

MAGTECH
SUBSONIC


Magtech subsonic ammunition is designed to operate below the speed of sound to reduce noise—making it ideal for use with suppressors and for training.



SUBSONIC VELOCITY FOR LOWER
NOISE SIGNATURE WHEN USED
WITH A SUPPRESSOR

PROJECTILE WEIGHT AND DESIGN ARE OPTIMIZED
FOR RELIABILITY IN SUPPRESSED FIREARMS

Caliber	Symbol	Bullet Type	Bullet Weight (GR)	Muzzle Velocity (m/s)	Muzzle Velocity (fps)	Muzzle Energy (J)	Muzzle Energy (ft.lbs)	Test Barrel Length (in.)	Ballistic Coefficient
300 Blackout	300BLKSUBA	FMJ Subsonic	200	310	1017	623	459	16	0.560
9mm Luger	9G	FMJ Flat Subsonic	147	302	990	434	320	4	0.200
9mm Luger	9K	JHP Subsonic	147	302	990	434	320	4	0.200
9mm Luger	9PMG	LPC	147	272	892	352	260	4	0.200



RELOADING

Magtech reloading components are produced to the same high standards as our advanced factory-loaded ammunition, ensuring premium-quality primers, unprimed handgun and shotshell brass cases, and dependable handgun bullets. These components are designed for consistent, reliable performance, providing reloading enthusiasts with the utmost confidence.

BULLETS				
Symbol	Description	Rounds Bag	Bags Case	Rounds Case
BU25A	25 AUTO 50GR FMJ	100	10	1,000
BU32A	32 AUTO 71GR FMJ	100	10	1,000
BU32B	32 AUTO 71GR JHP	100	10	1,000
BU32SWA	32 S&W 85GR LRN	100	10	1,000
BU32SWLA	32 S&W Long 98GR LRN	100	10	1,000
BU32SWLB	32 S&W Long 98GR LWC	100	10	1,000
BU32SWLC	32 S&W LONG 98GR SJHP	100	10	1,000
BU380A	380 AUTO 95GR FMJ	100	10	1,000
BU380B	380 AUTO 95GR JHP	100	10	1,000
BU380C	380 AUTO 85GR JHP Gold	100	10	1,000
BU9A	9mm Luger 115GR FMJ	100	10	1,000
BU9B	9mm Luger 124GR FMJ	100	10	1,000
BU9C	9mm Luger 115GR JHP	100	10	1,000
BU9E	9mm Luger 124GR LRN	100	10	1,000
BU9F	9mm Luger 95GR JSP Flat	100	10	1,000
BU9G	9mm Luger 147GR FMJ Flat	100	10	1,000
BU9K	9mm Luger 147GR JHP	100	10	1,000
BU9M	9mm Luger 115GR JHP Gold	100	10	1,000
BU38SWA	38 S&W 146GR LRN	100	10	1,000
BU38A	38 SPL 158GR LRN	100	10	1,000
BU38B	38 SPL 148GR LWC	100	10	1,000
BU38C	38 SPL 158GR SJSP	100	10	1,000
BU38D	38 SPL 125GR SJSP	100	10	1,000
BU38L	38 SPL 158GR LFN Cowboy	100	10	1,000
BU38M	38 SPL 125GR JHP Gold	100	10	1,000
BU38S	38 SUPER AUTO 130GR FMJ	100	10	1,000
BU357A	357 MAGNUM 158GR SJSP	100	10	1,000
BU357B	357 MAGNUM 158GR SJHP	100	10	1,000

BULLETS				
Symbol	Description	Rounds Bag	Bags Case	Rounds Case
BU40A	40 S&W 180GR JHP	100	10	1.000
BU40B	40 S&W 180GR FMJ-Flat	100	10	1.000
BU40C	40 S&W 160GR LSWC	100	10	1.000
BU40E	40 S&W 155GR JHP Gold	100	10	1.000
BU4440A	44-40 WIN 200GR LFN	100	10	1.000
BU4440B	44-40 WIN 225GR LFN Cowboy	100	10	1.000
BU44B	44 S&W SPL 240GR LFN Cowboy	100	10	1.000
BU44A	44 REM MAG 240GR SJSP	100	10	1.000
BU44C	44 REM MAG 240GR FMJ Flat	100	10	1.000
BU45A	45 AUTO 230GR FMJ	100	10	1.000
BU45B	45 AUTO 230GR FMJ-SWC	100	10	1.000
BU45E	45 AUTO 185GR JHP Gold	100	10	1.000
BU45D	45 LONG COLT 250GR LFN	100	10	1.000
BU45F	45 LONG COLT 200GR LFN	100	10	1.000
BU454A	454 CASULL 260GR SJSP Flat	100	10	1.000
BU454B	454 CASULL 260GR FMJ Flat	100	10	1.000
BU500B	500 S&W 325GR SJSP	100	10	1.000
BU500D	500 S&W 325GR FMJ	100	10	1.000
BU223A	.223 REM 55GR FMJ	100	10	1.000
BU556M193	5.56 x 45mm BALL M193	100	10	1.000
BU556SS109	5.56 x 45mm BALL SS109	100	10	1.000
BU30A	30 CARBINE 110GR FMJ	100	10	1.000
BU300BLKB	.300 BLACKOUT 123GR FMJ	100	10	1.000
BU300BLKSUBA	.300 BLACKOUT 200GR FMJ SUB	100	10	1.000
BU308A	.308 WIN 150GR FMJ	100	10	1.000
BUM80	7.62 x 51mm NATO BALL	100	10	1.000
BUM33	12.7 x 51mm (.50) NATO BALL	100	10	1.000

PRIMERS				
Symbol	Description	Rounds Box	Box Case	Rounds Case
PR-SP	Small Pistol Primer	100	50	5.000
PR-SPCR	Small Pistol Primer Clean Range™	100	50	5.000
PR-SPM	Small Magnum Pistol Primer	100	50	5.000
PR-LP	Large Pistol Primer	100	50	5.000
PR-SR	Small Rifle Primer	100	50	5.000
PR-LR	Large Rifle Primer	100	50	5.000

UNPRIMED BRASS				
Symbol	Description	Rounds Bag	Bags Case	Rounds Case
BR25	25 AUTO Unprimed Cases	100	10	1.000
BR32A	32 AUTO Unprimed Cases	100	10	1.000
BR32SW	32 S&W Unprimed Cases	100	10	1.000
BR32SWL	32 S&W LONG Unprimed Cases	100	10	1.000
BR380	380 AUTO Unprimed Cases	100	10	1.000
BR9	9mm LUGER Unprimed Cases	100	10	1.000
BR921A	9 x 21mm Unprimed Cases	100	10	1.000
BR38SWA	38 S&W Unprimed Cases	100	10	1.000
BR38A	38 SPL Unprimed Cases	100	10	1.000
BR38G	38 SPL (Short) Unprimed Cases	100	10	1.000
BR38S	38 SUPER AUTO Unprimed Cases	100	10	1.000
BR357	357 MAGNUM Unprimed Cases	100	10	1.000
BR40SW	40 S&W Unprimed Cases	100	10	1.000
BR10A	10mm Unprimed Cases	100	10	1.000
BR4440B	44-40 WIN Unprimed Cases	100	10	1.000
BR44F	44 S&W SPL Unprimed Cases	100	10	1.000
BR44M	44 REM MAG Unprimed Cases	100	10	1.000
BR45GA	45 GAP Unprimed Cases	100	10	1.000
BR45A	45 AUTO Unprimed Cases	100	10	1.000
BR45C	45 LONG COLT Unprimed Cases	100	10	1.000
BR454	454 CASULL Unprimed Cases	100	10	1.000
BR500	500 S&W Unprimed Cases	100	10	1.000
BR223A	.223 REM Unprimed Cases	100	10	1.000
BR556A	5.56 x 45mm Unprimed Cases	100	10	1.000
BR30	30 CARBINE Unprimed Cases	100	10	1.000
BR300BLKA	.300 BLACKOUT Unprimed Cases	100	10	1.000
BR308A	.308 WIN Unprimed Cases	100	10	1.000
BR650A	6.5 Creedmoor Unprimed Cases	100	10	1.000
BR762A	7.62 x 51mm Unprimed Cases	100	10	1.000
BR50	12.7 x 99mm (.50) Unprimed Cases	25	10	250

UNPRIMED SHOTSHELL BRASS					
Symbol	Description	Primer Used	Rounds Box	Box Case	Rounds Case
SBR12	12 GA Brass Shotshell	LP	25	10	250
SBR16	16 GA Brass Shotshell	LP	25	10	250
SBR20	20 GA Brass Shotshell	LP	25	10	250
SBR24	24 GA Brass Shotshell	LP	25	10	250
SBR28	28 GA Brass Shotshell	LP	25	10	250
SBR32	32 GA Brass Shotshell	LP	25	10	250
SBR36	36 (.410") GA Brass Shotshell	LP	25	10	250
SBR9.1	9.1 GA Brass Shotshell	LP	36	10	360



CBC DEFENSE



CBC: A Global Reference in Military Ammunition

Since 1926, CBC has established itself as a world leader in ammunition, with extensive expertise in small- and medium-caliber production. CBC Defense supplies the U.S. military and NATO-allied forces with reliable, high-performance military-grade ammunition worldwide. Learn more at cbcdefense.com





ENGINEERED FOR THE WORLD. TRUSTED EVERYWHERE.

By expanding our global production capabilities and strengthening our international presence, we continue to drive innovation, raise standards and serve our customers wherever they are.

Backed by 100 years of elite engineering and strengthened by military-grade manufacturing expertise, Magtech carries the legacy of CBC Global Ammunition—a global group with operations in Brazil, the United States, Germany, the Czech Republic, Belgium and India.

Together, we are committed to delivering the most reliable ammunition to military, law enforcement and civilian customers around the world—leveraging more than 300 years of combined experience to offer a complete portfolio and continually increasing value.

From raw materials to the final round, Magtech maintains total control of the manufacturing process, ensuring that every cartridge reflects our commitment to quality and precision.

No outsourcing. No shortcuts. No compromises.





MAGTECH[®]

MAGTECHAMMUNITION.COM

INTERNATIONAL INQUIRIES

Companhia Brasileira de Cartuchos - CBC
Av. Humberto de Campos, 3220
09426-900 - Ribeirão Pires SP Brazil
+55 11 2139 8202 / +55 11 2139 8342
export@cbc.com.br

U.S.A. INQUIRIES

Magtech Ammunition Inc.
9100 Wyoming Ave North #515
Brooklyn Park, MN 55445 USA
+1 763 235 4000
sales@magtechammunition.com

A member of



GLOBAL
AMMUNITION