

3D Panel Fence



Regular Feature

- ❖ Posts can be customised for Barbed wire,Razor wire
- ❖ Mesh100 x50mm,200 x 50mm,4mm or 5mm wire
- ❖ V mesh design offers strength and security without an intimidating appearance
- ❖ Unique vandal-proof panel to post fixings
- ❖ 2 - 5 reinforcement folds according to height
- ❖ Our panels are made from galvanized wires, then plasticized with polyester after application of an adhesion layer.

Material

- Panel wire:Q195 Low carbon wire
- Post:Q235,345 Steel tube
- Coating:pre galvanized wire and tube:zinc coating 60g/m² (general) ,275g/m² (High) with polyester coating 76µm,100µm
- Color: Green RAL 6005 - Black RAL 9005 - Grey RAL 7016 - White RAL 9010
- Other colours : on request.

Popular size(Allow customization/OEM)

Panel size				Post	No of V beam (pcs)
Width(mm)	Height(mm)	Wire(mm)	Mesh(mm)		
2500	1530	4/5		40×60×1.5/2.0×200	3
				0	
				60×60×1.5/2.0×200	
2500	1730	4/5		0	3
				40×60×1.5/2.0×230	
				0	
2500	1930	4/5		40×60×1.5/2.0×250	3
				0	
				60×60×1.5/2.0×250	
2500	2030	4/5	100×50 200×50	0	4
				40×60×1.5/2.0×250	
				0	
2250/2500	2430	4/5		60×60×1.5/2.0×300	4
				0	
				80×80×1.5/2.0×300	
2250/2500	3000	4/5		0	5
				60×60×2.0/2.5×300	
				0	
				80×80×2.0/2.5×300	
				0	

Panel and post connect way



Application

Home security,Public space,Building,Factory,Industry security,Airport,Prison



Clear View Fence



Regular Feature

- ❖ Anti-climb, anti-cut and 85% - 90% see-thru.
- ❖ V mesh design offers strength and security without an intimidating appearance
- ❖ Posts can be customised for Barbed wire,Razor wire
- ❖ I beam and square post choose to adapt to different security grade,Also special type post allow
- ❖ Various finished to adapt to different anti corrosion requirements
- ❖ Allow razor spike on the fence top,anti climb on top side

Material

- Panel wire:Q195 or Q235 Low carbon wire
- Post:Q235,345 Steel tube,I beam
- Coating:pre galvanized wire and tube:zinc coating 60g/ m² (general) ,275g/ m² (High) with polyester coating 76μm,100μm;Hot dipped galvanized:Zinc coating 60μm,85μm,etc
- Color: Green RAL 6005 - Black RAL 9005 - Grey RAL 7016 - White RAL 9010
- Other colours : on request.

Popular size(Allow customization/OEM)

Panel size				Post	No of V beam (pcs)
Width(mm)	Height(mm)	Wire(mm)	Mesh(mm)		
2500/3000	1800	3/4 or 4/4	76.2×12.7	60×60×2.0×2400	3
				75×75×2.0×2400	
2500/3000	2100	3/4 or 4/4	76.2×25 76.2×50	60×60×2.0×2700	3
				75×75×2.0×2700	
2500/3000	2400	3/4 or 4/4		60×60×2.0×3000	3/4
				75×75×3.0×3000	
2250/2500	3000	3/4 or 4/4		75×75×3.0×3600	5
				80×80×4.0×3600	

Choose Idea

Clearview Fence Features & Types	BASIC SECURITY	PRO SECURITY	PREMIUM SECURITY
Aperture Sizes	76.2mm x 50mm	76.2mm x 25mm	76.2mm x 12.7mm
Heights (m) 1.8, 2.0, 2.2, 2.4, 3.0	✓	✓	✓
Unobstrusive Clear View Aesthetics	✓	✓	✓
Cut Resistant Strengthened Welding	✓	✓	✓
Security Ad-ons Spikes (ribbed/flared) Electric Fence & Razor	✗	✓	✓
Anti-climb Properties may be added	✗	✗	✓

Application

Public space,Building,Factory,Industry security,Airport,Prison,where need high security



Palisade Fence



Regular Feature

- ❖ Bolt-on Palisade fencing can be installed by semi-skilled staff as there is no welding on site.
- ❖ Bolt-on Palisade fencing is easily transported. The components are packed in bundles.
- ❖ Bolt-on Palisade fencing which has been hot-dip galvanized is not compromised by welding on site.

- ❖ Bolt-on Palisade fencing can be easily moved to another fence line.
- ❖ HT-Fence Palisade fencing is modular.Sections can be replaced easily if damaged by vehicles,falling trees,etc.

Material

- Pale use mild steel plate(black or galvanized)
- Horizontal rails:Standard 50 × 50 × 5/6mm angle rail
- Post use I beam(100 × 55mm,100 × 68mm,150 × 75mm)
- Fixings:Steel plate:40 × 8 × 150mm,Other: on request.
- Bolts:M8 × 30,M12 × 30 anti-vandal steel or stainless steel
- Surface:Galvanized or galvanized then powder coating finished
- Steel grade can be chose.
- Color: Green RAL 6005 - Black RAL 9005 - Grey RAL 7016 - Other colors : on request.
- Comply for BS1722-12

Popular size(Allow customization/OEM)

Panel size		W Pale section:70mm		Rails	Post		
Fence heights	Post Distance	Pale Thickness	Qty:Pale	Cross Rails	Height	I	Post Section
1.8m	2.75m	2/2.5/3mm	17pcs	50 × 50 × 5/6mm	2400		100 × 55mm
2.1m	2.75m	2/2.5/3mm	17pcs	50 × 50 × 5/6mm	2900		100 × 55mm
2.4m	2.75m	2/2.5/3mm	17pcs	50 × 50 × 5/6mm	3200		100 × 55mm
3.0m	2.75m	2/2.5/3/3.5mm	17pcs	50 × 50 × 5/6mm	3900		100 × 55mm
W Pale section:62mm							
1.8m	2.75m	1.5/2/2.5mm	17pcs	40 × 40 × 4mm or 50 × 50 × 5mm	2400		100 × 55mm
2.1m	2.75m	1.5/2/2.5mm	17pcs	40 × 40 × 4mm or 50 × 50 × 5mm	2900		100 × 55mm
2.4m	2.75m	1.5/2/2.5mm	17pcs	40 × 40 × 4mm or 50 × 50 × 5mm	3200		100 × 55mm
3.0m	2.75m	1.5/2/2.5mm	17pcs	40 × 40 × 4mm or 50 × 50 × 5mm	3900		100 × 55mm

Pale head:Can be do single pointed, triple pointed, square tops, round and notched tops or rounded only.



Anping County Hangtong Wire Mesh Co.,LTD.

Quality is our culture,nice fence serve global customer.



Pointed



Triple Pointed



Rounded



Rounded & Notched

Examples of standard colours for powder coated steel fencing products, a vast range of special colours is also available.



RAL 9005
black



RAL 6005
green



RAL 5010
blue



RAL 9016
white



RAL 3020
red

Application

Home security,public space,building,factory,industry security,airport,prison



Contact Detail

Charles Li(Manager)

Charles@hangtongfence.com | info@hangtongfence.com

Charlesli789@gmail.com

Mob:+86-13831891313 | +86-18832871133(Whatsapp&wechat)