

Cynthia

Cynthia

ZHEJIANG CYNTHIA METAL PRODUCTS CO., LTD.

86-0579-82253077

sunny@cysafes.com

www.cysafes.com

www.cysafes.en.alibaba.com

Jinyanshan Industrial Zone, Wuyi County, Jinhua City, ZheJiang Province, China



ZHEJIANG CYNTHIA METAL PRODUCTS CO., LTD.

CYNTHIA METAL PRODUCTS

Zhejiang Cynthia Metal Products Co., Ltd. is a professional enterprise in producing gun safes, gun cabinets, safes, fireproof safes, waterproof safes, hotel safes, jewelry safes, office safes, handgun safes and a list of customized safe for 25 years.

Our factory has a strong production capacity. Our experienced R&D team, production team, and marketing team whom with top efficiency and service can ensure that all customers worry-free in the whole process of product consultation, procurement, and after-sales services.

In addition, we have independent import and export operation rights and a complete customs clearance system such as the electronic port of China Custom to ensure a smooth road for products import and export.

We have always been focusing on being professional and basing on the principle of Innovation and Integrity. We will win the market with advanced technology, excellent quality, perfect and thoughtful services. Technology innovation and market-orientated will be our development policy we have always adhered to. We will make unremitting efforts to launch new products, and dedicated to providing our customers with excellent service!



WORKSHOP



CERTIFICATE



UL GUN SAFE

SAFE FEATURES

SECURITY

- UL RSC Certificate
- 11GA (3.0MM) Steel for Door&Body
- 2/5" (10MM) Thick Hardened Hardplate
- 4-Way Locking Bolts with 1-1/4" (32MM) Diameter
- Relocker System
- UL Listed Electronic Lock
- 4 Anchor Holes Provided

FIRE PROTECTION

- 60Mins Fire Rating
- Resist for 1200°F
- Door Seal Protection Against Fire&Smoke

FUNCTIONALITY

- UL Listed AC Power Outlet with USB
- Maxium Storage Door Panel Organizer for Handguns, Accessories, Documents
- Adjustable Shelves Interior for Flexible Storage Space



UL RSC BURGLARY RATING
RESIDENTIAL SECURITY CONTAINER



11GA THICK SOLID STEEL
LOW CARBON ALLOY STEEL



60 MINS FIREPROOF AT 1200°F
INSIDE TEMPERATURE BELOW 350°F



1-1/4" DIA. LOCKING BOLTS
HIGH SECURITY 4-WAY SOLID BOLTWORK



UL LISTED ELECTRONIC LOCK
HIGH SECURITY NL LOCK



UL ANTI-DRILLING HARDPLATE
60HRC WITH 2/5" THICKNESS HARDENED

MODEL	OUTSIDE DIM. (IN.) H×W×D	OUTSIDE DIM. (MM) H×W×D	CAPACITY	WEIGHT (LBS)	WEIGHT (KGS)	LOADING QTY (PCS)
U704224	70×42×24	1778×1067×610	56+8	801	364	40'HQ: 34
U594022	59×40×22	1498×1016×559	36+8	664	302	40'HQ: 50
U593420	59×34×20	1498×864×508	32+6	557	253	40'HQ: 72
U592820	59×28×20	1498×711×508	28+4	495	225	40'HQ: 86
U592418	59×24×18	1498×610×457	23+4	418	190	40'HQ: 102
U562218	56×22×18	1422×559×457	18+4	365	166	40'HQ: 117
U552017	55×20×17	1397×508×432	14+4	334	152	40'HQ: 128
U462220	46×22×20	1168×559×508	/	334	152	40'HQ: 128
U322220	32×22×20	813×559×508	/	238	108	40'HQ: 170
U241820	24×18×20	610×457×508	/	167	76	40'HQ: 247



6MM GUN SAFE

SAFE FEATURES

SECURITY

- 3GA (6.0MM) Steel for Door
- 11GA (3.0MM) Steel for Body
- 1/4" (6MM) Thick Hardened Hardplate
- 4-Way Locking Bolts with 1-1/2" (38MM) Diameter
- Anti-Pry Locking System
- Electronic Lock with 2 Backup Keys
- 4 Anchor Holes Provided

FIRE PROTECTION

- 90Mins Fire Rating
- Resist for 1200°F
- Door Seal Protection Against Fire&Smoke

FUNCTIONALITY

- UL Listed AC Power Outlet with USB
- Maxium Storage Door Panel Organizer for Handguns, Accessories, Documents
- Adjustable Shelves Interior for Flexible Storage Space



90 MINS FIREPROOF AT 1200°F
INSIDE TEMPERATURE BELOW 350°F



ELECTRONIC LOCK
HIGH SECURITY AND DURABILITY



OVERRIDE KEYS
ELECTRONIC LOCK WITH 2PCS KEYS



3GA&11GA THICK SOLID STEEL
LOW CARBON CONSTRUCTIONAL STEEL



1-1/2" DIA. LOCKING BOLTS
HIGH SECURITY SOLID BOLTWORK



ANTI-DRILLING HARDPLATE
1/4" THICKNESS HARDENED



MODEL	OUTSIDE DIM. (IN.) H×W×D	OUTSIDE DIM. (MM) H×W×D	CAPACITY	WEIGHT (LBS)	WEIGHT (KGS)	LOADING QTY (PCS)
S704224	70×42×24	1778×1067×610	56+8	990	450	40'HQ: 34
S594022	59×40×22	1498×1016×559	40+8	803	365	40'HQ: 50
S593420	59×34×20	1498×864×508	32+6	649	295	40'HQ: 66
S592820	59×28×20	1498×711×508	28+4	570	259	40'HQ: 75
S592418	59×24×18	1498×610×457	23+4	484	220	40'HQ: 88

2MM GUN SAFE

SAFE FEATURES

SECURITY

- 14GA (2.0MM) Steel for Door&Body
- 1/4" (6MM) Thick Hardened Hardplate
- Locking Bolts with 1" (25MM) Diameter
- Anti-Pry Locking System
- Electronic Lock with Backup Keys
- 4 Anchor Holes Provided

FIRE PROTECTION

- 30Mins Fire Rating
- Resist for 1200°F
- Door Seal Protection Against Fire&Smoke

FUNCTIONALITY

- Maxium Storage Door Panel Organizer for Handguns, Accessories, Documents
- Adjustable Shelves Interior for Flexible Storage Space



30 MINS FIREPROOF AT 1200°F
INSIDE TEMPERATURE BELOW 350°F



14GA THICK SOLID STEEL
LOW CARBON CONSTRUCTIONAL STEEL



ELECTRONIC LOCK
HIGH SECURITY AND DURABILITY



1" DIA. LOCKING BOLTS
HIGH SECURITY SOLID BOLTWORK



OVERRIDE KEYS
ELECTRONIC LOCK WITH 2PCS KEYS



ANTI-DRILLING HARDPLATE
1/4" THICKNESS HARDENED



MODEL	OUTSIDE DIM. (IN.) H×W×D	OUTSIDE DIM. (MM) H×W×D	CAPACITY	WEIGHT (LBS)	WEIGHT (KGS)	LOADING QTY (PCS)
T704224	70×42×24	1778×1067×610	56+8	616	280	40'HQ: 34
T594022	59×40×22	1498×1016×559	40+8	497	226	40'HQ: 50
T593420	59×34×20	1498×864×508	32+6	398	181	40'HQ: 80
T593220	59×32×20	1498×813×508	32+6	383	174	40'HQ: 84
T592820	59×28×20	1498×711×508	28+4	348	158	40'HQ: 92
T592620	59×26×20	1498×660×508	27+4	323	147	40'HQ: 96
T592418	59×24×18	1498×610×457	23+4	286	130	40'HQ: 109
T552017	55×20×17	1397×508×432	14+4	222	101	40'HQ: 152

GUN CABINET

SAFE FEATURES

SECURITY

- 11GA (3.0MM) Steel for Door
- 16GA (1.5MM) Steel for Body
- Locking Bolts with 4/5" (20MM) Diameter
- Electronic Lock with 2 Backup Keys
- L Shape Handle
- 4 Anchor Holes Provided

FUNCTIONALITY

- Inside Ammo Box with Key Lock
- Black Wrinkle Powder Coating
- Grey Carpet at Bottom

SECURE SAFE CABINET

Certificate No.	092302012C00145
Standard	EN1143-1:2019
Security Level	II
Model	SD-7GUNS
Year of manufacture	2023



www.artisacanna.it

EUROPEAN NORM

EN



MODEL	OUTSIDE DIM. (IN.) H×W×D	OUTSIDE DIM. (MM) H×W×D	CAPACITY	WEIGHT (LBS)	WEIGHT (KGS)	LOADING QTY (PCS)
SD-3Guns	57×10×10	1450×250×250	3	64	29	40'HQ: 573
SD-5Guns	57×12×12	1450×300×300	5	75	34	40'HQ: 412
SD-7Guns	57×16×12	1450×400×300	7	90	41	40'HQ: 306
SD-11Guns	57×20×14	1450×500×350	11	112	51	40'HQ: 216

GUN CABINET

GUN CABINET

SAFE FEATURES

SECURITY

- 11GA (3.0MM) Steel for Door
- 14GA (2.0MM) Steel for Body
- Locking Bolts with 1" (25MM) Diameter
- Key Lock
- T Shape Handle
- 4 Anchor Holes Provided

FUNCTIONALITY

- Outside Ammo Box with Key Lock
- Stone Textured Powder Coating
- Grey Carpet Inside



EUROPEAN STANDARD
EN



MODEL	OUTSIDE DIM. (IN.) H×W×D	OUTSIDE DIM. (MM) H×W×D	CAPACITY	WEIGHT (LBS)	WEIGHT (KGS)	LOADING QTY (PCS)
SD-E5Guns	57×12×12	1450×300×300	5	81	37	40'HQ: 412
SD-E7Guns	57×16×12	1450×400×300	7	101	46	40'HQ: 306
SD-E11Guns	57×20×14	1450×500×350	11	123	56	40'HQ: 216

MODULAR

GUN CABINET


SAFE FEATURES

SECURITY

- 18GA (1.2MM) Steel for Door
- 18GA (1.2MM) Steel for Body
- Key Lock
- 4 Anchor Holes Provided

FUNCTIONALITY

- DIY Assemble
- Black Wrinkle Powder Coating
- Grey Carpet at Bottom



MODEL	OUTSIDE DIM. (IN.) H×W×D	OUTSIDE DIM. (MM) H×W×D	CAPACITY	WEIGHT (LBS)	WEIGHT (KGS)	LOADING QTY (PCS)
SD-D7Guns	55×16×10	1397×400×254	7	50	23	40'HQ: 525
SD-D10Guns	55×21×10	1397×533×254	10	60	27	40'HQ: 480

GUN CABINET

FIREPROOF SAFE-120MINS

SAFE FEATURES

SECURITY

- 55MM Thick Body & Door
- 6MM Thick Hardened Hardplate
- Locking Bolts with 20MM Diameter
- Anti-Pry Locking System
- Electronic Lock with Backup Keys
- 4 Anchor Holes Provided
- Filled with High Standard Concrete

FIRE PROTECTION

- 120Mins Fire Rating
- Resist for 1700°F
- Door Seal Protection Against Fire&Smoke

FUNCTIONALITY

- Adjustable Shelves Interior for Flexible Storage Space



120 MINS FIREPROOF AT 1700°F
INSIDE TEMPERATURE BELOW 350°F



14GA THICK SOLID STEEL
LOW CARBON CONSTRUCTIONAL STEEL



ELECTRONIC LOCK
HIGH SECURITY AND DURABILITY



1-1/4" DIA. LOCKING BOLTS
HIGH SECURITY SOLID BOLTWORK




OVERRIDE KEYS
ELECTRONIC LOCK WITH 2PCS KEYS



ANTI-DRILLING HARDPLATE
1/4" THICKNESS HARDENED



MODEL	OUTSIDE DIM. (MM) H×W×D	INSIDE DIM. (MM) H×W×D	WEIGHT (KG)	VOLUME(L)	LOADING QTY (PCS)
F324445	320×440×450	210×330×290	37	20	20'GP: 288
F504445	500×440×450	390×330×290	54	37	20'GP: 192
F704847	700×480×470	560×340×300	85	57	20'GP: 132
F905655	900×560×550	760×420×380	138	121	20'GP: 54



FIREPROOF SAFE-90MINS

SAFE FEATURES

SECURITY

- 50MM Thick Body & 40MM Thick Door
- 1/4" (6MM) Thick Hardened Hardplate
- Locking Bolts with 1-1/4" (32MM) Diameter
- Anti-Pry Locking System
- Electronic Lock with Backup Keys
- L Shape Handle
- 4 Anchor Holes Provided
- Filled with Concrete

FIRE PROTECTION

- 90Mins Fire Rating
- Resist for 1700°F
- Door Seal Protection Against Fire&Smoke

FUNCTIONALITY

- Adjustable Shelves Interior for Flexible Storage Space



90 MINS FIREPROOF AT 1700°F
INSIDE TEMPERATURE BELOW 350°F



14GA THICK SOLID STEEL
LOW CARBON CONSTRUCTIONAL STEEL



ELECTRONIC LOCK
HIGH SECURITY AND DURABILITY



1-1/4" DIA. LOCKING BOLTS
HIGH SECURITY SOLID BOLTWORK



OVERRIDE KEYS
ELECTRONIC LOCK WITH 2PCS KEYS



ANTI-DRILLING HARDPLATE
1/4" THICKNESS HARDENED



MODEL	OUTSIDE DIM. (IN.) H×W×D	OUTSIDE DIM. (MM) H×W×D	WEIGHT (LBS)	WEIGHT (KGS)	LOADING QTY (PCS)
F452424	45×24×24	1143×600×600	968	440	20'GP: 42
F302222	30×22×22	750×559×559	627	285	20'GP: 68
F252020	25×20×20	630×500×500	462	210	20'GP: 89
F201620	20×16×20	520×419×508	359	163	20'GP: 120

FIREPROOF SAFE-30MINS

SAFE FEATURES

SECURITY

- 14GA (2.0MM) Steel for Door&Body
- 1/4" (6MM) Thick Hardened Hardplate
- Locking Bolts with 4/5" (20MM) Diameter
- Anti-Pry Locking System
- Burglar-Resistant System of Dual-Relocker
- Electronic Lock with Backup Keys
- 4 Anchor Holes Provided

FIRE PROTECTION

- 30Mins Fire Rating
- Resist for 1200°F
- Door Seal Protection Against Fire&Smoke

FUNCTIONALITY

- Adjustable Shelves Interior for Flexible Storage Space



30 MINS FIREPROOF AT 1200°F
INSIDE TEMPERATURE BELOW 350°F



14GA THICK SOLID STEEL
LOW CARBON CONSTRUCTIONAL STEEL



ELECTRONIC LOCK
HIGH SECURITY AND DURABILITY



4/5" DIA. LOCKING BOLTS
HIGH SECURITY SOLID BOLTWORK



OVERRIDE KEYS
ELECTRONIC LOCK WITH 2PCS KEYS



ANTI-DRILLING HARDPLATE
1/4" THICKNESS HARDENED



MODEL	OUTSIDE DIM. (IN.) H×W×D	OUTSIDE DIM. (MM) H×W×D	WEIGHT (LBS)	WEIGHT (KGS)	LOADING QTY (PCS)
F-T462220	46×22×20	1168×559×508	209	95	40'HQ: 160
F-T322220	32×22×20	813×559×508	145	66	40'HQ: 240
F-T241820	24×18×20	610×457×508	103	47	40'HQ: 384
F-T201414	20×14×14	508×356×356	55	25	20'GP: 312
F-T161412	16×14×12	406×356×305	42	19	20'GP: 480

HOME SAFE

SAFE FEATURES

SECURITY

- Electronic Lock with Backup Keys OR Key Lock
- 2PCS Locking Bolts
- Anti-Pry Locking System
- 4 Anchor Holes Provided
- Removable Shelves Interior for Flexible Storage Space



MODEL	OUTSIDE DIM. (MM) H×W×D	INSIDE DIM. (MM) H×W×D	WEIGHT (LBS)	WEIGHT (KGS)
HS304440	300×440×400	220×360×295	59	27
HS454440	450×440×400	370×360×295	81	37
HS604440	600×440×400	520×360×295	99	45
HS804440	800×440×400	720×360×295	123	56

Mini Safe

SAFE FEATURES

SECURITY

- Electronic Lock with 2 Override Keys
- 2PCS Locking Bolts
- Soft Carpet at Bottom
- Anchor Holes Provided
- Removable Shelves Interior for Flexible Storage Space



MODEL	OUTSIDE DIM. (MM) H×W×D	WEIGHT (LBS)	WEIGHT (KGS)	LOADING QTY (PCS)
17E	170×230×170	5.2	2.4	40'HQ: 6201
20E	200×310×200	10	4.6	40'HQ: 3509
25E	250×350×250	16.5	7.5	40'HQ: 2106
30E	300×380×300	17	7.8	40'HQ: 1424
35E	200×430×350	17	7.8	40'HQ: 1595
40E	400×440×300	33	15	40'HQ: 996
50E	500×350×350	38.7	17.6	40'HQ: 870
55E	550×380×360	48.4	22	40'HQ: 595

Deposit Safe

SAFE FEATURES

SECURITY

- Electronic Lock with Backup Keys OR Key Lock
- 2PCS Locking Bolts
- Anti-Pry Locking System
- Anti-theft safe with deposit slot
- 4 Anchor Holes Provided



MODEL	OUTSIDE DIM. (IN.) H×W×D	OUTSIDE DIM. (MM) H×W×D	WEIGHT (LBS)	WEIGHT (KGS)
TB-161414	16×14×14	406×356×356	35	16
TB-221414	22×14×14	550×350×350	57	26

Under Bed Safe

SAFE FEATURES

SECURITY

- Electronic Lock with Backup Keys
- 2PCS Locking Bolts
- Anti-Pry Locking System
- Large Capacity Slide-Out Drawer Safe
- 4 Anchor Holes Provided




MODEL	OUTSIDE DIM. (IN.) H×W×D	OUTSIDE DIM. (MM) H×W×D	WEIGHT (LBS)	WEIGHT (KGS)
UB064016	06×40×16	150×1016×406	59	27
UB064020	06×40×20	150×1016×508	77	35
UB074824	07×48×24	178×1219×610	92	42

Zeus Series


SAFE FEATURES



- Waterproof
72Hours, 760MM
- Fireproof
- Smokeproof




- Bulletproof glass
- Anti Theft
- Beveled Edge Design
- Black/Wood Color



Zeus Series



SAFE FEATURES



- 360° Gear Cam Mechanism
- Painting Pattern
Aromed
High Gloss
Santex
Pearlescent



- Double Layer Hardplate
- 3pcs High Security Hinge
- Beveled Edge Design



- 4-Way Active Bolts



- Double Protection of
Anti-Pry & Fire & Smoke