



MINI PC

Newsday Technology Co., Ltd.

CONTENTS

01


About us

02

What We Do

03

Product list



About us

NEWSMAY focus on only mini PC/Box PC units and motherboard, with our own R&D team, production line, QC team, Technical team, and sales team.

Our team members mostly have more 5 years working experience on computer product, hardware/software/QC/production.

Newsday Mini PC/Box PC mostly based on Intel latest CPU, from Intel 14th Gen Meteor lake/Raptor lake, 13th Gen Raptor Lake, 12th Gen Alder lake, to Intel 11th Gen Tiger lake/Jasper Lake, 10th Gen Coffee lake/Gemini lake..., we keep up to date with Intel CPU updates, try to release new mini PC each year. Another big feature of Newsday product is private motherboard & ID to keep the product exclusive, so partner will have the exclusive mini PC in his market.

Newsday mini PC sold to more than 15 countries in overseas market, like Czech, Portugal, UK, Germany, USA, Russia, Spain, Italy, Turkey, South Africa, India, Pakistan, Argentina, Brazil, Mexico..., mostly is local brand or for projects, most clients cooperate with us more than 5 years.



What we do

01

Consumer MINI PC: Intel 12th , 11th ,10th mobile CPU, with more USB/Display port



02

Industrial Fanless MINI PC: with 2xlan, or 4xlan, COM, 4G/3G Sim



03

Business MINI PC: Intel 13th, 12th,11th Socket CPU, high speed USB type-C



Model: AC8N-N150-6U

CPU: Intel CPU N150

N100(4C 4T, 6MB Cache, Max 3.6GHz), TDP 6W

Graphics: Intel® UHD Graphics

Memory: 1 x SODIMM DDR4-3200 Max 32GB

SSD: 1 x M.2 2280 SATA/NVME SSD

I/O: USB3.0 x 6, HDMI+DP+VGA/COM232, LAN x 2

Internet: 2 x RJ45 Gigabit LAN, m.2 pcie wifi port (support WiFi ax)

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

Display port: DP+HDMI+VGA

VESA Mount: Support

Dimension: 123 × 123 × 45mm (10pcs/Carton)

Package: 10pcs/carton, 11.5kg/Carton

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc

- **Fanless thermal solution**
- **3 x Display ports(HDMI+DP+VGA)**
- **2 x Gigabit LAN**
- **6 x USB3.0 ports**
- **Innovation design to easily upgrade RAM/SSD**



Model: AC8

CPU: Intel 11th Gen 10nm CPU Jasper Lake 10 nm

Celeron® N5105 (4C/4T, 2.0GHz~2.9GHz), TDP 10W

Pentium® Silver N6005 (4C/4T, 2.0GHz~3.3GHz), TDP 10W

Graphics: Intel® UHD Graphics 24EUs / 32EUs

Memory: 2 x SODIMM DDR4-3200/2666, Max 32GB

SSD: 1 x m.2 2280 SATA/NVME SSD

I/O: 4 x USB3.0 x 4, 2 x USB2.0

1 x HDMI + 1 x DP + 1 x VGA,

1 x Gigabit LAN(Realtek8111H), 1 x microSD slot

Internet: 1 x RJ45(Realtek 8111H), m.2 pcie wifi port(support WiFi ax)

Display Port: DP + HDMI + VGA

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 123 × 123 × 45mm (10pcs/Carton)

Package: 10pcs/carton, 11.5kg/Carton

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc

- **Fanless thermal solution**
- **3 x Display ports(HDMI+DP+VGA)**
- **6 x USB ports**
- **Innovation design to easily upgrade RAM/SSD**



Model: AC8-N

CPU: Intel 12th Gen CPU Alder Lake-N

N100(4C 4T, 6MB Cache, Max 3.4GHz), TDP 6W

N200(4C 4T, 6MB Cache, Max 3.7GHz), TDP 6W

Graphics: Intel® UHD Graphics

Memory: 1 x SODIMM DDR4-3200 Max 32GB

SSD: 1 x M.2 2280 SATA/NVME SSD

I/O: USB3.0 x 4, HDMI+DP+VGA/COM232, LAN x 2, microSD x 1

Internet: 2 x RJ45 Gigabit LAN, m.2 pcie wifi port (support WiFi ax)

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

Display port: DP+HDMI+VGA

VESA Mount: Support

Dimension: 123 × 123 × 45mm (10pcs/Carton)

Package: 10pcs/carton, 11.5kg/Carton

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc

- **Fanless thermal solution**
- **3 x Display ports(HDMI+DP+VGA)**
- **2 x Gigabit LAN**
- **4 x USB3.0 ports**
- **Innovation design to easily upgrade RAM/SSD**



Model: AC10

CPU: Intel 12th Alder lake-U

i3-1215U(2C+8C/12T, max4.4GHz), TDP 15W

i5-1235U(2C+8C/12T, max4.4GHz), TDP 15W

i7-1255u

Graphics: Intel® Iris® Xe Graphics or Intel UHD

Memory: 2 x SODIMM DDR4-2666/3200, Max 32GB

SSD: 1 x M.2 2280 SATA/NVME SSD + 1 x M.2 2280 NVME SSD

I/O: USB3.0 x 4, HDMI x 2 + VGA, USB Type-C x 1, LAN x 1, microSD x 1

Internet: 1 x RJ45 Gigabit LAN, m.2 pcie wifi port (support WiFiax)

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Display port: HDMI x 2 +VGA

Dimension: 123 × 123 × 45mm (10pcs/Carton,11.5kg/carton)

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- Intel 11th Gen latest CPU
- 3 x Display ports(HDMIx2 +VGA)
- Innovation design to easily upgrade RAM/SSD



Model: AC8-M

CPU: Intel 12th Gen CPU Alder Lake-N

N100(4C 4T, 6MB Cache, Max 3.4GHz), TDP 6W

N200(4C 4T, 6MB Cache, Max 3.7GHz), TDP 6W

Graphics: Intel® UHD Graphics

Memory: LPDDR5 8GB,16GB

SSD: 1 x M.2 2242 SATA/NVME SSD

I/O: 3 x USB3.0, 2 x HDMI, 1 x LAN, 1 x microSD

Internet: 1 x RJ45 Gigabit LAN, WiFi ac onboard

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 72 × 72 × 45mm (20pcs/ Carton)

Package: 20pcs/carton, 10.5kg/Carton

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- **Ultra-small Size 72 x 72 mm**
- **2 x Display ports(HDMI2)**
- **Innovation design to easily upgrade SSD**



Model: KC12

CPU: Intel 12th Gen Core™ Alder Lake-P, 13th Gen Core™ Raptor Lake-P

i5-1240P (12 Core(4+8) 16 Threads, 3.3GHz~4.4GHz), TDP 28W

i7-1260P (12 Core(4+8) 16 Threads, 3.4GHz~4.7GHz), TDP 28W

i5-1340P(12 Core(4+8) 16 Threads, 3.4GHz~4.6GHz), TDP 28 W

i7-1360P(12 Core(4+8) 16 Threads, 3.7GHz~5.0GHz), TDP 28W

Graphics: Intel® Iris® Xe Graphics

Memory: 2x SO-DIMM DDR4-2666/3200, max 64GB

Storage: a. 1 x M.2 2280 SATA/NVME SSD

b. 1 x 2.5" SATAIII SSD/HDD

c. 1 x M.2 2280 NVME SSD

I/O: USB3.0 x 4, USB2.0 x 2, HDMI x 2 + DP x 1 + Thunderbolt 4 x 1, LAN x 2, COM x 1

Internet: 2 x RJ45 2.5Gbe(Intel I225), m.2 pcie wifi port (support wifi6)

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 158 × 125 × 49mm (5pcs/Carton)

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- Intel 12th ,13th Gen latest CPU
- 4 x Display ports
(HDMI*2 +DP+ Thunderbolt4)
- 2 x 2.5Gbe LAN
- 2 x m.2 2280 SSD
- 6 x USB ports



Model: AC8-F-POE

- CPU:** Intel12th Gen Alder Lake-N
N95(4 Core 4Thread,max3.4Ghz, TDP15W)
N100(4 Core 4Thread,max3.4Ghz, TDP10W)
N97(4 Core, max 3.6GHz, TDP12W)
- Graphics:** Intel® UHD Graphics
- Memory:** 1 x SODIMM DDR4-3200/2666
- Storage:** 1 x M.2 2280 SATA SSD, 1 x 2.5 SATAIII SSD/HDD
- I/O:** USB3.0 x 1, USB2.0 x 4, USB3.2 Type-C x 1, HDMI x 1 + DP x 1, LAN x 4, 1 x RJ45 COM232
- Internet:** 4 x RJ45 Gigabit LAN (Intel I226/225, **one support POE IN**),
4G/5G mini PCIe port
- BIOS:** WAKE ON LAN, AUTO POWER ON, RTC, UEFI
- VESA Mount:** Support
- Dimension:** 155*126.5*62mm (5pcs/Carton)
- Customized Support:** Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- 4 x Gigabit LAN
- POE IN
- Soft router



Model: AC8-4C2L

CPU: Intel8th /10th Gen processor

i3-8145U/10110U

i5-8265U/10210U

i7-8550U/10510U(4 Core, max 3.6GHz, TDP12W)

Graphics: Intel® UHD Graphics

Memory: 2 x SODIMM DDR4-3200/2666

Storage: 1 x M.2 2280 SATA/NVME PCIe4 SSD, 1 x 2.5 SATAIII SSD/HDD

I/O: USB3.0 x 4, USB2.0 x 2, HDMI x 2 + DP x 1, LAN x 2, 1 x RJ45 COM232 x 4

Internet: 2 x RJ45 Gigabit

4G/5G mini PCIe port(inside of MB)

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 155*126.5*62mm (5pcs/Carton)

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- 2 x Gigabit LAN
- 4 x COM
- 6 x USB



Model: KC12-F

CPU: Intel 12th Gen Core™ Alder Lake-P, 13th Gen Core™ Raptor Lake-P

i5-1240P (12 Core(4+8) 16 Threads, 3.3GHz~4.4GHz), TDP 28W

i7-1260P (12 Core(4+8) 16 Threads, 3.4GHz~4.7GHz), TDP 28W

i5-1340P(12 Core(4+8) 16 Threads, 3.4GHz~4.6GHz), TDP 28 W

i7-1360P(12 Core(4+8) 16 Threads, 3.7GHz~5.0GHz), TDP 28W

Graphics: Intel® Iris® Xe Graphics

Memory: 2x SO-DIMM DDR4-2666/3200, max 64GB

Storage: a. 1 x M.2 2280 SATA/NVME SSD

b. 1 x M.2 2280 NVME SSD

I/O: USB3.0 x 4, USB2.0 x 4, HDMI x 2 + DP x 1 + Thunderbolt 4 x 1, LAN x 2, COM x 2

Internet: 2 x RJ45 2.5Gbe(Intel I226), m.2 pcie wifi port (support WiFiax)

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 185 x 125 x 60mm (5pcs/Carton)

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- Intel 12th/13th Gen latest CPU
- Fanless thermal solution
- 4 x Display port
(HDMIx2 +DP+ thunderbolt4)
- 2 x 2.5Gbe LAN
- 2 x m.2 2280 SSD
- 8 x USB port



Model: AC8-V2-POE

- CPU:** Intel12th Gen Alder Lake-N
N95(4 Core 4Thread,max3.4Ghz, TDP15W)
N100(4 Core 4Thread,max3.4Ghz, TDP10W)
N97(4 Core, max 3.6GHz, TDP12W)
- Graphics:** Intel® UHD Graphics
- Memory:** 1 x SODIMM DDR4-3200/2666
- Storage:** 1 x M.2 2280 SATA SSD
- I/O:** USB3.0 x 1, USB2.0 x 4, USB3.2 Type-C x 1, HDMI x 1 + DP x 1, LAN x 4, 1 x RJ45 COM232
- Internet:** 4 x RJ45 Gigabit LAN (Intel I226/225, **one support POE IN**),
4G/5G mini PCIe port
- BIOS:** WAKE ON LAN, AUTO POWER ON, RTC, UEFI
- VESA Mount:** Support
- Dimension:** 145*127*34mm (10pcs/Carton)
- Customized Support:** Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- 4 x Gigabit LAN
- POE IN
- Soft router



Model: AC8-V2-2LAN

CPU: Intel 12th Gen CPU Alder Lake-N , Intel 11th Gen CPU Jasper Lake

1) Intel Alder Lake-N:

N100(4C 4T, 6MB Cache, Max 3.4GHz), TDP 6W

N200(4C 4T, 6MB Cache, Max 3.7GHz), TDP 6W

2) Intel Jasper Lake:

Celeron: N5105/N5095 (4C 4T, 4MB Cache, 2.0GHz~2.9GHz)

Graphics: Intel® UHD Graphics

Memory: 1 x SODIMM DDR4-3200 / 2 x SODIMM DDR4-3200, Max 32GB

SSD: 1 x M.2 2280 SATA/NVME SSD

I/O: USB3.0 x 4, HDMI+DP+VGA/COM232, LAN x 2, microSD x 1

Internet: 2 x RJ45 Gigabit LAN, m.2 pcie wifi port (support WiFi ax)

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 127× 145 × 34mm (10pcs/Carton)

Package: 10pcs/carton, 11.5kg/Carton

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc

- Fanless thermal solution
- 2 x Display ports(HDMI+DP)
- 2 x Gigabit LAN
- 4 x USB3.0 ports
- Innovation design to easily upgrade RAM/SSD



Model: AC8-V2-2C2L

CPU: Intel 12th Gen CPU Alder Lake-N , Intel 11th Gen CPU Jasper Lake

1) Intel Alder Lake-N:

N100(4C 4T, 6MB Cache, Max 3.4GHz), TDP 6W

N200(4C 4T, 6MB Cache, Max 3.7GHz), TDP 6W

Graphics: Intel® UHD Graphics

Memory: 1 x SODIMM DDR4-3200 Max 32GB

SSD: 1 x M.2 2280 SATA/NVME SSD

I/O: USB3.0 x 3, USB2.0 x 2, USB-C x 1,HDMI x 2+DP,COM232/485 x 2, LAN(2.5GB) x 2

Internet: 2 x RJ45 2.5GB LAN, m.2 pcie wifi port, mini-PCIe for 4G

BIOS: AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 127× 145 × 34mm (10pcs/Carton)

Package: 10pcs/carton, 12.5kg/Carton

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc

- **Fanless thermal solution**
- **3 x Display ports(HDMIx2+DP)**
- **2 x 2.5Gigabit LAN**
- **4 x USB3.0 ports**



Model: AC8-V2-2C2LG

CPU: Intel 12th Gen CPU Alder Lake-N , Intel 11th Gen CPU Jasper Lake

1) Intel Alder Lake-N:

N100(4C 4T, 6MB Cache, Max 3.4GHz), TDP 6W

N200(4C 4T, 6MB Cache, Max 3.7GHz), TDP 6W

Graphics: Intel® UHD Graphics

Memory: 1 x SODIMM DDR4-3200 Max 32GB

SSD: 1 x M.2 2280 SATA/NVME SSD

I/O: USB3.0 x 3, USB2.0 x 2, USB-C x 1,HDMI+DP, COM232/485 x 2, LAN(2.5GB) x 2, 1 x GPIO(DB9 port)

Internet: 2 x RJ45 2.5GB LAN, m.2 pcie wifi port, mini-PCIe for 4G

BIOS: AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 127× 123 × 34mm (10pcs/Carton)

Package: 10pcs/carton, 12.5kg/Carton

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc

- Fanless thermal solution
- 2 x Display ports(HDMI+DP)
- 2 x Gigabit LAN
- 4 x USB3.0 ports
- Innovation design to easily upgrade RAM/SSD



Model: V3-N100-2C2L

CPU: Intel 12th Gen CPU Alder Lake-N

N100(4C 4T, 6MB Cache, Max 3.4GHz), TDP 6W

Graphics: Intel® UHD Graphics

Memory: 1 x SODIMM DDR4-3200, Max 32GB

SSD: 1 x M.2 2280 SATA/NVME SSD

I/O: 1 x Power Button, 3 x USB3.2, 1 x USB3.0 Type C, 2 x USB2.0, 1 x Combo audio/mic, 2 x COM232/485, 2 x 2.5Gigabit LAN port, 2 x HDMI, 1 x DP, 1 x DC IN

Internet: 2 x RJ45 2.5GB LAN, m.2 pcie wifi port, mini-PCIe for 4G

BIOS: AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 127× 145 × 34mm (10pcs/Carton)

Package: 10pcs/carton, 12.5kg/Carton

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc

- Fanless thermal solution
- 2 x Display ports(HDMI+DP)
- 2 x Gigabit LAN
- 4 x USB3.0 ports
- Innovation design to easily upgrade RAM/SSD



Model: V3-J6412-2C2L

CPU: Intel®Celeron J6412,Quad Core, 2.0~2.6GHz (TDP 10W)

Graphics: Intel® UHD Graphics

Memory: 1 x SODIMM DDR4-3200

SSD: 1 x M.2 2280 SATA/NVME SSD

I/O: 1 x Power Button, 4 x USB3.0, 1 x Combo MIC IN & Line out, 2 x COM RS232/RS485 (by jumper), 2 x RJ45 Gigabit LAN port , 1 x HDMI 2.0 + 1 x VGA, 2 x USB2.0, 1 x DC IN

Internet: 2 x RJ45 Gigabit LAN, MINI PCIe port for wifi/4G

BIOS: AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 127× 145 × 34mm (10pcs/Carton)

Package: 10pcs/carton, 12.5kg/Carton

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc

- Fanless thermal solution
- 2 x Display ports(HDMI+DP)
- 2 x Gigabit LAN
- 4 x USB3.0 ports
- Innovation design to easily upgrade RAM/SSD



Model: S2-B560

CPU: Intel 10th /11th Socket Core i3/i5/i7, Pentium/Celeron CPU
i3-10100, i5-10400/11400, i7-10700/11700, G5400/G6400
i3-10100T, i5-10400T/11400T, i7-10700T/11700T, G5400T/G6400T/G5900

Graphics: Intel® UHD Graphics 730/750

Memory: 2 x SODIMM DDR4-3200, max 64GB

SSD: M.2 2280 SATA/NVME SSD + 1 x 2.5" HDD /SSD

I/O: USB3.2 Gen2(10Gbps) x 4, USB3.0 x 2, USB 3.2 Gen2 Type-C(10Gbps) x 1,
HDMI + DP + HDMI/DP, LAN x 1, COM x 1

Internet: 1 x RJ45 Gigabit LAN, m.2 pcie wifi port (support wifi6)

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 186 x 180 x 38mm (5pcs/Carton)

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- 6 x USB ports + 1 x USB-C
- 1.3L case
- 3 x display ports
(HDMI + DP + HDMI/DP)



Model: S2-B660

CPU: Intel 12th Gen Socket Core i3, i5, i7 /Pentium/Celeron CPU

i3-12100/12100T

i5-12400/12400T

i7-12700/12700T

Or 12th Gen socket Pentium, Celeron CPU, G7400/G7400T/G6900

Graphics: Intel® UHD Graphics

Memory: 2 x SODIMM DDR4 , max 64GB

SSD: a. m.2 2280 SATA/NVME SSD

b. 1 x 2.5"HDD /SSD

I/O: USB3.2 Gen2(10Gbps) x 2, USB-C(USB3.2 Gen2 **20**Gbps) x 2, USB2.0 x 2,

HDMI + DP + HDMI/DP, COM x 1, LAN x 1, USB2.0 Type-C x 1

Internet: 1 x RJ45 Gigabit LAN, m.2 pcie wifi port (support wifi6)

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 186 x 180 x38mm (5pcs/Carton)

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- Intel 12th Gen Socket CPU
- 4 x USB ports + 3 x USB-C
- 3 x display ports (HDMI + DP + HDMI/DP)



Model: S3-B760/S3-Q670(vPro)

CPU: Intel 12th /13th Socket Core i3/i5/i7, Pentium/Celeron CPU
i3-12100/13100, i5-12400/13400, i7-12700/13700, G7400
i3-12100T, i5-13400T/12400T, i7-13700T/12700T

Graphics: Intel® UHD Graphics 730/770

Memory: 2 x SODIMM DDR4-3200, max 64GB

SSD: M.2 2280 SATA/NVME SSD + 1 x 2.5" HDD /SSD

I/O: USB3.2 Gen2(10Gbps) x 2, USB3.0 x 4, USB 3.2 Gen2 Type-C(10Gbps) x 1, USB 3.2 Gen2 Type-C(20Gbps) x 1, Combo x 1, audio/mic x 1
HDMI + HDMI/DP x 2, LAN x 1, COM x 1, VGA x 1

Internet: 1 x RJ45 2.5Gbe LAN, m.2 pcie wifi port (support wifi6)

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 193 x 180 x 90mm (5pcs/Carton)

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- 6 x USB ports + 2 x USB-C
- 3.12L case
- 4 x display ports
(DP + HDMI/DP x 2 + VGA)



Model: X3-B760/X3-Q670(vPro)

- CPU:** Intel 12th /13th Socket Core i3/i5/i7, Pentium/Celeron CPU
i3-12100/13100, i5-12400/13400, i7-12700/13700, G7400
i3-12100T, i5-13400T/12400T, i7-13700T/12700T
- Graphics:** Intel® UHD Graphics 730/770
- Memory:** 2 x SODIMM DDR4-3200, max 64GB
- SSD:** M.2 2280 SATA/NVME SSD + 1 x 2.5" HDD /SSD
- I/O:** USB3.2 Gen2(10Gbps) x 2, USB3.0 x 4, USB 3.2 Gen2 Type-C(10Gbps) x 1, USB 3.2 Gen2 Type-C(20Gbps) x 1, Combo x 1, audio/mic x 1
HDMI + HDMI/DP x 2, LAN x 1, COM x 1, VGA x 1
- Internet:** 1 x RJ45 2.5Gbe LAN, m.2 pcie wifi port (support wifi6)
- BIOS:** WAKE ON LAN, AUTO POWER ON, RTC, UEFI
- VESA Mount:** Support
- Dimension:** 193 x 180 x 90mm (5pcs/Carton)
- Customized Support:** Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- 6 x USB ports + 2 x USB-C
- 3.12L case
- 4 x display ports
(DP + HDMI/DP x 2 + VGA)



Model: S1-J1900

CPU: Intel Celeron J1900

Graphics: Intel® HD Graphics

Memory: 1 x SODIMM DDR3L , support 4GB/8B

SSD: a. mini-SATA SSD
 b. 1 x 2.5"HDD /SSD

I/O: USB2.0 x6, USB3.0 x 2, HDMI + VGA, COM x 2, LAN x 1

Internet: 1 x RJ45 Gigabit LAN, mini PCIe port for WiFi

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 186 x 185 x40mm (5pcs/Carton)

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- Intel J1900 CPU
- 8 x USB port
- Low cost



Model: S1-H310/H410/H510/H610

CPU: Intel 8th Gen, 9th Gen, 10th Gen, 11th Gen, 12th Gen socket Core-I, Pentium, Celeron CPU

TDP 65W/35W/45W

Graphics: Intel® UHD Graphics

Memory: 2 x SODIMM DDR4 , max 64GB

SSD: a. m.2 2280 SATA/NVME SSD

b. 1 x 2.5"HDD /SSD

I/O: USB3.0 x 4, USB2.0 x 4, HDMI + VGA/DP, COM x 1(option), LAN x 1

Internet: 1 x RJ45 Gigabit LAN, m.2 pcie wifi port (support wifi6)

BIOS: WAKE ON LAN, AUTO POWER ON, RTC, UEFI

VESA Mount: Support

Dimension: 186 x 185 x40mm (5pcs/Carton)

Customized Support: Customized boot LOGO, windows OS with customer's company name and model information, screen printing customer LOGO, customized color box, etc.

- Intel Socket CPU
- 8 x USB ports



Thanks!

NewsMay Mini PC, thin Mini-ITX Mini PC, Fanless Mini PC

www.newsmaytech.com, Tel:+86-755-89456786, info@newsmaytech.com
402&405, Building B, Taiyufeng Industrial Park, Dalang, Longhua, Shenzhen, China