ÖN (



We have successfully developed our own brand **ULTRABOARD®** with the help of innovative technology thanks to our experience in the packaging industry **since 1987**.

We're excited to introduce **ULTRABOARD**[®], an extensive range of 6 different products, designed to cater to your diverse packaging requirements.



















ULTRABOARD®

100% RECYCLEABLE & ECOLOGICAL

LOWER WEIGHT, LOWER PRICE

HIGH STRENGTH & DURABILITY

2

EXEMPT FROM ISPM-15 STANDARDS

CUSTOMIZABLE & AESTHETIC

SIMPLE TO ASSEMBLE & USE

SHOCK & VIBRATION ABSORPTION

NO HARMFUL SUBSTANCES

LOWER STOCK COST

ECONOMICAL













INTRODUCING ULTRABOARD®

ULTRABOARD® corrugated cardboard panel stands out from other packaging options like wood, foam and plastic due to it's exceptional qualities.

It offers remarkable strength, superb shock and vibration absorption capabilities, long-lasting durability, lightweight design, affordability, and is crafted from paper-based materials. Moreover, it's %100 recyclable and environmentally friendly.

Advantages of ULTRABOARD®

- **EXCEPTIONAL STRENGTH:** Engineered to endure the rigors of handling, shipping, and storage, **ULTRABOARD**® ensures your products remain protected during transportation and stacking.
- **LIGHTWEIGHT DESIGN:** Unlike heavier alternatives such as wood or plastic, **ULTRABOARD®** significantly reduces weight, resulting in substantial cost savings, particularly in shipping expenses.
- **DURABILITY AND RESISTANCE:** With durability that rivals wood, **ULTRABOARD®** replaces traditional materials in protective packaging applications. It's seven times lighter than wood, allowing for increased product capacity and reduced freight costs, especially for partial loads.
- VIBRATION AND IMPACT ABSORPTION: ULTRABOARD® excels in damping vibrations and cushioning impacts during transportation, ensuring your products remain damage-free.
- NO MOLD OR INSECT IFESTATIONS: Thanks to its paper-based composition, ULTRABOARD® is resistant to mold, fungi, moss, and insect infestations, eliminating associated odors. Pallets, boxes, crates, and runners made from ULTRABOARD® do not require any heat treatment or fumigation. Plus, it's not subject to the ISPM-15 standard, providing you with cost and time advantages.
- **ECO-FRIENDLY:** Committed to sustainability, **ULTRABOARD**® is 100% recyclable, aligning with your environmental goals while reducing its ecological footprint.



























ULTRABOARD® Product Range

ULTRABOARD® Corrugated Cardboard Panel

ULTRABOARD® with its high durability, serves as an excellent separator in both horizontal and vertical applications due to its ability to absorb impacts, vibrations and shocks. The panel thickness is customized to match the maximum load it needs to support.



WIDTH

LENGTH (max)

10 - 300 mm

30 - 1200mm

3500 mm



ULTRABOX® Box & Crate



- 10x lighter than wooden boxes and crates.
- 3x more weight bearing capacity comparaed to it's counterparts.
- Does not contain nails, splinters or sharp corners.
- Easy assembly.
- Can be used with **ULTRARUN**® pallet runners.

THICKNESS

WIDTH

LENGTH (max)

HEIGHT (max)

10 - 50 mm

In desired dimensions

3500 mm

1200mm

ULTRAPAL® Pallet

• Up to 3x more load capacity compared to paper honeycomb pallets.

THICKNESS

WIDTH

LENGTH (max)

10 - 50mm

In desired dimensions

3500 mm

• The dimensions and quantities of pallet feet vary based on the payload.

Wooden Euro Pallet (80x120 cm) 25 KG

ULTRAPAL® (80x120 cm) 4 KG

21 KG WEIGHT ADVANTAGE



(Ultrapal® Design trademark no: 2022 018138



• An ULTRAPAL® measuring 80x120 cm has the capacity to carry a weight of 1500 kg.

ISPM-15 EXEMPT











ULTRARUN® Pallet Runner

ULTRARUN®, can be used by sticking it under boxes and crates or by placing directly, eliminating the need for extra pallets.

WIDTH

LENGTH (max)

HEIGHT

30-150mm

3500mm

50mm and above

5.000 kg load capacity



ULTRACOR® Edgeboard






L-Profile







A1 & A2

50mm and above

10-25mm

3500mm

ULTRAMOL® Mold

ULTRAMOL® is designed as a custom mold, ensuring a perfect fit and secure hold for your product, providing ultimate protection.

Customized for your product.

• Safe and secure transportation.

THICKNESS

WIDTH(max)

LENGTH(max)

30-150mm 1200mm 3500mm





EXPORTING TO 26 COUNTRIES

Since 1987

The first and only **Corrugated Cardboard Panel** manufacturer in Turkey.















Selvilitepe OSB Mah. OSB 1453 Cadde No:21 Turgutlu / Manisa - TURKEY



