

COSMOXAIR

COSMOX OUTDOORS INC.
350 Northern Blvd Ste, 324-1331 Albany NY 12204, USA

COSMOXROC
www.cosmoxoutdoors.com



COSMOXROC PCP
PRECISION AND POWER REDEFINED

COSMOX-ROC — the Pre-Charge Pneumatic (PCP) flagship from **COSMOXAIR** — redefines precision, power, and dependability in modern airgun engineering. Inspired by the legendary ROC, a colossal bird emblematic of unmatched strength and razor-sharp focus, COSMOX-ROC blends aerodynamic elegance with industrial rigor to deliver consistent performance across every shot.

Built for discerning shooters — from competitive marksmen to serious field professionals — each COSMOX-ROC model pairs a high-capacity PCP system with finely tuned regulators and match-grade barrels to achieve exceptional shot-to-shot consistency, reduced recoil, and whisper-quiet operation. The platform's modular architecture supports rapid customization and forward upgrades, while corrosion-resistant finishes and precision-machined components ensure long-term reliability in any environment.

COSMOX-ROC is more than hardware; it's a statement of capability. Whether engaging targets on the range or operating in challenging conditions, the series offers the confidence of legendary strength combined with modern engineering finesse. For those who demand accuracy, endurance, and a commanding presence, COSMOX-ROC is the definitive choice.

COSMOX OUTDOOR GROUP

Founded in May 2025, COSMOX Outdoors Group Limited ("COSMOX Group") is a global enterprise dedicated to advancing the outdoor recreation, tactical sports, and leisure shooting industries. The Group integrates brand management, international marketing, product design, R&D, and manufacturing -- connecting innovation and craftsmanship across continents.

The U.S. headquarters serves as the strategic hub for global marketing and sales, reflecting COSMOX's commitment to establishing a strong and lasting presence in one of the world's most dynamic markets for outdoor and recreational sports. This foundation strengthens the Group's position as an international brand defined by innovation, quality, and integrity.

From its American operations, COSMOX drives brand strategy, manages global partnerships, and oversees retail and distribution networks across North America, Europe, and other international markets. Supported by advanced design and manufacturing centers in China, the Group combines American brand leadership with Asian production excellence, delivering exceptional value and sustaining worldwide competitiveness.

Acquisition of ZM (Henan Zhongzhou Machinery Works) - a state-licensed firearms and airgun manufacturer with over 70 years of history, laying the foundation for COSMOX's leading precision manufacturing capability.

2021
NOVEMBER

Formation of COSMOX SHENZHEN, the Group's supply chain management center, ensuring efficient coordination between design, manufacturing, and global sales.

2022
JULY

Establishment of COSMOX NORTH AMERICA, a specialized entity to manage the Gel Blaster brand and all retail (CPG) channel for this flagship products.

2024
JUNE

Establishment of COSMOX OUTDOORS INC. in New York, marking the official start of global brand development and international marketing operations.

2021
DECEMBER

Venture with JEFF DESIGN, a world-class industrial design studio under COSMOX Shenzhen, renowned for creating multiple best-selling outdoor and tactical product lines.

2022
JULY

Formation of COSMOX GROUP, consolidating all international operations under one cohesive corporate structure.

2025
MAY

A2-S1



A2-S1 PCP | RIFLE

- Side-Lever Action
- 2-Stage Adjustable Trigger
- Automatic Overpressure Air Release
- Pressure Gauge
- Light Weight



SPECIFICATIONS

Model No. :	A2-S1 (C-Series)
Caliber :	.177 / .22 / .25
Operating Pressure :	3625 psi / 250 bar
Cylinder Size :	170cc
Velocity :	950 / 900 / 850 fps
Shot Count per Fill :	12 / 10 / 8 round(s)
Barrel Lenght :	19.7"
Trigger:	2 Stage
Regulator :	None
Silencer Interface :	None
Action :	Side Lever
Hammer Spring :	External Adjustable
Manua Loading Tray :	Yes
Scopeable :	Picatinny
Stock :	Synthetic
Gauge :	Pressure
Weight :	5.5 lbs



A3-W1



A3-W1
PCP | RIFLE

Side-Lever Action
2-Stage Adjustable Trigger
Automatic Overpressure Air Release
Pressure Gauge
Light Weight

SPECIFICATIONS

Model No. :	A3-W1 (C-Series)
Caliber :	.177 / .22 / .25
Operating Pressure :	4350 psi / 300 bar
Cylinder Size :	125cc
Velocity :	950 / 900 / 850 fps
Shot Count per Fill :	12 / 10 / 8 round(s)
Barrel Lenght :	19.7"
Trigger:	2 Stage
Regulator :	Yes
Silencer Interface :	None
Action :	Side Lever
Hammer Spring :	External Adjustable
Manua Loading Tray :	Yes
Scopeable :	Picatinny
Stock :	Wood
Gauge :	Pressure
Weight :	5.5 lbs



A3A-S1



A3A-S1

PCP | BULLPUP

Side-Lever Action
2-Stage Adjustable Trigger
Automatic Overpressure Air Release
Pressure Gauge
Light Weight

SPECIFICATIONS

Model No. :	A3S-S1 (C-Series)
Caliber :	.177 / .22 / .25
Operating Pressure :	4350 psi / 300 bar
Cylinder Size :	125cc
Velocity :	950 / 900 / 850 fps
Shot Count per Fill :	12 / 10 / 8 round(s)
Barrel Length :	19.7"
Trigger:	2 Stage
Regulator :	Yes
Silencer Interface :	None
Action :	Side Lever
Hammer Spring :	External Adjustable
Manua Loading Tray :	Yes
Scopeable :	Picatinny
Stock :	Synthetic
Gauge :	Pressure
Weight :	5.5 lbs



A1-S1

WHITE
VERSIONBLACK
VERSIONYOUTH
1ST PCPA1-S1
PCP | RIFLESide-Lever Action
2-Stage Adjustable Trigger
Automatic Overpressure Air Release
Pressure Gauge
Light Weight

SPECIFICATIONS

Model No. :	A1-S1 (C-Series)
Caliber :	.177 / .22
Operating Pressure :	3625 psi / 250 bar
Cylinder Size :	120cc
Velocity :	900 / 800 fps
Shot Count per Fill :	12 / 10 round(s)
Barrel Length :	17.7"
Trigger:	2 Stage
Regulator :	None
Silencer Interface :	None
Action :	Side Lever
Hammer Spring :	None
Manua Loading Tray :	Yes
Scopeable :	11m Dovetail
Stock :	Synthetic
Gauge :	Pressure
Weight :	4.5 lbs



C1-W1



C1-W1
PCP | RIFLE

Side-Lever Action
2-Stage Adjustable Trigger
Internal Adjustable Regulator
Automatic Overpressure Air Release
Interchangeable Barrels
2 Gauges (Pressure & Regulator)

SPECIFICATIONS

Model No. :	C1-W1 (C-Series)
Caliber :	.177 / .22 / .25
Operating Pressure :	4350 psi / 300 bar
Cylinder Size :	180cc
Velocity :	1050 / 1000 / 950 fps
Shot Count per Fill :	16 / 13 / 11 round(s)
Barrel Length :	22.8"
Trigger:	2 Stage (Adjustable)
Regulator :	Internal Adjustable
Silencer Interface :	None
Action :	Side Lever
Barrel :	Rifled Steel Interchangeable
Hammer Spring :	External Adjustable
Manua Loading Tray :	Yes
Scopeable :	Picatinny / 11mm Dovetail
Stock :	Wood
Gauge :	Pressure & Regulator Gauges
Weight :	7.5 lbs



C1A-W1



C1A-W1

PCP | BULLPUP

Side-Lever Action
2-Stage Adjustable Trigger
Internal Adjustable Regulator
Automatic Overpressure Air Release
Interchangeable Barrels
2 Gauges (Pressure & Regulator)

SPECIFICATIONS

Model No. :	C1A-W1 (C-Series)
Caliber :	.177 / .22 / .25
Operating Pressure :	4350 psi / 300 bar
Cylinder Size :	180cc
Velocity :	1050 / 1000 / 950 fps
Shot Count per Fill :	16 / 13 / 11 round(s)
Barrel Length :	22.8"
Trigger:	2 Stage (Adjustable)
Regulator :	Internal Adjustable
Silencer Interface :	None
Action :	Side Lever
Barrel :	Rifled Steel Interchangeable
Hammer Spring :	External Adjustable
Manua Loading Tray :	Yes
Scopeable :	Picatinny / 11mm Dovetail
Stock :	Wood
Gauge :	Pressure & Regulator Gauges
Weight :	7.1 lbs



C2A-S1



C2A-S1

PCP | BULLPUP

Side-Lever Action
2-Stage Adjustable Trigger
Internal Adjustable Regulator
Automatic Overpressure Air Release
Interchangeable Barrels
2 Gauges (Pressure & Regulator)

SPECIFICATIONS

Model No. :	C2A-S1 (C-Series)
Caliber :	.177 / .22 / .25 / .30
Operating Pressure :	4350 psi / 300 bar
Cylinder Size :	300cc
Velocity :	1050 / 1000 / 950 / 900 fps
Shot Count per Fill :	16 / 13 / 11 / 9 round(s)
Barrel Length :	22.8"
Trigger:	2 Stage (Adjustable)
Regulator :	Internal Adjustable
Silencer Interface :	Yes
Action :	Side Lever
Barrel :	Rifled Steel Interchangeable
Hammer Spring :	External Adjustable
Manua Loading Tray :	Yes
Scopeable :	Picatinny / 11mm Dovetail
Stock :	Synthetic
Gauge :	Pressure & Regulator Gauges
Weight :	7.5 lbs



E1-W1



E1-W1

PCP | RIFLE

Side-Lever Action
2-Stage Adjustable Trigger
External Adjustable Regulator
Automatic Overpressure Air Release
Interchangeable Barrels
2 Gauges (Pressure & Regulator)

SPECIFICATIONS

Model No. :	E1-W1 (E-Series)
Caliber :	.177 / .22 / .25 / .30
Operating Pressure :	4350 psi / 300 bar
Cylinder Size :	300cc
Velocity :	1050 / 1000 / 950 / 900 fps
Shot Count per Fill :	16 / 13 / 11 / 9 round(s)
Barrel Length :	22.8" (.30 is 26.2")
Trigger:	2 Stage (Adjustable)
Regulator :	External Adjustable
Silencer Interface :	Yes
Action :	Side Lever
Barrel :	Rifled Steel Interchangeable
Hammer Spring :	External Adjustable
Manua Loading Tray :	Yes
Scopeable :	Picatinny / 11mm Dovetail
Stock :	Wood
Gauge :	Pressure & Regulator Gauges
Weight :	7.7 lbs



E1A-W1



E1A-W1

PCP | BULLPUP

Side-Lever Action
2-Stage Adjustable Trigger
External Adjustable Regulator
Automatic Overpressure Air Release
Interchangeable Barrels
2 Gauges (Pressure & Regulator)

SPECIFICATIONS

Model No. :	E1A -W1 (E-Series)
Caliber :	.177 / .22 / .25 / .30
Operating Pressure :	4350 psi / 300 bar
Cylinder Size :	300cc
Velocity :	1050 / 1000 / 950 / 900 fps
Shot Count per Fill :	16 / 13 / 11 / 9 round(s)
Barrel Lenght :	22.8" (.30 is 26.2")
Trigger:	2 Stage (Adjustable)
Regulator :	External Adjustable
Silencer Interface :	Yes
Action :	Side Lever
Barrel :	Rifled Steel Interchangeable
Hammer Spring :	External Adjustable
Manua Loading Tray :	Yes
Scopeable :	Picatinny / 11mm Dovetail
Stock :	Wood
Gauge :	Pressure & Regulator Gauges
Weight :	7.9 lbs



E2-S1

**E2-S1**
PCP | RIFLE

Side-Lever Action
2-Stage Adjustable Trigger
External Adjustable Regulator
Automatic Overpressure Air Release
Interchangeable Barrels
2 Gauges (Pressure & Regulator)

SPECIFICATIONS

Model No. :	E2-S1 (E-Series)
Caliber :	.177 / .22 / .25 / .30
Operating Pressure :	4350 psi / 300 bar
Cylinder Size :	400cc
Velocity :	1050 / 1000 / 950 / 900 fps
Shot Count per Fill :	16 / 13 / 11 / 9 round(s)
Barrel Length :	22.8" (.30 is 26.2")
Trigger:	2 Stage (Adjustable)
Regulator :	External Adjustable
Silencer Interface :	Yes
Action :	Side Lever
Barrel :	Rifled Steel Interchangeable
Hammer Spring :	External Adjustable
Manua Loading Tray :	Yes
Scopeable :	Picatinny / 11mm Dovetail
Stock :	Synthetic
Gauge :	Pressure & Regulator Gauges
Weight :	7.5 lbs

