




SAVING
YOUR
COLD



VORSTELLUNG



CISAPLAST ist spezialisiert auf die Entwicklung und Herstellung von Glastüren für die gewerbliche Kühlung.

DYNAMISM

ABILITY

COMPETENCE

CISAPLAST ist ein geschätzter Partner einiger der weltweit angesehensten Hersteller im Bereich der Kühlung



Das Unternehmen



4

Produktionsstandorte



HAUPTSITZ: BÜROS UND TÜRENPRODUKTION

In Suzzara 4700 m²



CISA2: MECHANISCHE ARBEITSVERFAHREN

In Motteggiana 3000 m²

Das Unternehmen



4

Produktionsstandorte



CISA3: RAHMENFERTIGUNG

In Suzzara 3600 m²



CISA TERMINAL: LOGISTIGZENTRUM

In Suzzara 3800 m²

EINIGE ZAHLEN



145 *Mitarbeiter*



820 *Türen/Tag*



4 *Arbeitswochen*
Standard-Lieferzeit

PRODUKTGRUPPE: TK-ANWENDUNGEN



PRODUKTGRUPPE: TK-ANWENDUNGEN



Tiefkühltemperatur-Systeme (-25°C).

PANORAMA

FRAMES WITH ENERGY FREE GLASS



NEW DESIGN
+15%
transparent area



Step glass effect

Full Glass system
with maximum
glass surface and
brand new
3H-ONE hinge,
patented
by Cisaplast.

FEATURES

- Profiles in composite PVC and aluminium material
- Ultrabright insulated glass with triple glazing
- Heated frame with LED lighting
- Automatic 90° door locking system
- Full Glass Wide Vision
- Customized handles
- Full-height and combined doors available
- 3H-ONE hinge patented by Cisaplast

ASK FOR PANORAMA IGD FOR A CO-DESIGNED FRAME PROJECT

KEEP COOL®

RANGE OF LIDS FOR REFRIGERATED ISLANDS



Complete range of
patented Push-Pull
glass cover solutions.

FEATURES

- Structure in composite PVC
- 4 mm tempered single glass
- Low friction sliding
- Accessories for price profiles and lighting

1 KEEP COOL® CURVE 625

Contemporary design

- Curved glass
- 2/3 glass composition

2 KEEP COOL® CURVE 1250

Maximum visibility

- Curved glass
- 2/3 glass composition

3 KEEP COOL® PLANE 625

Great efficiency

- Flat glass
- 2/3 glass composition

ALL MODELS ARE SUITABLE FOR ISLANDS, WALL UNITS, COMBI AND END CAPS

PRODUKTGRUPPE: NT- ANWENDUNGEN



PRODUKTGRUPPE: NT- ANWENDUNGEN



Eine breite Palette von Lösungen für jede technische Anforderung.
FÜR VERTIKALE SCHRÄNKE:

CLASS

ENTRY LEVEL SYSTEM



An affordable solution with a
profile framed door.

STYLE

PREMIUM SYSTEM



The elegance of a
screen-printed perimeter.

GLAM

FRAMELESS SYSTEM



The best look, with
vertical transparent spacers.

Every model is available with
different hinging systems.



GRT

Automatic gravity
closing system.



3H-ONE

Soft closing with our patented
mechanical hinge.



FSN

Hydraulic hinges for
the best performance.

PRODUKTGRUPPE: NT- ANWENDUNGEN



Eine breite Palette von Lösungen für jede technische Anforderung.
FÜR HALBHOHE SCHRÄNKE:



A range of solutions designed for semi-vertical cabinets.
Choose CLASS, STYLE or GLAM for the aesthetic that fits your needs.



- Frame profile in **composite PVC and aluminium**
- **Double glazing** with low emission and high insulation glass

PRODUKTGRUPPE: KÜHLZELLEN



PRODUKTGRUPPE: KÜHLZELLEN



WALK IN frameless

FRAMES WITH WALK IN APPLICATION DOORS



No bottom profile

Brand new frame
and door system
for WALK IN
applications with
the new 3H-ONE
hinge, patented
by Cisaplast.

FEATURES

- Profiles in composite PVC and aluminium material
- Completely transparent glazing spacer in PMMA
- Double glazing with external low emission pane and gas inside, both panes made of tempered glass
- Automatic 90° door locking system
- 3H-ONE hinge patented by Cisaplast


PRODUKTE: SPEZIALANWENDUNGEN




PRODUKTE



Spezialanwendungen: Verkaufsautomat, Weinkühlung und vieles mehr



WELTWEIT



MISSION



Nach einem halben Jahrhundert am Markt Arbeit sind wir als einer der führenden Hersteller in unserem Segment etabliert.

Unsere tägliche Aufmerksamkeit gilt unseren Kunden, um ihnen einzigartige Produkte zu liefern, die dank einer starken und kontinuierlichen technischen Verbesserung und der Erfahrung unseres Ingenieurteams die besten Ergebnisse erzielen.

*FÜR WEITERE INFORMATIONEN, BILDER VON
INSTALLATIONEN, ANGEBOTE UND ANDERE
UNTERSTÜTZUNG WENDEN SIE SICH BITTE AN
CISAPLAST SALES DPT*

