



Born in Germany
produced for the World



own
Production



innovative
Products



attractive
Prices



fast
Delivery



PROTECTIVE PACKAGING



PACKAGING TAPES



SHIPPING LABELS

STRONG. RELIABLE. TRUSTED.
CATALOG 2025



HISTORY

CONTENTS

1987

Torsten Maak founds the company in Rahlstedt, Hamburg, with a clear vision: to deliver packaging solutions of the highest quality.

1990

Rising demand and a growing customer base lead to a move into a larger warehouse, ensuring capacity for continued growth.

1996

A new site is established in Bad Oldesloe, enhancing logistical efficiency and enabling faster, more reliable service to regional customers.

2005

A modern warehouse with 850 pallet spaces is built in Stapelfeld. This expansion strengthens nationwide distribution and optimizes the supply chain.

2012

The activaTec® team grows as two juniors join, bringing fresh ideas and energy that boost the company's innovation and creativity.

2014

Two more juniors become part of the team. At the same time, activaTec® begins intensive work on export activities, laying the foundation for international expansion.

2017

Globalization gains momentum: a new headquarters is constructed on a 6,500 m² site, including 4,000 m² of warehouse space. This modern facility increases production capacity and supports the company's growing international presence.

2018

A major milestone is reached as the state-of-the-art company building near Hamburg is completed. In addition, a second location in Marienheide opens, further extending activaTec®'s reach.

2020

Internationalization accelerates with the opening of company-owned locations in Spain and England.

2021

Paper processing capacity is significantly expanded and automated, improving efficiency and supporting sustainable growth.

2024

Construction begins on a new company headquarters in Reichshof, laying the foundation for the next phase of activaTec's growth and expansion.

activaTape®

3-7

Packaging tapes for reliable sealing.

activaAir®

8-11

Efficient air cushion systems for maximum protection.

activaSystems®

12-13

Integrations for customized protection and cushioning systems.

activaPaper®

14-15

Sustainable paper cushioning systems for eco-friendly shipping.

activaWrap®

16

The sustainable alternative to bubble wrap.

activaBand®

17

Innovative pallet stretch bands for secure transport.

activaLabel®

18

Thermal labels for the highest demands



activaTec®

GLOBAL BRAND

"We are constantly reinventing ourselves and thus manage to continually dominate the market with our innovative ones to inspire packaging solutions."

Torsten Maak

Torsten Maak
Owner & Managing Director

DEVELOPMENT | PRODUCTION | SERVICE

As a **manufacturer and developer of innovative packaging materials**, we have been committed to delivering the highest quality since 1987. Our product range includes packaging tape, stretch film, void fill solutions, and other packaging essentials — all designed with one goal in mind:

- **Simplifying and optimizing your packaging processes**
- **Reducing packaging and storage costs**
- **Enhancing sustainability and environmental responsibility**
- **Strengthening and streamlining your supply chain**

Our motto, "Quality pays off!", reflects this philosophy. As a **direct manufacturer** serving major B2B customers, we have consistently proven that our products deliver lasting value. Every product we produce undergoes a thorough analysis of the demands of modern warehouse logistics and intralogistics, forming the foundation of our research and development.

This dedication results in a specialized range of packaging solutions — from stretch film and adhesive tape to packaging machinery and accessories — all tailored to the needs of efficient, future-ready operations.

Our standards for packaging materials:

- Maximize packaging speed in shipping and warehousing
- Ensure goods are secured with stability and efficiency
- Reduce material usage and overall costs
- Lower transportation and shipping expenses
- Guarantee easy handling for your employees
- Enable your customers to open packages quickly and conveniently





activaTape®

STICK WITH THE BEST

LIGHT



Film thickness 23µ
Adhesive layer 15 µ (+/-1 µ)
Adhesive PK6
Width (mm) 48, 72
Temperature + 60 °C // -30 °C

Hand adhesive tapes

Length (m) 66, 132, 150
Core (inch) 2", 3"
Colour Transparent, brown

BASIC



Film thickness 23µ
Adhesive layer 20 µ (+/-1 µ)
Adhesive PK6
Width (mm) 18, 24, 48, 72
Temperature + 60 °C // -30 °C

Hand and Machine adhesive tapes

Length (m) 66, 132, 150, 990, 1500, 2000
Core (inch) 2", 3"
Colour Transparent, brown, blue, red, yellow, white

POWER



Film thickness 25µ
Adhesive layer 25 (+/-1 µ)
Adhesive PK6
Width (mm) 48, 72
Temperature + 60 °C // -30 °C

Hand and Machine adhesive tapes

Length (m) 66, 132, 150, 990, 1500
Core (inch) 2", 3"
Colour Transparent, brown, white, blue

PCV



Film thickness 35µ
Adhesive layer 30 µ (+/-1 µ)
Adhesive PK6
Width (mm) 48, 72
Temperature + 60 °C // -30 °C

Hand and Machine adhesive tapes

Length (m) 66, 660
Core (inch) 3"
Colour Transparent, brown, blue



All adhesive tapes can be custom printed with up to 8 colors. If you need more information, please contact us!



3" hand dispenser (With silent function)
D28629



hand dispenser (2" and 3")
D29620



2" hand dispenser (With silent function)
D27629



150 METER ON A ROLL

127% more tape with the same roll diameter

The packing tape features a 2-inch core, allowing **127% more tape** to fit on a roll of the same diameter. Our 150-meter rolls are available in various colors and quality levels. This PP adhesive tape is especially economical: compared to a standard 66-meter roll, it requires **fewer roll changes**, saving time and improving efficiency.



Thanks to more adhesive tape with the same roll diameter, you need less storage space than before.



Less waste is created from adhesive tape cores, outer packaging and films. This protects the environment and also your wallet.



By reducing delivery routes, you help reduce CO₂ emissions.



By having more tape on a roll, you save time and delivery routes.



INNOVATIVE PK6 ADHESIVE

Strong, reliable, and temperature-resistant

Our advanced **PK6 adhesive** combines the performance of high-end tapes with the benefits of a **water-based, eco-friendly formula**. It stays strong and secure, even under extreme temperature fluctuations from **-30°C to +60°C**, making it ideal for cold storage, warehouses, and long-distance shipping.

Durable and dependable, PK6 keeps packages **safely sealed**, reduces roll changes, and ensures consistent performance — every time.



LLDPE-barrier tape
Red-white 500 m /100 m Black-yellow 500 m




Warning tape
Risk of breakage 66/150 m Be careful glass 66/150 m



Security Tape
Security print 66 m



Double-sided tape
Yellow 25 m



Duct Tape
Black / Silver 50 m



Cross weave tape
Clear 50 m

activaTape® – RPET

STRONG ADHESION,
SUSTAINABLE FUTURE



Film Thickness	32µ
Adhesive Layer	20 µ (+/-1 µ)
Adhesive	PK6
Width (mm)	48
Length (Lfm)	200
Core	2"
Temperature	+60 °C // -30 °C

activaTape® – RPET

Setting New Standards in Sustainability

- **Eco-friendly production:** Made from recycled PET bottles, activaTape® – RPET reduces raw material use and minimizes your ecological footprint.
- **Optimal adhesion:** Specially developed for recycled cardboard, it ensures secure closures while remaining easy and user-friendly.
- **Premium quality:** Thanks to PCR granules, it performs just like conventional tape — with the added advantage of sustainable materials.

- **Versatile application:** Ideal for shipping, packaging, or crafts, it adapts to a wide range of tasks.
- **Supporting the circular economy:** Using activaTape® – RPET helps close material loops and promotes responsible, sustainable business practices.

Conclusion: A high-quality, reliable adhesive tape that not only delivers excellent performance but also supports environmentally conscious packaging solutions

PAPER SELF ADHESIVE TAPE

B44022

Quality	Basic
Length (m)	50
Width (mm)	48
Core (inch)	3"
Adhesive	Solvent
Colour	Brown




B44422

Quality	Basic
Length (m)	100
Width (mm)	48
Core (inch)	2"
Adhesive	Solvent
Colour	Brown



B44622

Quality	Basic
Length (m)	500
Width (mm)	48
Core (inch)	3"
Adhesive	Solvent
Colour	Brown



B44022-1 | B44022-2

Quality	Basic
Length (m)	50, 100
Width (mm)	48
Core (inch)	2", 3"
Adhesive	Solvent
Colour	Brown



WAT GUMMED TAPE DISPENSER


Whether light or heavy packaging, our WAT-tape offers reliable, environmentally friendly paper closures and reduces plastic waste. Water activation facilitates the packaging process, and it can be optionally reinforced with threads for extra stability.

Our WAT-tape machines automatically deliver the correct strip length, individually programmable, and without interrupting work. Color-coded controls ensure clarity and speed – for efficient, professional packaging of the highest quality.



Item No.:	NK4552	NK4652	NK4654k	NK4651	NK4653	NK5552	NK5852	NK4655	NK5651	NK5851
Types	Standard	Standard	Standard	Standard	Standard	Semi-Reinforced	Semi-Reinforced	fully Reinforced	Semi-Reinforced	Semi-Reinforced
Length (m)	200	200	200	200	200	200	200	150	200	200
Width (mm)	60	70	70	70	70	60	70	70	70	70
Grammage (g/m²)	60	60	70	60	70	60	75	125	60	75
Color	Brown	Brown	Brown	White	White	Brown	Brown	Brown	White	White

NK2000 manual



Weight: 9,5 kg
Dimensions: 380x230x220mm

NK4000 electric



Weight: 12 kg
Dimensions: 480x330x280mm
Voltage: 220-230 V



activaAir®

MAXIMUM PROTECTION – MINIMAL WASTE

| LESS MATERIAL | 100% RECYCLABLE | LESS POLLUTANTS | MINIMAL STORAGE SPACE



Efficient, Protective, and Eco-Friendly Packaging


Our machines are **highly versatile** and can handle a wide range of film types. From **standard HDPE 18 µm films** to our **eco-friendly range with reduced thickness, films made from 100% recycled materials, biodegradable starch-based films, and paper air cushions**, we provide sustainable and efficient solutions for any packaging need.

Our **air cushions** are **99% air**, delivering **reliable protection** while being **space-saving and efficient**. Supplied on rolls and inflated **only when needed**, they reduce transport volume and streamline handling, making your packaging process **faster, smarter, and more economical**.

With **recyclable air cushions and eco-friendly films from activaTec®**, you also make a **positive impact on the environment**. Simply cut, release air, and save a significant amount of packaging waste — protecting your products **and** our planet at the same time.




FOUR REASONS FOR AIR CUSHIONS



1. Less Material

With **activaAir® air cushions**, significantly less material is required compared to traditional paper padding. Made of **99% air and only 1% film**, they provide reliable protection **without adding extra weight** to your packages.



2. 100% recyclable

The films used in **activaAir® air cushions** are **fully recyclable**, conserving natural resources and suitable for **energy recovery**, making them an environmentally responsible choice.

3. Lower Environmental Impact

Because **activaAir® air cushions** expand with air, the rolls are **extremely space-efficient**. This reduces CO₂ emissions compared to paper, and production generates significantly fewer pollutants:

3x less carbon monoxide
6 x less nitrogen oxide
8x less hydrocarbons



4. Less storage space

activaAir® air cushions save **immense amounts of storage and transport space**. Just **10 rolls of air cushion film** can replace a truckload of Styrofoam chips, reducing costs and freeing up valuable warehouse space.

activaAir® MACHINES

Reliable Protection, Efficient Packaging

LIGHT BP2001

For parcel volumes up to 50 parcels/day

- Produces air cushion mats or pillows
- Suitable for smaller companies
- very good price-performance ratio
- Weight: 4kg
- Lightweight and compact design



BASIC BP4000

Industrial machine for several 1000 packages/day

- Produces air cushion mats or pillows
- Suitable for medium-sized and large companies
- Easy and very clear operation
- Weight: 6kg
- Lightweight and compact design



POWER BP6000

Maximum performance & flexibility suitable for all our films

- Produces air cushions
- Suitable for packing centers
- Easy and very clear operation
- Weight: 6kg
- Lightweight and compact design



Paper-Air cushion

- 30g Paper
- 300 m / Roll
- Pre-perforated
- 200 x 130mm
- 1 chamber

BC2134



Paper-Air Cushioning Mats

- 30g Paper
- 100 m / Roll
- Pre-perforated
- 400 x 150mm
- 4 chambers

BC8406



100% biodegradable Air cushion

- Air cushion 200x100mm
- 100% degradable film made from corn starch
- 700 m roll length
- Pre-perforated
- 200 x 100mm
- 1 chamber

BD2104



AIR CUSHION FILMS

AIR CUSHION | Compatible with BP2001, BP4000 & BP6000



**HDPE -
Multilayer foil**
13μ
200 x 130 mm
2000 m

LP1137



**HDPE -
Multilayer foil**
15μ
400 x 320 mm
600 m

LP8402

activaAir® Light – ultra-strong, high-performance film, lightweight, reliable, and efficient. More running meters per roll for maximum convenience and fewer roll changes.



Please note that roll lengths of 1500 m and more can only be processed with the BP4000 and BP6000. All films are also available in ESD.



**HDPE -
Multilayer foil**
18 μ
200 x 100 mm
700 m;
1500 m

BP2104 // BP2107



**HDPE -
Multilayer foil**
18 μ
200 x 150 mm
700 m
1500 m

BP2154 // BP2157



**HDPE -
Multilayer foil**
18 μ
200 x 200 mm
700 m;
1500 m

BP2204 // BP2207

AIR CUSHIONING MATS | Compatible with BP2001, BP4000 & BP6000



**HDPE -
Multilayer foil**
18 μ
1 chamber
400 x 150 mm
450 m

BP8425



**HDPE -
Multilayer foil**
18 μ
2 chambers
400 x 230 mm
450 m

BP8404




**HDPE -
Multilayer foil**
18 μ
4 chambers
400 x 150 mm
450 m

BP8426



**HDPE -
Multilayer foil**
18 μ
4 chambers
400 x 195 mm
450 m

BP8430



**HDPE -
Multilayer foil**
18 μ
7/10/14 chambers
400x330mm 450m length – BP8402
600x330mm 250m length – BP8422
800x330mm 250m length – BP8442



AIR CUSHIONS AND MATS – 100% RECYCLED | Compatible with BP2001, BP4000 & BP6000



**HDPE-100%
recycled content**
25 μ
200 x 130 mm
700 m

BR4135



**HDPE-100%
recycled content**
18μ
4 chambers
400 x 150 mm
450 m

BR8406



**HDPE-100%
recycled content**
18μ
7 chambers
400 x 170 mm
450 m

BR8402



**HDPE-100%
recycled content**
18μ
7 chambers
400 x 195 mm
450 m

BR8430



activaSystems®

SMART INTEGRATION FOR PACKSTATIONS



PACKSTATIONS INNOVATIVE OPTIMIZED INDIVIDUAL

Every packaging area has its own challenges. That's why we design **clever integrations** with activaSystems® to make **mid-size and large companies'** packing processes **more efficient**.

Our activaSystems® packstations streamline workflows, enabling packages to be prepared **faster, easier, and more reliably**. The result is a packaging process that is **optimized, user-friendly, and cost-effective**. Arrange a **free consultation and planning session** to create your **individually configurable packstation** and start **optimizing your packaging process today**.




BASKETS & SYSTEMS

For Pre-Producing Protective Packaging Materials



BP5020 REWINDER



BP5030 TROLLY OH

- Collecting basket with machine attachment
- 900mm x 600mm x 900mm
- Can be used mobile



BLOW-IN SYSTEM

- For the BP4000 and BP5000
- Powerful



TROLLY MH + BRUSH

- Collecting basket
- 900mm x 600mm x 900mm
- Can be used mobile



BP5022 REWINDER



BP5025 WALL MOUNT

LET US DESIGN & IMPLEMENT A SYSTEM TOGETHER.

activaPaper®

ECO PACKAGING MADE EASY

PAPER VOID FILL AND PAD PROTECTIVE SYSTEMS

Our **paper void fill systems** and **pad protective systems** provide **reliable, efficient, and eco-friendly protection** for your products during shipping.

With **activaPaper®**, voids are filled, sharp-edged goods are cushioned, and your packages are **securely prepared for transport** — ensuring they arrive **intact and well-protected**.



PA1000



PA1000 Manual paper dispenser for perforated folding packs.

PA2000



PA2000 The system dispenses automatically via foot pedal and is then manually separated at the perforation.

PA4000



PA4000 The system dispenses and cuts automatically via foot pedal or according to the setting on the display.

PA1500



PA1500 Manual paper dispenser for use with coreless paper rolls.



**ALSO AVAILABLE
WITH ROLL
HOLDER**

PA4600



PA4600 The system creates a small protective pad from the standard folding packs.

Trolley PA4601 sold separately.

PA6000



PA6000 Consumables either an endless pallet or a wide folding pack.

PA5000



PA5000 The paper is folded compactly into a C and the system creates a large protective/cushioning pad.



Padding material

70 g/m²
350 mm
450 m

PB3001

recycled
Paper

Kraft-
Paper

70+70g/m²
2-layer

Padding material PA5000

70 g/m ²	120 g/m ²
1-layer	1-layer
700 mm	700 mm
350 m	170 m

PA5400

PA5500

120 g/m ²	70 g/m ²	70+70 g/m ²
1-layer	1-layer	2-layer
700 mm	700 mm	700 mm
170 m	350 m	220 m

Kraft
PA5500A

Kraft
PA5400A

PA5401A2



Folded Pack for PA1000 | PA2000 | PA4000 | PA4600 | PA4800

50 g/m ²	70 g/m ²
381 mm	381 mm
500 m	360 m
perforated	perforated
PA2200	PA2400



Endless pallet

90 g/m², 700 mm
7600 m, perforated
PA2602

Endless pallet

70 g/m² **Kraft**,
700 mm, 7600 m,
perforated
PA2602A



Folded Pack

70 g/m², 760 mm, 335 m, perforated
PA2402



Padding material

70 g/m²
350 mm
450 m
PB3001K

activaWrap®

THE NATURAL ALTERNATIVE TO BUBBLE WRAP

- Versatile** – reliably protects fragile, bulky, and delicate products
- Shock-absorbing** – absorbs shocks during transport
- Space-saving** – lightweight, flexible, and efficient for storage
- Sustainable** – made from recyclable kraft paper
- Efficient** – saves time, money, and additional materials
- Professional** – high-quality presentation strengthens your brand image

AW5000

Weight: 15 kg
Operation: manual
Width (mm): 533x312x283
Colour: light grey



AW8000

Weight: 23 kg
Voltage: 100-230 V
Dimensions (mm): 730x420x350
Colour: light grey



activaWrap®



Width (mm): 395, 500
Length (m): 100, 250
Gammatur (g/m²): 70, 80
Colour: Nature, White, Red, Black

Tissue Paper

Width (mm): 300
Length (m): 840
Gammatur (g/m²): 27
Colour: White



APPLICATION



Pull the activaWrap® apart and place the object to be padded on the material.



Stretch the wrapping material so that the honeycomb structure of the paper stands up vertically. Wrap the object to be padded while maintaining this tension.



Tear off the paper after a few wraps. It independently holds the shape and protects your object from external force.



activaBand®

STRETCH BANDS FOR EFFICIENT PALLET SECURING

Secure palletized goods quickly and reliably with **activaBand®**. The elastic bands hold boxes, cartons, barrels, or containers firmly together, preventing shifting and ensuring safe transport.

Fast, easy, and economical:

- Quick to apply, faster than tape or cords
- Non-adhesive, leaving no marks on packages
- Color-coded options for easy warehouse organization
- More cost-effective than full pallet wrap

Sustainable and strong: Made from **high-quality, recyclable PE**, combining durability with environmental responsibility.

How to use: Tear at the perforation, stretch slightly, and wrap over your pallet for secure bundling.



Pallet Stretchband

Length (mm) 600, 1200, 1400,
1600, 1800

Stk/VE 200, 100, 85, 75, 65

Colour Transparent



B49213

activaBand BASIC Pallet Stretchband

Length (mm) 1200

Width (mm) 100

Stk/VE 100

Colour Transparent

Magnet Dispenser



B49000


Pallet Stretchband

Length (mm) 1200

Width (mm) 100

Stk/VE 100

Colour blue, green,
yellow, red



N49211

N49215

N49218

N49212



Look this
Application video
on youtube.de

activaLabel®

DIRECT THERMAL LABELS YOU CAN TRUST

activaLabel® – High-Quality Direct Thermal Labels for Smooth Processes and Professional Results

- **Universally Compatible:** Perfectly coordinated with all major shipping partners, including DHL, UPS, DPD, and more.
- **Reliable Performance:** Smooth printing and razor-sharp images ensure efficiency, save time, and reduce errors.
- **Flexible Solutions:** Available in direct thermal format, ideal for a wide range of shipping and labeling applications.
- **Fast Availability:** Ready from stock, even for large order quantities, so your operations keep running smoothly.




AL1000

Length (mm)	150
Width (mm)	100
Core (mm)	25
Adhesive	permanent
Colour	white
Quantity/Roll	500



AL1001

Length (mm)	199
Width (mm)	103
Core (mm)	25
Adhesive	permanent
Colour	white
Quantity/Roll	250



AL3002

Length (mm)	150
Width (mm)	100
Core (mm)	76
Adhesive	permanent
Colour	white
Quantity/Roll	1000





DIRECT AND PERSONAL

With us you will have your very personal contact person who will advise you and answer any questions you may have.



FAST DELIVERY

Your goods will be brought to you in the fastest and most efficient way.



SAVINGS THROUGH OPTIMIZATION

We optimize your packaging processes and materials and show the savings potential in your company.



HIGH STOCK

If there is a short-term need, we can deliver in the shortest possible time.



TECHNICAL SUPPORT

Do you need help with one of your machines? No problem! Simply contact our technical support free of charge:
+49 173 201 7348



EUROPE-WIDE

With our network of reliable logistics partners, we can offer our service throughout Europe.



PRICE GUARANTEE

With us you will receive a price guarantee through framework orders or for a fixed period of time.



SAFETY & RELIABILITY

Rely on one consistently high quality of our products.



activaTec International GmbH & Co. KG
Höher Birken 1
51709 Marienheide | NRW | Germany

Phone +49 (0)40 669094-60
Fax +49 (0)40 669094-79

sales@activatec.de
www.activatec.de