

## KANISTAR Intensive care unit & Incubator



UC-2005/2007/2008



www.AEOLUSpet.com

www.KANISTARvet.com

UC-1801/1803/1805

### UC-2005/2007/2008 UC-1801/1803/1805

# UC-2005 / UC-2007 / UC-2008

TSaaS-ICU, ICU with Temperature self-adaption adjustment system.

Suitable for critical rescue, first aid care, constant temperature breeding for newborn pets, temperature resuscitation for sick pets, physical cooling, infusion for sick pets, oxygen therapy, nebulization therapy, various kinds of physical therapy for health, pre-operative and post-operative treatment. Post-operative diagnosis and treatment, hospitalization and observation, rehabilitation care, health care and physiotherapy.

#### **Features and Advantages**

#### **DUAL DRIVE CONSTANT TEMPERATURE**

Overhead double-duct indirect-blow circulating heating system



Thermostatic bed with evenly-distributed heating and temperature control

Indirect-blow refrigeration compressor air-conditioner





Each cabinet has an individual air-conditioner

#### **BIDIRECTIONAL CONTROL CONSTANT HUMIDITY**

-1-



**Breeding environment** Ultrasonic humidification technology Up to 75% high humidity at high temperature of 35 °C



**Medical environment** Efficient dehumidification performance The humidity can be as low as 40%



#### HIGH OXYGEN CONCENTRATION CONTROL

- Aluminum frame and nice rubber ensure good sealing performance
- Intelligent stackable tower type oxygen concentrator with automatic control interface
- · Control technology for balanced distribution in two/four compartments from single-side oxygen supply
- Intelligent Overlay Control Technology for Double/Four Cabins of two-side Oxygen Supply
- Use a 15L oxygen concentrator for UC-2008: When only supply one chamber, 5 minutes to 40%, 6 minutes to 45%, 8 minutes to 50%, 13 minutes for 60%. When supply two chamber, 10 minutes to 40%, 15 minutes to 45%, 22 minutes to 50%, 40 minutes to 60%. When supply three chamber, 20 minutes to 40%, 30 minutes to 45%. When supply four chamber, 30 minutes to 35%. We suggest you get two 15L for four chamber.



#### COMPLEMENTARY MEDICINE

#### **Built-in Nebulizer**

Available for atomization of the original solution without dilution; The atomized particles reach 0.5 microns and directly enter the lower respiratory tract for treatment.



wound healing



-2-









#### Double oxygen supply holes/catheter holes/ IV pole


PHILIPS IR Infrared therapy technology Enhance the vitality and regeneration ability of histiocyte, improve the metabolism of pets, diminish inflammation, sterilize, and accelerate





**UV** disinfection

High concentration negative ion



The first: With bactericidal UVC ultraviolet light (wavelength 200~280 nm), Ultraviolet disinfection destroys the molecular structure of microbial cell DNA, to achieve the effect of sterilization.



The second: High-concentration negative ion generators in a closed treatment chamber can significantly reduce odor pollution and enhance the immunity of animals.

-3-

Internal/external cycle ventilation control



The third: When oxygen supply is not required, the "external cycle" function can be on to improve the cabin air quality.

#### DOUBLE DOOR AND DOUBLE CABIN CONTROL



💿 🔤 🥂 🕺 🕺 👘 i 📔 👘 🕺 🔊

ICU Dual Cabin of fully Separated Version Dual cabin dual system of independent control

Isolation device-urine barrier for double cabin Prevent the two compartments from being soaked with pet urine



Divider Without divider, one big breed. With divider, two medium breeds.

### LIGHTING ASSISTANCE



**TSAAS ICU Creating a Rehabilitation Environment** 









Air conditioning intake to prevent hair suction Easy to remove, built-in filter to avoid blockage or cross infection

Dual backup intelligent emergency vent The emergency vent will open for the safety of pets' lives if there is oxygen insufficient or power failure in the cabin.

- 4 -

Suitable temperature and humidity, continuous monitoring of body temperature, purification of sterile cabin, maternal quiet, soft illumination, exam lighting, high concentration oxygen chamber

> Creating an examination environment for observing changes in diseases

White exam lamp

Warm illumination lamp Creating a comfortable, warm, and quiet rehabilitation environment for sick pets



**Cleaning Air filter** Top mounted air outlet filter with magnetic cover for easy replacement and cleaning

#### MEDICAL CARE



### Intelligent central control with large touch screen display

- 5 -

Simple and clear interface, with large digital display and touch control for various indicators, easy to identify and operate.

#### TSAAS APP



Mobile phone Manage all ICUs and patients in the hospital (remote monitoring and management system) Mobile phone Fully digital communication with pet owners anytime and anywhere on medical progress







## **ICU ADVANTAGES**

REMOTE Remote monitoring and control of the status of the ICU and the temperature of pets, marking the ICU as a management device for the hospital. A doctor can efficiently manage all inpatient ICUs and pets in the hospital with just one mobile phone, and provide timely and accurate adjustment for pet conditions.


### Remotely Control ICU

#### Innovative IoT technology

#### CONTINUOUS MONITORING OF PET TEMPERATURE

7X24 hour Real time monitoring of changes in animal body temperature, alarming and automatic adjustment, enabling the ICU to iterate from a traditional incubator to a truly intelligent monitoring medical device.

### **EXTERNAL MEDICAL EXPANSION**



#### SERVICE



Operation guidance: every ICU will be tested by engineer before sending out. Operation videos are available, doctors don't need to worry about how to operate.

After-sale service: If ICU meet problems, all the spare parts are plug type which can be easily replaced. Just unplug the false accessory and plug in the new accessory. Kanistar offer one year guarantee, if ICU meet any problems in one year, free accessories for replacement.

#### FEEDBACK WORLDWIDE









- 8 -















# UC-1801 / UC-1803 / UC-1805

### AEOLUS INCUBATOR

AEOLUS incubator is a chamber that offers stable temperature and humidity, as well as medical atomization treatments, creating a comfortable and therapeutic environment for your animals. Each unit comes with a 10 lighting stage amber lighting and sterilization function.



-9-

## **OTHER DEVICES FOR THE INCUBATOR**

#### UC-1801-AC



UC-1801-RCK

UC-1803/1805-HDM

UC-1803/1805-NBL

KO2-2Y600

KO2-10F

#### Perfect match for the KaniStar ICU patient by producing chilled airflow. Remotely controlled by the ICU.

#### **ICU/Incubator Organizing Rack**

life.

Comes standard with casters, for easy moving and sterilization operation. Trendy looking but functional too, a good mate for ICU accessories organizing.

#### **Extra External Humidifier**

This External humidifier is helping the internal humidifier in our ICU to reach desired RH level more easily, especially in extremely dry environment or under high temperature. And the unit can heat the mist and it takes 10-15 minutes to switch between warm/cool mist. The power plug should be plugged into two flat pins receptacle at the rear left corner of the ICU unit, it will be regulated by the ICU motherboard with special programs installed.

#### **Extra External Nebulizer**


Suitable for UC-1803/1805 The nebulizer UC-1803/1805-NBL can produce 0.5-4 micron nebulized particles of medicine. Meanwhile, intelligent control quantity of nebulization is provided for your selection, and the maximum nebulizing volume is up to 0.5ml/min. The nebulization in the ICU is even, and the inhalation effect of atomized medicines is obvious.

#### **2L Oxygen Concentrator**

Steady 2L flow rate at 95%+ concentration.

#### **10L Oxygen Concentrator**

A true 10L capacity oxygen generator! for most medical care needs. Capable enough for anesthesia machine running.



#### **Air-Conditioning Unit**

Gives the ICU the ability to set the desired stable tempertature for the Amazingly quiet without startling pets.

Double decker design, well for two units of KaniKare UC-1801 ICUs. Specialized top shelf for air conditioner or oxygen generator locating. Stable and Sturdy, made from Gauge 17 steel panel, ensures long service

- LCD display, allowing easy and accurate air flow management.
- Extremely quiet; running at only 43 decibels!
- USA made molecular sieve and long lasting compressor.
- Extracts medical-grade oxygen from the air and delivers it on demand.
- Steady and safe 10L oxygen supply, an economical and long lasting solution
- Very quiet compressor; utilizing exceptionally fine quality German technology; combined with USA made molecular sieve, will provide long term service

## **AEOLUS INCUBATOR FUNCTIONS**



10 stage ICU Illumination Function

Creating a comfortable therapeutic environment.



Carbon Dioxide Concentration Monitoring System

A Defense Line to safe guard patients' lives.



Nebulization/Medical Atomization Treatment Function

Making it more convenient to administer full strength medicine.



Sterilization Function

Greatly diminishes the possibility of cross-contamination.



Accurate Temperature Control

Eliminates hot spots and provides overall consistent temperature throughout.



Negative-ion Generation

Precipitate the dust in the air, purify the air and accelerate wound healing.



External humidifier

To get high humidity at high temperature, suitable for exotic animals.



Oxygen inlet and O2 Monitoring System

Three models all have Oxygen inlet, and UC-1805 has O<sub>2</sub> Monitoring System.


| Item No.                   | UC-1801                         | UC-1803  | UC-1805                                      |
|----------------------------|---------------------------------|--|--|
| Products Photo             |                                 |  |  |
| Color                      | Green                           | Purple   | White  |
| Temperature                | Could be set from<br>18℃ to 38℃ | Could be set from<br>18°C to 38°C  | Could be set from<br>18℃ to 38℃              |
| Humidity                   | Built–in humidifier             | Built–in humidifier<br>(stantard version)<br>External humidifier<br>(optional version) | Built–in humidifier<br>& external humidifier |
| Nebulizer                  | Built-in nebulizer              | External nebulizer   | External nebulizer                           |
| CO <sub>2</sub> monitoring | YES                             | YES  | NO   |
| Oxygen monitoring          | NO                              | NO   | YES  |
| Illumination               | 10 level                        | 10 level   | 10 level                                     |
| UV sterilization           | YES                             | YES  | YES  |
| Anion                      | YES                             | YES  | YES  |
| Oxygen hole                | YES                             | YES  | YES  |
| Air-conditionder hole      | YES                             | YES  | YES  |

#### FEEDBACK WORLDWIDE



- 11 -

#### FEEDBACK WORLDWIDE











UC-2007



