



U.S. MIL-SPEC
GLOBALLY TRUSTED

2024

INTERNATIONAL
MILITARY AND
LAW ENFORCEMENT





CONTENTS

4	MK47 40MM ADVANCED GRENADE LAUNCHER
6	M5® CARBINE SYSTEMS
8	M5® CARBINE
12	M5® SUB-COMPACT WEAPON (SCW)™
13	M5® 300 BLACKOUT
14	M5® 9MM SUB-MACHINE GUN (SMG)
16	CMK 7.62 X 39MM
18	M5® DESIGNATED MARKSMAN RIFLE (DMR)
20	CM7 SEMI-AUTOMATIC SNIPER SYSTEM (SASS)
22	CM7 BATTLE RIFLE
24	M16A4 SERVICE RIFLE
26	M4 CARBINE
27	M4 COMMANDO®
28	INFANTRY AUTOMATIC RIFLE (IAR)
29	M4 9MM SUB-MACHINE GUN (SMG)
30	M203 GRENADE LAUNCHER
31	M203 GRENADE LAUNCHER - RAIL
32	UPGRADES; CONVERSION KITS & ACCESSORIES
33	ARMORER & OPERATOR TRAINING



NEW for 2024



MK47

40MM | ADVANCED
GRENADE LAUNCHER

The MK47 is a lightweight 40mm automatic grenade launcher with an integrated fire control system, capable of functioning as a standard automatic grenade launcher or with programmable airburst capability.

The MK47 can be tripod, vehicle, air or watercraft mounted. The MK47 can launch smart programmable 40mm air burst grenades through in-bore or radio frequency (RF) programming in addition to various unguided point impact rounds. The MK47 fires all NATO standard high velocity 40mm rounds, providing firepower against soft and lightly armored targets.

SPECS

- Model: MK47 40MM
- Caliber: 40mm x 53
- Gun Weight: 39.6 lbs (18 kg)
- Length: 37" (940 mm)
- Length (barrel detached): 24.02" (610 mm)
- Width: 10.04" (255 mm)
- Height: 8.07" (205 mm)
- Total Charge Pull: 55 lbs (25 kg)
- Mass Recoiling: 55%
- Maintenance: Round Counter

FEATURES

The MK47 Machine Gun feeds ammunition from the left side, fires from the closed bolt position and incorporates a simple back-up sight. The MK47 Machine Gun does not require operator adjustment of headspace and timing. It allows for mounting a MILSTD-1913 rail for attachment of illuminators, laser pointers, and other light modular devices. The MK47 Machine Gun fires NATO STANAG compliant, linked, 40MM high velocity (HV) impact and airburst Automatic Grenade Launcher (AGL) ammunition providing devastating firepower against soft and light armored targets.



Base model shown, upgrades available.

MK47

Optional Enablers And Accessories

The Light Weight Video Sight II (LVSII) fire control system is an integrated solution that gives the operator the ability to detect, recognize, identify, and engage targets in both day and night conditions through day color video and night thermal imaging cameras. A key feature of the LVSII is the method of super elevation, required when firing 40mm ammunition. This allows the operator to maintain the target image within the operator's field of view of the colored LCD display while super-elevating the weapon to obtain a correct ballistic solution.



Additional Accessories:

MK 195 Vehicle Adapter Kit (NSN 1010-01-514-7942)
Ground Mount Ammunition Can Bracket
Ballistic Shield Bracket
Tertiary Sight Bracket

M5[®] CARBINE SYSTEMS



Introducing the new Colt M5 Carbine series of assault rifles – weapons for the modern warfighter and special forces operator when reliability, lethality, and adaptability are critical.


The completely redesigned lower receiver and upper receiver feature full ambidextrous controls and an enhanced upper receiver rail design ensures extreme rigidity. With maximum performance and ergonomics at the forefront of the design consideration, the Colt M5 Carbine utilizes a proven carbine length gas system with Colt's new purpose-designed true free float rail which attaches to the upper receiver, not to the barrel. This system maximizes rail space and shooter comfort while reducing weight and bulk. Colt's M5 also uses a proprietary conical barrel nut, ensuring increased accuracy and lethality. The Colt M5 Carbine is truly the next generation in a long legacy of Colt high performance assault weapons.

ENHANCEMENTS




Fully Ambidextrous Controls

- Selector • Magazine Catch
- Bolt Release • Charging Handle



True Free Float Barrel

- True Free Floating Barrel Design for Improved Heat Dissipation
- Barrel Extension without Pinhole



Improved Heat Dissipation

- 7 Position MLOK Rail System
- Conical Barrel Nut



Rail Retention & Rigidity

- Self-Aligning Barrel Mounting System
- 360 Contact & Continuous 12 O'Clock Rail



ALL NEW COLT MODELS	CALIBER	BARREL
M5 Carbine	5.56 X 45MM NATO	10.3", 11.5", 14.5", 16.1"
M5 SCW	5.56 X 45MM NATO	10.3"
M5 300	.300 BLACKOUT	8.5", 10.5"
M5 SMG	9 X 19MM NATO	9", 10.5"
CMK	7.62 X 39MM	11.5", 14.5", 16.1"
CM7 BATTLE RIFLE	7.62 X 51MM	13.5", 16.1"
CM7 SASS	7.62 X 51MM	18"
M5 DMR	5.56 X 45MM NATO	20"

M5 TECHNICAL DATA – 5.56 X 45MM NATO

Rifling	1 in 7 inches, Right-hand twist, 6 grooves
Sights	Folding low profile adjustable sights
Operation	Air-cooled, gas-operated, firing from a closed bolt
Fire Control	Safe – Semi – Automatic
Alternate Fire Control Options	Safe – Semi – Burst Safe – Semi
Magazine	30-round PMAG
Muzzle Velocity	Up to 3150 FPS (960 MPS) with 20" barrel and M855 ammunition
Rate of Fire	Approximately 700 – 950 RPM



M5[®] CARBINE

CM556-10H-M5A | CM556-11H-M5A

5.56 X 45MM NATO



CM556-10H-M5A



CM556-11H-M5A

CM556-10H-M5A

Length	Stock Retracted: 26.75" (67.95 cm) Stock Extended: 30" (76.2 cm)
Weight (weapon only)	6.05 lbs (2.75 kg)
Barrel	10.3" (26.16 cm), Free Float Heavy Barrel
Rail system	1-piece M-LOK Free Floating Rail System 9.17" (23.29cm)
Buttstock	6-position, adjustable for length of pull

CM556-11H-M5A

Length	Stock Retracted: 28.0" (71.12 cm) Stock Extended: 31.25" (79.38 cm)
Weight (weapon only)	6.3 lbs (2.86 kg)
Barrel	11.5" (29.21 cm), Free Float Heavy Barrel
Rail system	1-piece M-LOK Free Floating Rail System 10.35" (26.29 cm) long
Buttstock	6-position, adjustable for length of pull



CM556-11H-M5A

**Pictured with optional upgrades*

NEW PRODUCT



M5[®] CARBINE

5.56 X 45MM NATO

CM556-14H-M5A | CM556-16-M5A



CM556-14H-M5A



CM556-16-M5A

CM556-14H-M5A

Length	Stock Retracted: 31.0" (78.74 cm) Stock Extended: 32.25" (87 cm)
Weight (weapon only)	6.8 lbs (3.09 kg)
Barrel	14.5" (36.83 cm), Free Float Heavy Barrel
Rail system	1-piece MLOK Free Floating Rail System / 13.5" (34.29 cm) length
Buttstock	6-position, adjustable for length of pull

CM556-16-M5A

Length	Stock Retracted: 32.6" (82.80 cm) Stock Extended: 35.85" (91.06 cm)
Weight (weapon only)	6.75lbs (3.06kg)
Barrel	16.1" (40.89 cm), Free Float Heavy Barrel
Rail system	1-piece M-LOK Free Floating Rail System 15.1" (38.35 cm) long
Buttstock	6-position, adjustable for length of pull



CM556-11H-M5A

**Pictured with optional upgrades*



FDE CERAKOTE & TYPE III ANODIZING



CM556-14H-M5A



R0977HB



R0933

Colt Carbines are offered in Type III "hardcoat" Aluminum Anodizing or Cerakote Flat Dark Earth H-265 finish per customer requirements.





M5[®] SUB-COMPACT WEAPON (SCW)

5.56 X 45MM NATO

CM556-10H-M5A-SCW



CM556-10H-M5A-SCW

**Base model shown*



**Pictured with optional upgrades*

The Colt M5 SCW utilizes a Maxim telescoping buttstock for an extremely compact design, perfect for close quarters battle where both concealment and quick deployment are must-have design elements.

The M5 SCW features the same redesigned lower receiver and upper receiver as the rest of the M5 family with full integrated ambidextrous controls and an enhanced upper receiver rail design which ensures extreme rigidity. Where previous small caliber personal defense weapons were inadequate in caliber or configuration for engaging varying target sets, the Colt SCW in 5.56 x 45MM NATO provides the stopping power soldiers need on the battlefield while maintaining a more compact design. Incorporating a unique Colt bolt carrier group and buffer system, the SCW has been engineered to provide the same dependable reliability as the Colt M4 in an enhanced design.

TECHNICAL DATA

Length	Stock Retracted: 23.20" (58.93 cm) Stock Extended: 28" (71.12 cm)
Weight (weapon only)	6.2 lbs (2.82 kg)
Barrel	10.3" (26.16 cm), Free Float Heavy Barrel
Rail System	1-piece M-LOK Free Floating Rail System 9.17" (23.29 cm) long
Buttstock	5-position telescoping buttstock

NEW PRODUCT



M5[®] 300

CM300-8H-M5A | CM300-10H-M5A

300 BLK



CM300-8H-M5A

**Base model shown*



CM300-8H-M5A

**Pictured with optional upgrades*

CM300-8H-M5A

Length	Stock Retracted: 25.1" (63.75 cm) Stock Extended: 28.35" (72 cm)
Weight (weapon only)	5.87 lbs (2.66 kg)
Barrel	8.5" (21.59 cm), Free Float Heavy Barrel
Rail system	1-piece M-LOK Free Floating Rail System 7.6" (19.3 cm) long
Buttstock	6-position, adjustable for length of pull

CM300-10H-M5A

Length	Stock Retracted: 27.1" (68.83 cm) Stock Extended: 30.35" (70.09 cm)
Weight (weapon only)	6.16 lbs (2.79 kg)
Barrel	10.5" (26.67 cm), Free Float Heavy Barrel
Rail system	1-piece M-LOK Free Floating Rail System 9.17" (23.29 cm) long
Buttstock	6-position, adjustable for length of pull

Chambered in .300 BLACKOUT, the Colt M5[®] 300 is designed for actions where rifle stopping power combined with sub-machine gun range is required.

The Colt M5[®] 300 utilizes the familiar controls plus the enhancements found on all other Colt M5 weapons. Utilizing a pistol-length gas system for consistency, the M5 300 maximizes rail real estate, comfort, weight and accuracy while maintaining the increased lethality the .300 BLACKOUT round delivers for close-quarters combat.

TECHNICAL DATA .300 BLACKOUT

Rifling	1 in 7 inches, Right-hand twist, 5 grooves
Sights	Folding low profile adjustable sights
Operation	Air-cooled, gas-operated, firing from a closed bolt
Fire Control	Safe – Semi - Automatic
Alternate Fire Control Options	Safe – Semi – Burst Safe – Semi
Magazine	30-round PMAG
Muzzle Velocity	Up to 2173 FPS (662 MPS) with 10.5" barrel with 125gr supersonic ammunition
Rate of Fire	Approximately 700 – 950 RPM



M5[®] SUB-MACHINE GUN (SMG)

9 X 19MM NATO

CM9-9H-M5A | CM9-10H-M5A



CM9-9H-M5A

**Base model shown*



CM9-10H-M5A

**Pictured with optional upgrades*

CM9-9H-M5A

Length	Stock Retracted: 24.88" (63.2 cm) Stock Extended: 28.13" (71.45 cm)
Weight (weapon only)	5.82 lbs (2.64 kg)
Barrel	9" (22.86 cm), Free Float Heavy Barrel
Rail system	1-piece M-LOK Free Floating Rail System 7.6" (19.3 cm) long
Buttstock	6-position, adjustable for length of pull

CM9-10H-M5A

Length	Stock Retracted: 26.38" (67.01 cm) Stock Extended: 29.63" (75.26 cm)
Weight (weapon only)	5.99 lbs (2.71 kg)
Barrel	10.5" (26.67 cm), Free Float Heavy Barrel
Rail system	1-piece M-LOK Free Floating Rail System 7.6" (19.3 cm) long
Buttstock	6-position, adjustable for length of pull

The Colt M5 SMG provides a solution for close enemy confrontations which demand a lightweight, compact, highly concealable, select fire weapon.

This 9mm SMG is a direct blowback system which fires from a closed bolt and is equipped with a 6 position adjustable buttstock making it well suited for military and law enforcement communities. The straight-line construction, coupled with the low recoil of the 9 x 19MM NATO ammunition, provides highly accurate fire with less muzzle climb, especially in fully automatic fire. Operation and training for the Colt M5 SMG is similar to Colt's other offerings in the M5 family of products, substantially simplifying user training.

TECHNICAL DATA - 9 X 19MM NATO

Rifling	1 in 10 inches, Right-hand twist, 6 grooves
Sights	Folding low profile adjustable sights
Operation	Air-cooled, blowback, firing from a closed bolt
Fire Control	Safe - Semi - Automatic
Alternate Fire Control Options	Safe - Semi - Burst Safe - Semi
Magazine	32-round stick magazine
Muzzle Velocity	Up to 1210 FPS (368 MPS) with 9" barrel
Rate of Fire	Approximately 700 - 1000 RPM

NEW PRODUCT





CMK

CMK-11H-M4A | CMK-14H-M4A | CMK-16H-M4A

7.62 X 39MM



CMK-16H-M4A
**Base model shown*



CMK-14H-M4A
**Pictured with optional upgrades*

Introducing the Colt CMK rifle chambered in 7.62 x 39MM.

For the operator that requires a weapon that can use legacy Warsaw Pact ammunition but demands the reliability and accuracy of a Colt, the CMK combines the combat proven operating system of the Colt M4 Carbine with the globally available 7.62 x 39MM round. By firing this widespread caliber through the Stoner in-line design, the CMK is able to reduce felt recoil and keep the recoil from affecting the accuracy, thus enhancing the effective range beyond what is normally expected of an AK-47 rifle. Ideal for those customers that either need to upgrade their weapons fleet without spending millions of dollars replacing ammunition stores, or for those customers that anticipate missions requiring the operator to “live off the land” with enemy ammunition, the CMK is the ideal solution.

CMK-11H-M4A

Length	Stock Retracted: 27.49" (61.9 cm) Stock Extended: 30.74" (70.15 cm)
Weight (weapon only)	6.3 lbs (2.85 kg)
Barrel	11.5" (29.21 cm), Free Float Heavy Barrel
Rail system	1-piece M-LOK Free Floating Rail System 10.35" (26.29 cm) long
Buttstock	4-position, adjustable for length of pull

CMK-14H-M4A

Length	Stock Retracted: 30.49" (77.44 cm) Stock Extended: 33.74" (85.69 cm)
Weight (weapon only)	6.57 lbs (2.98 kg)
Barrel	14.5" (36.83 cm), Free Float Heavy Barrel
Rail system	1-piece M-LOK Free Floating Rail System 13.5" (34.29 cm) long
Buttstock	4-position, adjustable for length of pull

CMK-16H-M4A

Length	Stock Retracted: 32.09" (82.80 cm) Stock Extended: 35.34" (91.06 cm)
Weight (weapon only)	6.97 lbs (3.16 kg)
Barrel	16.1" (40.89 cm), Free Float Heavy Barrel
Rail system	1-piece M-LOK Free Floating Rail System 15.1" (38.35 cm) long
Buttstock	4-position, adjustable for length of pull

NEW PRODUCT



TECHNICAL DATA - 7.62 X 39MM

Rifling	1 in 10 inches, Right-hand twist, 4 grooves
Sights	Folding low profile adjustable sights
Operation	Air-cooled, gas-operated, firing from a closed bolt
Fire Control	Safe - Semi - Automatic
Alternate Fire Control Options	Safe - Semi - Burst Safe - Semi
Magazine	30-round magazine
Muzzle Velocity	Up to 2400 FPS (732 MPS) with 16.1" barrel
Rate of Fire	Approximately 700 - 1000 RPM



DMR

CM556-20-M5S-DM01

5.56 X 45MM NATO



**Base model shown*

Colt's DMR is offered in 5.56 x 45MM NATO and based on the M5 Carbine. This model gives a small unit marksman a lightweight, semi-automatic precision squad support weapon, providing the user a fully ambidextrous M5 Carbine, with the increased range and lethality of a 20" barrel.

TECHNICAL DATA - 5.56 X 45MM NATO

Rifling	1 in 7 inches, Right-hand twist, 6 grooves
Sights	Folding low profile adjustable sights
Operation	Air-cooled, gas-operated, firing from a closed bolt
Fire Control	Safe - Semi - Automatic
Alternate Fire Control Options	Safe - Semi - Burst Safe - Semi
Magazine	30-round magazine
Muzzle Velocity	Up to 3150 FPS (960 MPS) with M855 ammunition
Rate of Fire	Approximately 700 - 950 RPM



**Pictured with optional upgrades*

CM556-20-M5S-DM01

Length	Stock Retracted: 36.5" (92.71 cm) Stock Extended: 39.75" (100.97 cm)
Weight (weapon only)	7.125 lbs (3.23 kg)
Barrel	20" (50.8 cm), Free Float Barrel
Rail system	1-piece M-LOK Free Floating Rail System 15.1" (38.35 cm) long
Buttstock	6-position, adjustable for length of pull

NEW PRODUCT





CM7 SASS

CM762-18S-SASS

7.62 X 51MM



**Base model shown*

Colt's Semi-Automatic Sniper System (SASS) is offered in 7.62 x 51MM and based on the M7 Battle rifle. This model provides sniper rifle-like precision in a semi-automatic DMR style package. The fully ambidextrous lower receiver operates with the same familiar controls as the M5 Carbine and legacy M4. Originally developed as a multi caliber system to enable marksmen to enter areas undetected as part of a small team using similar ammunition before changing upper receivers to complete their mission, the SASS is able to utilize any 5.56 x 45MM NATO, 7.62 x 39MM, and .300 BLACKOUT on the stock lower using Colt's proprietary conversion kit.

TECHNICAL DATA - 7.62 X 51MM

Rifling	1 in 10 inches, Right-hand twist, 6 grooves
Sights	Folding low profile adjustable sights
Operation	Air-cooled, gas-operated, firing from a closed bolt
Fire Control	Safe - Semi - Automatic
Alternate Fire Control Options	Safe - Semi - Burst Safe - Semi
Magazine	10- or 20-round PMAG
Muzzle Velocity	Up to 2700 FPS (823 MPS) with 18" barrel and M80 ball ammunition
Rate of Fire	Approximately 700 - 900 RPM



**Pictured with optional upgrades*

CM762-18S-SASS

Length	39.34" (99.92 cm)
Weight (weapon only)	9.8 lbs (4.45 kg)
Barrel	18" (45.72 cm), Free Float Barrel
Rail system	1-piece M-LOK Free Floating Rail System 17.05" (43.31 cm) long
Buttstock	Adjustable Magpul PRS stock

NEW PRODUCT





CM7 BATTLE RIFLE

CM762-13A | CM762-16A

7.62 X 51MM



CM762-13A **Base model shown*



CM762-13A **Pictured with optional upgrades*

CM762-13A

Length	Stock Retracted: 30.06" (76.4cm) Stock Extended: 33.31" (84.6 cm)
Weight (weapon only)	7.78 lbs (3.53 kg)
Barrel	13" (33.02 cm), Free Float Barrel
Rail system	1-piece M-LOK Free Floating Rail System 11.9" (30.23 cm) long
Buttstock	6-position, adjustable for length of pull

CM762-16A

Length	Stock Retracted: 33.16" (84.23 cm) Stock Extended: 36.41" (92.48 cm)
Weight (weapon only)	8.3 lbs (3.76 kg)
Barrel	16.1" (40.89 cm), Free Float Barrel
Rail system	1-piece M-LOK Free Floating Rail System 15.08" (38.30 cm) long
Buttstock	6-position, adjustable for length of pull

Initially developed to exceed the requirements of the Interim Combat Service Rifle, the M7 Battle Rifle has is the next step in the evolution of the Colt Modular Rifle (CM901).

This weapon has the modularity and versatility you need, with the same style free-floating barrel and unique upper receiver architecture found on the M5 Carbine. All operating controls are ambidextrous, providing you with flexibility and ease of use for every echelon of today's war fighter.



NEW PRODUCT

A soldier in full combat gear, including a helmet with an American flag patch and a tactical vest, is positioned on a rocky ledge. The soldier is aiming a rifle, with their hands and the weapon visible. The background shows a rugged, mountainous landscape under a clear sky.

TECHNICAL DATA – 7.62 X 51MM

Rifling	1 in 10 inches, Right-hand twist, 6 grooves
Sights	Folding low profile adjustable sights
Operation	Air-cooled, gas-operated, firing from a closed bolt
Fire Control	Safe – Semi – Automatic
Alternate Fire Control Options	Safe – Semi – Burst Safe – Semi
Magazine	25-round PMAG
Muzzle Velocity	Up to 2700 FPS (823 MPS) with 16" barrel and M80 ball ammunition
Rate of Fire	Approximately 700 – 900 RPM



M16A4 SERVICE RIFLE

R0901 | R0901008

5.56 X 45MM NATO



R0901

- Two-Piece Drop-in Handguard
- Carrying Handle w/ Adjustable Integral Sights



R0901008

- Picatinny Rail
- Foldable Rear BUIS

Setting the standard by which all other weapons are judged, the Colt M16A4 is the fourth generation of the M16 series weapon system.

With a removable carrying handle and an integral rail mounting system for optics and other devices, it is the ultimate full-length combat rifle chambered in 5.56 x 45MM NATO ammunition for the 21st century military soldier and law enforcement officer.

R0901

Length	39.56" (100.48 cm)
Weight (weapon only)	7.18 lbs (3.26 kg)
Barrel	20" (50.8 cm)
Handguard	M16A4 two-piece drop-in
Buttstock	Fixed M16 buttstock with stowage compartment

R0901008

Length	39.56" (100.48 cm)
Weight (weapon only)	7.74 lbs (3.5 kg)
Barrel	20" (50.8 cm)
Handguard	Quad rail, two-piece drop-in
Buttstock	Fixed M16 buttstock with stowage compartment



LEGACY PRODUCT



TECHNICAL DATA – 5.56 X 45MM NATO

Rifling	1 in 7 inches, Right-hand twist, 6 grooves
Sights	Carrying handle with adjustable integral sights
Operation	Air-cooled, gas-operated, firing from a closed bolt
Fire Control	Safe – Semi – Automatic
Alternate Fire Control Options	Safe – Semi – Burst Safe – Semi
Magazine	30-round magazine
Muzzle Velocity	Up to 3150 FPS (960 MPS) with 20" barrel and M855 ammunition
Rate of Fire	Approximately 700 – 900 RPM



M4 CARBINE

R0977 | R0977HB-INT

5.56 X 45MM NATO



R0977HB-INT



R0977

The Colt M4 is the only carbine available to the world today that is manufactured to meet or exceed the stringent performance specifications required for acceptance and use by the U.S. Armed Forces.

TECHNICAL DATA - 5.56 X 45MM NATO

Rifling	1 in 7 inches, Right-hand twist, 6 grooves
Sights	Carrying handle with adjustable integral sights
Operation	Air-cooled, gas-operated, firing from a closed bolt
Fire Control	Safe – Semi - Automatic
Alternate Fire Control Options	Safe – Semi – Burst Safe – Semi
Magazine	30-round US Government magazine
Muzzle Velocity	Up to 2887 FPS (880 MPS) with 14.5" barrel and M855 ammunition
Rate of Fire	Approximately 700 – 950 RPM

R0977

Length	Stock Retracted: 30.53" (77.55 cm) Stock Extended: 33.78" (85.80 cm)
Weight (weapon only)	6.5 lbs (2.95 kg)
Barrel	14.5" (36.83 cm) Heavy Barrel
Rail system	M4 two-piece drop-in
Buttstock	4-position, adjustable for length of pull

R0977HB-INT

Length	Stock Retracted: 30.53" (77.55 cm) Stock Extended: 33.78" (85.80 cm)
Weight (weapon only)	6.9 lbs (3.13 kg)
Barrel	14.5" (36.83 cm) Heavy Barrel
Rail system	Two-piece drop-in quad rail
Buttstock	4-position, adjustable for length of pull

LEGACY PRODUCT



M4 COMMANDO®

R0933

5.56 X 45MM NATO



R0933

Rapid response, maneuverability, and enhanced firepower play a major part in joint and coalition operations in modern warfare.

Colt's M4 Commando® was designed to exploit firepower capability in confined spaces where lightweight mobility, speed and violence of action rule. The Commando® can be comfortably carried with its 11.5" barrel, yet be instantly available to provide the type of firepower required to overmatch combatants. Because it provides the full 5.56MM power and accuracy in a very compact sub-machine gun size weapon, the Commando® is often chosen over smaller, less powerful sub-machine guns. Regardless of the application, the Colt M4 Commando® provides superior qualities enabling operators to accomplish an increasingly wide range of combat missions.

TECHNICAL DATA - 5.56 X 45MM NATO

Rifling	1 in 7 inches, Right-hand twist, 6 grooves
Sights	Carrying handle with adjustable integral sights
Operation	Air-cooled, gas-operated, firing from a closed bolt
Fire Control	Safe – Semi - Automatic
Alternate Fire Control Options	Safe – Semi – Burst Safe – Semi
Magazine	30-round US Government magazine
Muzzle Velocity	Up to 2610 FPS (796 MPS) with 11.5" barrel and M855 ammunition
Rate of Fire	Approximately 700 – 950 RPM

R0933

Length	Stock Retracted: 27.53" (69.88 cm) Stock Extended: 30.78" (78.13 cm)
Weight (weapon only)	6.21 lbs (2.82 kg)
Barrel	11.5" (29.21 cm)
Rail system	M4 two-piece drop-in
Buttstock	4-position, adjustable for length of pull



**Optional version with two-piece drop-in quad rail and foldable rear BUIS*



INFANTRY AUTOMATIC RIFLE (IAR)

5.56 X 45MM NATO

IAR6940E



IAR6940E

**Base model shown*

Intended to replace belt-fed light machine guns as a squad support weapon, the Colt IAR is designed to be able to deliver high volumes of fire in a lightweight package.

With a unique heat sink design that significantly exceeds cook-off standards, the IAR is able to maintain lower temperatures longer during extended periods of fire. A full-length top rail for mounting optics, as well as a magazine-fed design for commonality of feeding devices to share ammunition, gives the user increased capability over conventional light machine gun designs, while removing the complication of belt fed feeding systems and long reloading times.

TECHNICAL DATA - 5.56 x 45MM NATO

Rifling	1 in 7 inches, Right-hand twist, 6 grooves
Sights	Folding front, removable BUIS rear
Operation	Air-cooled, gas-operated, firing from a closed bolt
Fire Control	Safe – Semi - Automatic
Magazine	30 round detachable magazine standard, other sizes optional
Muzzle Velocity	Up to 3132 FPS (954.63 MPS) ammo dependent
Rate of Fire	700 – 1000 RPM



**Pictured with optional upgrades*

IAR6940E

Length	Stock Retracted: 33.4" (84.83 cm) Stock Extended: 36.72" (93.26 cm)
Weight (weapon only)	9.47 lbs (4.3 kg)
Barrel	16.1" (40.89 cm)
Rail system	Monolithic Rail 3, 6, 9 with integrated Heat Sink
Buttstock	4-position, adjustable for length of pull



Base model shown, upgrades available.



9MM SUB-MACHINE GUN (SMG)

9 X 19MM NATO

R0991-9A | R0991



R0991-9A
**Base model shown*



R0991-9A
**Base model shown*

R0991-9A

Length	Stock Retracted: 24.63" (62.56 cm) Stock Extended: 27.88" (70.82 cm)
Weight (weapon only)	6.17 lbs (2.80 kg)
Barrel	9" (22.86 cm), Free Float Barrel
Rail system	1-piece M-LOK Free Floating Rail System 7.75" (19.3 cm) long
Buttstock	4-position, adjustable for length of pull

R0991

Length	Stock Retracted: 26.13" (66.37 cm) Stock Extended: 29.38" (74.63 cm)
Weight (weapon only)	6.7 lbs (3.04 kg)
Barrel	10.5" (26.67 cm), Free Float Barrel
Rail system	M4 two-piece drop-in
Buttstock	4-position, adjustable for length of pull

Close quarter confrontations demand a lightweight, compact, highly concealable, select fire weapon like the Colt 9mm SMG.

The SMG is a direct blowback system, which fires from a closed bolt and is equipped with a collapsible buttstock, making it well-suited for the military and law enforcement communities. This straight-line construction, coupled with the low recoil of 9 x 19MM NATO ammunition, provides highly accurate fire with less muzzle climb, especially in fully automatic fire. Less recoil also facilitates ease of training and improves accuracy. Operation and training for the Colt 9mm SMG is similar to the Colt M16 and M4 family of weapons, substantially simplifying user training.

TECHNICAL DATA - 9 X 19MM NATO

Rifling	1 in 10 inches, Right-hand twist, 6 grooves
Sights	Carrying handle with adjustable Integral sights
Operation	Air-cooled, direct blowback, firing from a closed bolt
Fire Control	Safe – Semi - Automatic
Alternate Fire Control Options	Safe – Semi – Burst Safe – Semi
Magazine	32-round stick magazine
Muzzle Velocity	Up to 1210 FPS (368 MPS) with 9" barrel
Rate of Fire	Approximately 700 – 1000 RPM

LEGACY PRODUCT

Base model shown, upgrades available.

COLT.COM/INTERNATIONAL



M203 GRENADE LAUNCHER

40MM

R0801 | R0810 | R0811

Colt's military experience is on full display with the M203 Grenade Launcher.

This single shot, breech loaded 40MM weapon is specifically designed to attach to the M4 Carbine, M16A2 and M16A4 Service Rifles. By creating a versatile combination weapon system, the M203 gives you the capability of firing both 5.56 x 45MM NATO rifle ammunition as well as the complete range of 40MM high-explosive and special purpose munitions. Though attached to the M4/M16 Family of weapon systems, the M203 Grenade Launcher can be operated as a completely independent weapon using its complete self-cocking fire mechanism, barrel latch, trigger and positive safety lever included in the receiver. An essential tool for every modern army, the M203 provides Colt M4 Carbines and Colt M16 Rifles with breaching, defilade and area engagement capabilities.



TECHNICAL DATA

Minimum rifle barrel length to mount M203 is 14.5"

Model	R0801 FOR USE WITH M16	R0810 FOR USE WITH M4	R0811 FOR USE WITH M4
Caliber	40MM	40MM	40MM
Weight	2.5 lbs (1.13 kg)	2.5 lbs (1.13 kg)	2.5 lbs (1.13 kg)
Method of Operation	Single Shot / Breech Load	Single Shot / Breech Load	Single Shot / Breech Load
Barrel Length	M203 G/L, 12" (30.54 cm) Barrel (M16A2)	M203 G/L, 12" (30.54 cm) Barrel (M4)	M203 G/L, 9" (22.86 cm) Barrel (M4)



LEGACY PRODUCT



M203 1913 PICATINNY RAIL MOUNTED

R0812 | R0813

40MM

The M203 Grenade Launcher is a lightweight, single-shot, breech-loaded 40mm weapon designed especially for attachment to 1913 Picatinny Rails on the underside of a carbine.

It creates a versatile combination weapon system capable of firing both 5.56mm rifle ammunition as well as the complete range of 40mm high explosive and special purpose ammunition.

The most commonly used ammunition for the M203 is the M406 antipersonnel round, which has a lethal radius of five meters, and the M433 multi-purpose round which, in addition to having fragmentation effects, will penetrate up to 3 in. (7.6 cm) of armor plate. Many other types of ammunition are available, both lethal and less-than-lethal such as buckshot, tear gas (CS), bean-bag and various signal rounds, which greatly increase the versatility of this outstanding weapon.

The receiver of the M203 is made of high strength, forged aluminum alloy, which offers it extreme ruggedness, yet keeps weight to a minimum. A complete self-cocking firing mechanism, including barrel latch, trigger and positive safety lever is included in the receiver, allowing the M203 to be operated as a completely independent weapon, even though attached to the rifle. The barrel, which is also made of a high strength aluminum alloy, slides forward in the receiver to accept a round of ammunition, and slides rearward to automatically lock in the closed position, ready to fire.

The new concepts of rapid deployment, mobility and increased firepower now play a major part in the overall strategy of modern warfare. Providing the modern carbine with area firing capabilities, the M203 Grenade Launcher is an essential tool for every modern army.



TECHNICAL DATA 1913 Picatinny Rail Mounted

Model	R0812	R0813
Caliber	40MM	40MM
Weight (Unloaded)	2.2 lbs (1.0 kg)	2.7 lbs (1.22 kg)
Weight (Loaded)	Varies by Ammunition Type	Varies by Ammunition Type
Length	12.5" (31.8 cm)	15.5" (39.37 cm)
Barrel Length	9" (22.86 cm)	12" (30.5 cm)
Sights	The M203 can be furnished with a stand-alone leaf sight for ranges of 100 to 400 meters and a rail mounted quadrant sight, adjustable from 50 to 400 meters, or can be converted as a stand-alone system.	



Base model shown, upgrades available.

NEW PRODUCT



UPGRADES

CONVERSION KITS | ACCESSORIES | SPARE PARTS



CONVERSION KITS

Colt's updated line of conversion kits are the most trusted and cost-effective method of upgrading existing legacy models of M16 Rifles and M4 Carbines. All Colt conversion kits; including the new Colt M5 Conversion kits—are compatible with any variant from the Colt M16 and M4 family of weapons, offering "as-new" weapons with no impact to serial number inventory.

CONVERSION KITS

CM556-10CK



CM556-11CK



CM556-14CK



R0977HBCK



R0933CK



R0901CK



R0901008CK



AMBIDEXTROUS CHARGING HANDLE



BOLT CARRIER GROUP



BUFFER, SPRING, END PLATE,
EXTENSION NUT, EXTENSION, STOCK





MILITARY & LAW ENFORCEMENT TRAINING

RESTRICTED TO QUALIFIED ACTIVE LAW ENFORCEMENT, CORRECTIONS, MILITARY AND NUCLEAR SECURITY PERSONNEL

Inquiries: **INTERNATIONAL- GLOBALSALES@COLT.COM | USG/MLE- MLESALES@COLT.COM**

Armorer's Training Course

This course covers design, theory, compatibility, disassembly, assembly, maintenance, and troubleshooting for the Law Enforcement, Corrections, Military and Nuclear Security Armorer.

Pistol Armorer

This course covers design, theory, compatibility, disassembly, assembly, parts fitting, trigger pull adjustments, maintenance, and troubleshooting of the Law Enforcement Pistol, Corrections, Military and Nuclear Security Armorer.

International Armorer's Training Course

The Colt International Training Armorer's Course is designed to meet the needs of military customers. This comprehensive training includes the basics of the weapon's function, maintenance, advanced disassembly and troubleshooting. To meet the demanding needs of military customers, the class will include training on depot level maintenance gauges and their usage. Both routine user maintenance and depot level armorer maintenance are covered.

Operator's Training Course

The Colt International Operator's Training Course is designed to meet the needs of military customers. This comprehensive training includes the basics of the weapon's function, maintenance, advanced disassembly and troubleshooting. To meet the demanding needs of military customers, the class will include training on depot level maintenance gauges and their usage. Both routine user maintenance and depot level armorer maintenance are covered.



**U.S. MIL-SPEC
GLOBALLY TRUSTED**

INTERNATIONAL
globalsales@colt.com

USG/MLE
mlesales@colt.com

COLT.COM/INTERNATIONAL

