noxar



product catalogue

1 NOXAR LUNAR
NIGHT VISION CLIP-ON

2 NOXAR DIR
INFRARED ILLUMINATORS

MOUNTS FOR ILLUMINATORS

4 NOXAR MAGNAR-mini
MINI SCOPE FOR NV CLIP-ON

5 NOXAR MAGNAR GLASS SCOPES

NIGHT VISION CLIP-ON



Operating temperatures: -20 ~ 55+ °C

LUNAR is a compact nightvision clip-on which is perfect solutions for every scope, even static ones. The device has a dual IR (850nm and 940nm) and various features such as starting zoom or ajustable illumination angle.





Protection class: TPX7






ACCESSORIES IR ILLUMINATORS



Our illuminators meet all customer requirements: **standard** for those who care about range, the **mini** for those who appreciate the compact design of the set, or the **pro** having a 850nm, 940nm, 980nm and white diode. Each model of **DIR** has a potentiometer and a LED indicating the status of the device.



DIR

850nm | 940nm | 980nm

DIR-mini

850nm | 940nm

DIR-pro

4-in-1 (850/940/980/white)

ACCESSORIES IR MOUNTS



GLASS SCOPES MAGNAR SERIES



MAGNAR-mini is an additional mini-scope that turns the NV clip-on into a full-fledged, self-contained targeting set. Moreover it's fully compatible with NOXAR LUNAR and most of other nightvision clip-ons.

All you have to do is attach MAGNAR like a standard adapter. From now your clip-on becomes a night vision observation monocular.

MAIN FEATURES

MAGNIFICATION: 4.0X


LENGTH: 114 mm

WEIGHT: 200 g

COMPATIBILITY: most of

clip-ons

GLASS SCOPES MAGNAR SERIES



The MAGNAR series is dedicated to glass scopes that provide users with many improvements such as parallax regulation, colored illuminated crosshair dots or a lever for easier focus adjustment. Furthermore, it offers excellent sharp image at the edges of the object under observation with true colors, and high recoil resistance.

Model	1-6x24 WA*	1-8x24 IR	1-8x24 WA*	3-18x56 WA*	2.5-20x50 WA*
Lens Diameter	24mm	24mm	24mm	56mm	50mm
Exyepiece Diameter	38.5mm	38mm	37.5mm	38.5mm	37.5mm
Tube Diameter	30mm	30mm	30mm	30mm	30mm
Length	280mm	274mm	262mm	379mm	333mm
Weight	540g	550g	550g	775g	743g
Eye Relief	96mm	91mm	96mm	100mm	96mm
Exit Pupil	11.2-4mm	8.5 – 2.95mm	9 - 3mm	10.2 – 3.2mm	9 – 2.5mm
FOV	23.2° ~ 3.8°	23.4° ~ 2.6°	22.6° ~ 2.8°	7.7° ~ 1.3°	9.2° ~ 1.2°

WA - Wide Angle



ul. Spoldzielcza 21 09-410 Plock, Poland TIN: PL 7743281922



