

XYST®

密封专家

Sealing Specialists



茜斯特密封材料有限公司
XYST SEALING MATERIAL CO.,LTD

公司简介

Company Profile



茜斯特密封材料有限公司，位于河北省东南部，北京市正南方400公里，石家庄、济南飞机场2小时路程，距离京九铁路、青银高速15公里，交通便利。公司是一家从事塑胶行业30多年的专业生产厂家，主要从事胶管、密封胶条、橡胶制品、塑料和橡塑弹性体的研发与生产。配套行业涉及高档门窗、汽车、火车高铁、船舶、飞机、机械、医疗器械、光伏等产业。现已与国内30余家知名企业配套，并出口欧美40多个国家。公司与清华大学、北京化工大学等国内多家知名院校合作，并聘请清华大学著名教授作技术顾问，为公司新产品开发奠定了基础，购置台湾高铁、台湾威福兴、清华大学等国内外先进生产设备和检测设备，为产品性能提供有力的保障。2009年通过ISO/TS9001质量体系认证，2013年通过瑞士SGS认证公司ISO/TS16949质量体系认证，公司研发中心在2015年顺利通过验收，认定为“邢台市橡塑产业技术研究院”。2015年11月产品通过欧盟环保标准ROHS, PAHS认证,产品顺利进入美国、德国、法国、澳大利亚等欧美市场。公司现有产品专利19项，获得河北省科技型中小企业、高新科技企业、河北省“专精特新”中小企业、河北省著名商标、河北省名牌产品、河北省中小企业名牌、河北省工业企业研发中心、河北省科技小巨人、邢台市创新型企业40多项荣誉。公司将以雄厚的实力、先进的产品、优质的服务，热诚欢迎中外朋友来我公司莅临指导！洽谈合作！





Cister sealing material Co., Ltd. is located in the southeast of Hebei Province, 400 kilometers south of Beijing, 2 hours away from Shijiazhuang and Jinan airports, and 15 kilometers away from Beijing Kowloon Railway and Qingdao Yinchuan expressway. The transportation is convenient. The company is a professional manufacturer engaged in the plastic industry for more than 30 years,

mainly engaged in the R & D and production of rubber pipes, sealant strips, rubber products, plastics and rubber elastomers. Supporting industries include high-end doors and windows, automobiles, trains and high-speed railways, ships, aircraft, machinery, medical equipment, photovoltaic and other industries. It has been matched with more than 30 well-known enterprises in China and exported to more than 40 countries in Europe and America. The company cooperates with many well-known domestic universities such as Tsinghua University and Beijing University of chemical technology, and employs famous professors of Tsinghua University as technical consultants to lay a foundation for the development of new products of the company. The company purchases advanced production equipment and testing equipment at home and abroad such as Taiwan high-speed railway, Taiwan weifuxing and Tsinghua University, and provides strong guarantee for product performance.

In 2009, it passed the ISO / ts9001 quality system certification. In 2013, it passed the ISO / TS16949 quality system certification of Swiss SGS certification company. In 2015, the company's R & D Center successfully passed the acceptance and was recognized as "Xingtai rubber and plastic industry technology research institute". In November 2015, the products passed the RoHS and PAHs certification of the European Union environmental protection standards, and the products successfully entered the European and American markets such as the United States, Germany, France and Australia.

The company has 19 product patents, and has won more than 40 honors such as small and medium-sized scientific and technological enterprises in Hebei Province, high-tech enterprises, small and medium-sized enterprises in Hebei Province, famous trademarks in Hebei Province, famous brand products in Hebei Province, famous brands of small and medium-sized enterprises in Hebei Province, R & D centers of industrial enterprises in Hebei Province, small giants of science and technology in Hebei Province, and innovative enterprises in Xingtai City.

With strong strength, advanced products and high-quality services, the company sincerely welcomes Chinese and foreign friends to visit our company for guidance! Negotiate cooperation!

建筑领域解决方案

Building area solutions

茜斯特公司以节能环保、绿色建筑为研发方向,以高节能性、经济适用性、系统性为目标,研发高品质的密封部件。致力于为全球客户提供建筑密封领域系统解决方案。多项产品荣获河北省省高新技术产品,茜斯特品牌在建筑行业中享有盛誉。产品和技术已应用于国内外多项标志性的建筑工程。

XYST develops high-quality sealing components with high energy efficiency, economical applicability and systemicity in the direction of energy conservation, environmental protection and green building. Committed to providing systematic solutions for building sealing in the world. Many products have won high-tech products from Hebei Province, and the XYST brand has a good reputation in the construction industry. Products and technologies have been applied to many landmark construction projects at home and abroad.

适用领域 Field of application

幕墙胶条
Curtain wall strip

玻璃夹条
Glass clip

铝木复合胶条
Aluminum wood composite strip

框扇胶条
Frame fan strip

塑钢类胶条
Plastic steel strip

流水槽胶条
Flow tank strip

防火门胶条
Fire door strip

隔热窗胶条
Insulated window strip

被动式胶条
Passive strip




汽车领域解决方案

Automotive solutions

随着国际汽车工业的迅猛发展,汽车的密封性、安全性、舒适性和美观性等性能要求越来越高。公司相继在研发和生产投入大量资源,致力于汽车隔音、密封的系统性研究,研发生产汽车密封类部件,主要产品有全车密封系统、天窗密封系统公司在汽车全车密封件研发和生产方面已达到了中高端水平,已成为国内外多家知名汽车主机厂及其供应链的合格供应商,已具备为汽车密封件研发和批量生产的能力。


With the rapid development of the international automotive industry, the performance requirements of the car's sealing, safety, comfort and aesthetics are getting higher and higher. The company has invested a lot of resources in R&D and production, and is committed to systematic research on automotive sound insulation and sealing. It develops and produces automotive sealing components. The main products include full-car sealing system and sunroof sealing system company in the development and production of automotive full-vehicle seals. It has reached the middle and high-end level and has become a qualified supplier of many well-known automobile OEMs and their supply chains at home and abroad. It has the ability to develop and mass-produce automotive seals.



压缩负荷测试方案 Compressed load test plan

本公司针对汽车密封制品压缩负荷测试原理,依据国家汽车行业标准《QC/T 710-2004 汽车密封条压缩负荷试验方法》,分析研究两种试验方法的不同点,结合研发设计及生产阶段对试验需求的不同,为汽车密封条制品在开发及量产截断试验设计提供支持。

The company is based on the principle of compression load testing for automotive sealing products, according to the national automotive industry standard "QC/T 710-2004 automotive sealing strip compression load test method", analyzes the differences between the two test methods, combined with the R&D design and production stage. The difference in demand provides support for the development and mass production cut-off test design of automotive sealing strip products.



压缩负荷试验装置结构示意图
Schematic diagram of compression load test device




航运领域解决方案

Shipping field solutions

茜斯特公司是国内较早研发生产远洋船舶舱盖橡胶密封部件和集装箱用橡胶密封部件的企业，并成功替代进口，在船舶和集装箱橡胶密封件方面有着30多年的研发和生产历史，积累了丰富的产品研发和生产经验，公司是主要的干货集装箱、冷藏集装箱、铁路集装箱、船舶制造等各类特种密封系统的供应商

XYST is an early enterprise that develops and produces rubber seal parts for ocean-going ship hatch covers and rubber seal parts for containers. It has successfully replaced imported products. It has more than 30 years of research and development and production history in ship and container rubber seals, and has accumulated rich products. R&D and production experience, the company is a major supplier of various special sealing systems for dry cargo containers, refrigerated containers, railway containers, shipbuilding and so on.



轨道交通领域解决方案

Rail transit solutions

茜斯特公司所研发用于火车、高铁、地铁和防空隧道等领域的密封部件，致力于密封、减震和防水等产品的研发与生产，是中国中车、铁道部和人防工程的合作单位。



XYST develops sealing components for trains, high-speed rails, subways and air defense tunnels. It is dedicated to the research and development and production of sealing, shock absorption and waterproofing products. It is a cooperative unit of China CRRC, the Ministry of Railways and civil air defense engineering.



光伏领域解决方案

Photovoltaic solutions

随着全球能源清洁化的大方向趋势急速前进，太阳能产业在各领域行业都是不可替代的新产品、新技术、尤以光伏组件的飞速发展让大众看到了太阳能产业的巨大价值。茜斯特不断创新发展，现已开发多套完善的光伏组件压块系统，针对不同场合不同要求的组件系统，茜斯特能给予合适的安装方案，提供优质的压块系统。

With the rapid development of the global energy clean-up trend, the solar industry is irreplaceable in various fields of industry, new technologies, especially the rapid development of photovoltaic modules, so that the public can see the great value of the solar industry. XYST continues to innovate and develop, and has developed a number of complete PV module briquetting systems. For different component systems with different requirements, we can provide suitable installation solutions and provide high quality briquetting systems.



密封系统研发解决方案

Sealing system development solution

公司重点发展密封系统研发，建有省级企业技术中心。拥有资历深厚的技术团队，紧跟行业领域前沿技术。以橡塑材料改性研发为核心，围绕密封系统，以精品意识驱动产业在配方工艺、技术融合、多领域配套、与客户同步开发并提供整体解决方案等方面的全方位发展。形成了以研发为主体、市场为导向、产学研紧密结合的科技创新体系。

公司现已陆续研发多款密封系统解决方案，拥有发明专利数十项。多项产品得到社会及配套企业的认可。在轨道交通、建筑、汽车、航运等多个领域中较早研制开发关键橡塑部件，并成功替代进口，深耕橡胶密封技术为企业的发展方向。

The company's key high-tech enterprises have established provincial-level enterprise technology centers and engineering technology research centers. Have a highly qualified technical team to keep up with cutting-edge technology in the industry. Focusing on the research and development of rubber and plastic materials, we focus on the sealing system and drive the industry's all-round development in formulation technology, technology integration, multi-field support, simultaneous development with customers and overall solutions. It has formed a scientific and technological innovation system with R&D as the main body, market-oriented, and close integration of production, study and research.

The company has successively developed a number of sealing system solutions, and has dozens of invention patents. A number of products have been recognized by the society and supporting enterprises. Early development of key rubber and plastic components in rail transit, construction, automotive, shipping and other fields, and successfully replaced imports, deep-plow rubber sealing technology for the company's development direction.



XYST[®]


门窗密封条

Door and window sealing strip



EPDM橡胶门窗密封条【不同规格 不同颜色 支持定制】


EPDM RUBBER SEALING STRIP [DIFFERENT SPECIFICATIONS AND COLORS SUPPORT CUSTOMIZATION]



嵩斯特密封材料有限公司
XYST SEALING MATERIAL CO.,LTD.
WWW.XTYST.COM
E-mail: PJG@XTYST.COM

门窗密封胶条

Door and window sealant strip



葛斯特密封材料有限公司
XYST SEALING MATERIAL CO.,LTD.
WWW.XTYST.COM
E-mail: PJG@XTYST.COM

XYST®

连续折弯密封条

Continuous bending sealing strip



连续折弯-无拼接密封条

CONTINUOUS BENDING RUBBER SEALING STRIP

EPDM发泡胶+密实橡胶结合,回弹性更佳,装配更牢固,一个接口,密封性更佳



EPDM发泡橡胶

易于折弯 柔韧性好

EASY TO BEND, GOOD FLEXIBILITY

EPDM密实橡胶

装配固定 更牢固

STRONGER ASSEMBLY AND FIXATION



连续折弯 无需裁剪拼接

安装方便 密封性好 只需一个接口

Only one interface needs good sealing



柔韧性好 隔绝缝隙

回弹速度快 韧性好 密封性更佳

Fast rebound speed, good toughness and better sealing



R角真实展示

WWW.XTXYST.COM


XYST SEALING MATERIAL CO., LTD



高端气密性系统门窗专用

SPECIAL FOR DOORS AND WINDOWS OF HIGH-END SYSTEM

多腔体-窗体结构/抗蠕变/抗老化/密封效果好



闭环新技术 软硬共挤胶条

静音系数<40DB

导热耐候性高达20°C以上

- ▶ 三元乙丙橡胶
- ▶ R角无需胶水
- ▶ 不裁切不拼接

EPDM(三元乙丙)密封胶条材料:EPDM (ethylene propylene diene monomer) sealing strip material

序号 No	项目 Item	
1	硬度 (邵尔A)度 Hardness(Shore A) degree	
2	拉伸强度 (MPa) tensile strength. (MPa)	
3	拉伸伸长率 (%) Elongation at break (%)	
4	热空气老化 (70±2) °C 70h Hot air aging	硬度变化 (邵尔A) 度 Change in hardness (Shore A) degree
		拉伸强度变化率 (%) Tensile Strength (%)
		拉伸伸长变化率 (%) Elongation rate of change (%)
5	耐水性 (80±2)°C 120H Water resistance	硬度变化 (邵尔A) 度 Change in hardness (Shore A) degree
		拉伸强度变化率 (%) Tensile Strength (%)
		拉伸伸长变化率 (%) Elongation rate of change (%)
6	表观密度 (g/m ³) Apparent density (g/m ³)	
7	压缩永久变形 % Compression set %	(23±2) °C/72h
		(70±2) °C/24h
8	脆性温度 (C) Brittleness temperature (C)	不高于/Not more than
		拉伸20% (40±2) °C 72h 20% stretch
9	耐臭氧老化性 Ozone resistance	臭氧浓度 (2±0.2) x10 ⁻⁶ Ozone concentration
		方法A Method A
10	污染性 Pollution	(100±2) °C/24H
11	腐蚀性 Causticity	

EPDM(三元乙丙)密封胶条成品:Ethylene propylene diene monomer(EPDM) finished strip

序号 No	项目 Item	性能指标 Performance
1	压缩永久变形 (%) [(70±2)°C/72h] (%) Compression	<15%
2	压缩负荷(挤压力)N Compression load (extrusion pressure)	6±1.5N/100m
3	插入力N Insartion force N	≤40N/100mm
4	拔出力 N Pull force N	≥80N/100m
5	低温性能(-40±2)°C/24h Low temperature performance	仍有弹性 无裂纹 Still flexible No cracks
6	密实腔-海绵胶耐扯断力 N Dense rubbe-sponge rubber Cheduan	≥100
7	接头/接角结合力 N Connector/ground bonding angle	≥120
8	植绒耐磨性 Flccking wear	≥4级
9	涂层低温性能[(-40±2)C/4h] Coating temperature performance	涂层无裂纹 与基材不分离 Coatin without NO separation of the substrate
10	耐光照老化性 Resistance to light aging	小于等于1
11	耐天后老化 Weather aging	按图纸要求 According to desien requirements

WWW.XTXYST.COM
XYST SEALING MATERIAL CO., LTD



XYST®

阻燃、遇火膨胀密封胶条

Flame retardant, fire-expanding sealing strip



防火阻燃密封条

Fire retardant sealing strip




防火阻燃密封膨胀条

Fire retardant sealing expansion strip



雷斯特密封材料有限公司
XYST SEALING MATERIAL CO., LTD
[Http://www.xtxyst.com](http://www.xtxyst.com)



阻燃、遇火膨胀密封胶条适用于防火门、防火窗、防火卷帘、防火阀、防火玻璃幕墙灯光建筑配件所使用的防火密封功能的防火膨胀密封件，火灾情况下在遇火或者高温作用能够膨胀且能辅助建筑构配件使之具有隔火、隔烟、隔热等防火密封性能的产品

Flame-retardant and fire-expanding sealing strips are suitable for use in fire doors, fire windows, fire shutters, fire dampers, fireproof glass curtain wall lighting construction accessories.

Fireproof expansion seal for fireproof sealing function,

In the case of fire, it can expand in case of fire or high temperature, and can assist the building components to have fireproof insulation such as fire, smoke and heat insulation products.

阻燃密封胶条引用标准：UL94V-0

Flame retardant sealing strip reference standard: UL94V-0

序号 No	项目 Item	测试条件 Conditions	测试要求 Testing requirements
1	持续燃烧性 Continuous combustion	测试火焰移开后 After the test flame is removed	燃烧尺寸 ≤ 10s Combustion size ≤ 10s
2	总燃烧时长 Total burning time	5套样品, 10次点绕 5 sets of samples, 10 times around	有明火燃烧持续时间 ≤ 50s There is an open flame burning duration ≤ 50s
3	燃烧长度 Burning length	整个实验过程 Entire experimental process	无任何样品燃烧到夹具上 No sample burns onto the fixture
4	融滴物 Melt drop	实验过程中 During the experiment	无任何样品无融滴物点燃下方棉团 No sample, no melt drop, igniting the cotton ball below
5	二次燃烧时长 Secondary combustion duration	第二次移开测试火焰后 After removing the test flame for the second time	持续发红燃烧 ≤ 30s Continuous redness burning ≤ 30s

防火膨胀密封条引用标准：GB16807-2009

Fireproof expansion sealing strip reference standard: GB16807-2009

序号 No	项目 Item	测试条件 Conditions	测试要求 Testing requirements
1	膨胀性能 Expansion performance	750°C ± 10°C 电阻炉中加热 15min Heating in a resistance furnace at 750°C ± 10°C for 15 min	膨胀体的膨胀倍率 N 与企业公布值 n0 的偏差 不大于 15% The expansion ratio N of the expansion body is not more than 15% from the published value n0 of the company.
2	产毒烟性 Toxic smoke	GB20285-2006 规定方法 GB20285-2006 prescribed method	不低于 ZA2 级 Not less than ZA2
3	发烟密度 Smoke density	GB/T 8627 规定方法 GB/T 8627 prescribed method	发烟密度等级 SDR ≤ 35 Smoke density level SDR ≤ 35
4	防火密封性能 Fire seal performance	GB12955-2008 GB/T7633 规定方法 GB12955-2008 GB/T7633 prescribed method	表面无明显粉化或脱落现象 No obvious chalking or shedding on the surface

XYST[®]

EPDM海绵密封条



EPDM sponge seal



普斯特密封材料有限公司
XYST SEALING MATERIAL CO., LTD
[Http://www.xtyst.com](http://www.xtyst.com)

XYST-MH-I系列
XYST-MH-I series



XYST-MH-I01



● (黑色 Black)
● (白色 White)
● (灰色 Gray)
● (咖啡色 Brown)

XYST-MH-W系列
XYST-MH-W series



XYST-MH-W01



● (黑色 Black)
● (白色 White)
● (灰色 Gray)
● (咖啡色 Brown)

XYST-MH-E系列
XYST-MH-E series


XYST-MH-E01



● (黑色 Black)
● (白色 White)
● (灰色 Gray)
● (咖啡色 Brown)

XYST-MH-P系列
XYST-MH-P series



XYST-MH-P01



● (黑色 Black)
● (白色 White)
● (灰色 Gray)
● (咖啡色 Brown)

XYST-MH-EE系列
XYST-MH-EE series


XYST-MH-EE01



● (黑色 Black)
● (白色 White)
● (灰色 Gray)
● (咖啡色 Brown)

XYST-MH-D系列
XYST-MH-D series


XYST-MH-D01




XYST-MH-D02




XYST-MH-D03




● (黑色 Black)
● (白色 White)
● (灰色 Gray)
● (咖啡色 Brown)



XYST-MH-D04



XYST-MH-D05



3.5-14mm

密封条采用三元乙丙（EPDM）橡胶发泡制成 The sealing strip is made of EPDM rubber foam

密封条在侧开窗、平悬窗等各种窗户，及木门、移动门、推拉门等各种门上起着很关键的作用，密封，减震，隔绝室内外空气，保温节能，防止蚊虫等小虫子钻到室内，广泛适用于家庭、宾馆、医院、商务楼、洁净工程、大型商场等领域。

The sealing strip plays a key role in various windows such as side opening windows, flat hanging windows, and various doors such as wooden doors, moving doors, sliding doors, etc., sealing, damping, insulating indoor and outdoor air, keeping energy and energy, preventing mosquitoes. When small bugs are drilled indoors, they are widely used in homes, hotels, hospitals, commercial buildings, clean projects, large shopping malls and other fields.

· 耐气候耐老化

Weather resistant and aging resistant

· 发泡柔性密封条

Foamed flexible sealing strip

· 耐寒耐高位 (-50°C~+170°C)

Cold and high temperature resistant (-50°C~+170°C)

· 超强弹性，200%的拉伸

Super elastic, 200% stretch


· 耐臭氧、耐化学腐蚀特性

Ozone and chemical resistance

XYST®

自粘胶门底密封条

SELF ADHESIVE DOOR BOTTOM SEALING STRIP



自粘胶门底密封条，主动调平，自动密封，用于非平地板。节能，挡风，保温、抗寒，防噪，阻尘。可以根据实际尺寸，自行裁剪，便捷安装，方便使用。

Self-adhesive door bottom sealing strip, active leveling, automatic sealing, for non-flat floor. Energy saving, wind blocking, heat preservation, cold resistance, noise prevention and dust resistance. It can be cut according to the actual size, easy to install and convenient to use.



XYST®

空心设计
防水抗老化



Hollow design
Waterproof and anti-aging

三角形设计
稳固 防止变形

Triangle design
Stable to prevent deformation

三层加厚加筋
更保暖节能

Three-layer thickening reinforcement
More warm and energy saving



加筋门底专用密封条

REINFORCED DOOR BOTTOM SEALING STRIP



特殊加筋设计 | 隔音 | 防蚊虫“骚扰”

Special reinforced design, soundproofing, anti-mosquito "harassment"

优质硅胶

High quality silicone

柔韧的硅胶材料，不伤地板密封条效果更好
Flexible silicone material that does not hurt the floor seals



3M背胶

3M adhesive

选用高质量3M背胶，粘性强，防水性能好
High quality 3M adhesive, strong viscosity and good waterproof performance



加筋设计

Reinforced design

密封条中间独特一条加强棱设计
在使用过程中不会变形，黏贴更加牢固
Unique ribbed design in the middle of the seal
Will not be deformed during use, and the adhesion will be firmer



茜斯特密封材料有限公司

XYST SEALING MATERIAL CO., LTD

[Http://www.xtxyst.com](http://www.xtxyst.com)

XYST®

硅胶门窗密封条

SILICONE DOOR AND WINDOW SEAL

防风防尘

Windproof and dustproof

隔音

Soundproofing

防蚊虫

Anti-mosquito


保暖静音

Warm and silent



茜斯特硅胶门窗密封条，精选优质硅胶，经久耐用，柔韧性强，能抗寒冷，不变硬，采用 3M 背胶，背胶粘性强，可自由裁剪、可撕拉、本产品能适用于各类木门、推拉窗户玻璃门、衣橱柜等缝隙。

XYST silicone door and window seals, selected high-quality silica gel, durable, flexible, can resist cold, not hard, 3M adhesive, strong adhesive, free cutting, tearing, this product Can be applied to all kinds of wooden doors, sliding window glass doors, wardrobes and other gaps.




优质硅胶材质,真心实意为你着想

High quality silicone material, sincerely for your sake



“她”来了 提升您的生活品质

"She" is coming to improve your quality of life.



普斯特密封材料有限公司
XYST SEALING MATERIAL CO., LTD
[Http://www.xtxyst.com](http://www.xtxyst.com)

XYST[®]


淋浴房、无框阳台、玻璃门缝密封条、胶条

Shower room doors, frameless balcony other glass doors Sealing strip




茜斯特密封材料有限公司
XYST SEALING MATERIAL CO., LTD
[Http://www.xtxyst.com](http://www.xtxyst.com)


XYST-MS-H系列
XYST-MS-H Series




XYST-MS-H06



XYST-MS-H08




XYST-MS-H10




XYST-MS-H12


XYST-MS-F系列
XYST-MS-F Series




XYST-MS-F06



XYST-MS-F08




XYST-MS-F10




XYST-MS-F12


XYST-MS-U系列
XYST-MS-U Series




XYST-MS-U06



XYST-MS-U08




XYST-MS-U10




XYST-MS-U12


XYST-MS-Z系列
XYST-MS-Z Series




XYST-MS-Z06



XYST-MS-Z08



XYST-MS-Z10



XYST-MS-Z12

技术参数 Performance description

材料: S70KX01 SIL60 SHORE A
Material: SILICONE S70KX01 SIL60 SHORE A
规格值: ASTM D2000 M5GE 705 A19 B17 EA14 F19
CRITERIA: ASTM D2000 M5GE 705 A19 B17 EA14 F19

测试项目 Test items	规格值 CRITERIA	测试结果 TEST RESULT	测试方法 TEST WAY	
硬度 Hardness	60 ± 5	57-58	ASTM D2240	
拉伸强度 TENSILE STRENGTH	> 5	7.621	ASTM D412	
扯断伸长率 Elongation at break	大于150	255.501	ASTM D412	
A19热空气老化设置 A19 hot air aging setting	硬度变化 Hardness change	< +10	+2	ASTM D865
	拉伸强度变化 Tensile strength change	> -25	-11	ASTM D865
	伸长率变化 Elongation change	> -30	-13	ASTM D865
B17压力壶测试 B17 pressure test	≤25%	20	ASTM D395	
EA14耐水性测试 EA14 water resistance test	硬度变化 Hardness change	± 5	+2	ASTM D471
	拉伸强度变化 Tensile strength change	± 30	-10	ASTM D471
	伸长率变化 Elongation change	± 30	+4	ASTM D471
体积变化 Volume change	± 5	+4	ASTM D471	
F19耐低温脆性 F19 low temperature brittleness	无裂纹 No crack	PASS	ASTM D2137	
耐热性 Heat resistance	无裂纹 No crack	PASS	38	



名称 硅胶无框阳台窗玻璃 门缝密封条 防水条淋浴房胶条
ITEM SILICONE GALSS DOORS SEAING STRIP

材料 软质硅橡胶材质, 材质柔软 (加厚材质)
MATERIAL FLEXIBLE SILICON (Good thickness)

特性 耐寒抗冻、使用寿命长、耐老化
ADVANTAGE COLD RESISTANCE, Anti-UV, Long life

工艺 基础工艺
PROCESS EXTRUSION

XYST-MS-H 系列 XYST-MS-H Series

型号 XYST-MS-F 系列 XYST-MS-F Series

PROCESS XYST-MS-U 系列 XYST-MS-U Series

XYST-MS-Z 系列 XYST-MS-Z Series

XYST[®]

车库门、防洪墙密封条

GARAGE DOOR, FLOOD WALL SEAL



- 耐磨防腐
Wear-resistant anti-corrosion
- 密封性好
Good sealing
- 长久耐老化
Long-lasting resistance to aging



昔斯特密封材料有限公司
XYST SEALING MATERIAL CO., LTD
[Http://www.xtxyst.com](http://www.xtxyst.com)

XYST[®]

纱窗压条

SCREEN WINDOW BEAD



耐腐蚀
PRESERVATIVE

耐高温
HIGH TEMPERATURE

耐磨损
DURABLE

纱窗压条采用较好的橡胶为原料,无刺鼻异味,经拉不断,伸缩性强,寿命长,使用效果好。可以反复使用N次,冬天不老化、不硬化、不脱落,稳定效果好,有伸缩膨胀性能、更能够牢固稳定纱窗。

The screen window bead is made of good rubber as raw material, has no pungent odor, continuous stretching, strong stretchability, long service life and good use effect. It can be used N times repeatedly. It does not age in winter, does not harden, does not fall off, has good stabilizing effect, has expansion and contraction performance, and can firmly stabilize the screen window.



纱网平铺在纱窗上,用剪刀抵住皮条,将一小段皮条及纱网一起压入卡槽内。

The gauze is laid flat on the screen window, and the pair of strips and gauze are pressed into the card slot together with the scissors against the strip.



左手牵着皮条对准卡槽,右手用压轮顺着卡槽将皮条及纱网压入槽内。

The left hand is holding the leather strip to the card slot, and the right hand presses the leather strip and the gauze into the slot with the pressure roller along the card slot.



用剪刀修剪边缘多出的纱网。这样纱窗网就自制完成。

Use scissors to trim the excess gauze at the edges. In this way, the screen window net is self-made.

XYST[®]

被动房气密套环

AIR TIGHT SEALING COLLARS FOR PASSIVE HOUSE



*Technology from Europe
Patent innovation,
leading the world*

产品技术源于欧洲
专利创新·领先世界

【安装快捷】

EASY TO INSTALL



AIRTIGHT COLLAR
气密套环



EASY INSTALLATION
安装便捷



LONG SEALING
持久密封



MULTI-PIPES AIR TIGHT COLLAR
多孔管线气密套环

【高端建筑-超低能耗】


ECO-HIGH CLASS BUILDING

- ✓ Consistent sealing
持久密封
- ✓ ECO
节能
- ✓ Protection against structural damage
防止建筑缺陷
- ✓ Temperature -40 °C ~ 100 °C
耐候温度-40°C~100°C

XYST SEALING MATERIAL CO.,LTD.
WWW.XTXYST.COM



【产品结构图:适合4~300MM管线直径】
Structure: suitable for 4--300 mm DIA



【荣获新型专利证书】
NEW PATENT CERTIFICATE



第一步: 将气密套环紧紧的套在管道或线缆外部, 与管道或线缆紧密贴合
TIGHTLY COVER THE AIRTIGHT SLEEVE RING ON THE PIPE OR CABLE EXTERNAL, CLOSELY FITTING WITH PIPES OR CABLES



第二步: 从中间揭开离心膜 向两侧拉开
UNCOVER THE CENTRIFUGAL MEMBRANE FROM THE MIDDLE AND PULL IT APART ON BOTH SIDES



第三步: 从内向外侧用力按压胶片 使其与墙面紧密贴合
PRESS THE FILM FIRMLY FROM THE INSIDE OUT TO MAKE IT CLOSELY FIT THE WALL



XYST SEALING MATERIAL CO.,LTD.
WWW.XTXYST.COM



西斯特密封材料有限公司是一家从事塑胶行业30多年的专业生产厂家，主要从事密封胶条、橡胶制品、塑料和橡塑弹性体的研发与生产。配套行业涉及高档门窗、汽车、火车高铁、船舶、飞机、机械、医疗器械、光伏等产业。现已与国内30余家知名企业配套，并出口欧美40多个国家。公司与清华大学、北京化工大学等国内多家知名院校合作，并聘请清华大学著名教授作技术顾问，为公司新产品开发奠定了基础，购置台湾高铁、台湾威福兴、清华大学等国内外先进生产设备和检测设备，为产品性能提供有力的保障。2009年通过ISO/TS9001质量体系认证，2013年通过瑞士SGS认证公司ISO/TS16949质量体系认证，公司研发中心在2015年顺利通过验收，认定为“邢台市橡塑产业技术研究院”。2015年11月产品通过欧盟环保标准ROHS，PAHS认证，产品顺利进入美国、德国、法国、澳大利亚等欧美市场。公司现有产品专利19项，获得河北省科技型中小企业、高新科技企业、河北省“专精特新”中小企业、河北省著名商标、河北省名牌产品、河北省中小企业名牌、河北省工业企业研发中心、河北省科技小巨人、邢台市创新型企业40多项荣誉。公司将以雄厚的实力、先进的产品、优质的服务，热诚欢迎中外朋友来我公司莅临指导！

IS A PROFESSIONAL MANUFACTURER ENGAGED IN THE RUBBER & PLASTICS INDUSTRY FOR MORE THAN 30 YEARS, MAINLY ENGAGED IN THE RESEARCH ,DEVELOPMENT AND PRODUCTION OF SEALING STRIPS, RUBBER PRODUCTS, PLASTICS AND RUBBER-PLASTIC ELASTOMERS. THE SUPPORTING INDUSTRIES INVOLVE HIGH-CLASS DOOR & WINDOWS, AUTOMOBILES, TRAINS, HIGH-SPEED RAIL, SHIPS, AIRCRAFT, MACHINERY, MEDICAL EQUIPMENT, PHOTOVOLTAICS AND OTHER INDUSTRIES. NOW IT HAS BEEN MATCHED WITH MORE THAN 30 WELL-KNOWN DOMESTIC ENTERPRISES AND EXPORTED TO MORE THAN 40 COUNTRIES IN EUROPE & AMERICA. WE ALSO COOPERATE WITH MANY WELL-KNOWN DOMESTIC INSTITUTIONS SUCH AS TSINGHUA UNIVERSITY AND BEIJING UNIVERSITY OF CHEMICAL TECHNOLOGY, AND EMPLOY WELL-KNOWN PROFESSORS FROM TSINGHUA UNIVERSITY AS TECHNICAL CONSULTANTS, LAYING THE FOUNDATION FOR THE COMPANY'S NEW PRODUCTS DEVELOPMENT. ADVANCED PRODUCTION EQUIPMENT AND TESTING EQUIPMENT PROVIDE A STRONG GUARANTEE FOR PRODUCT PERFORMANCE. IN 2009, IT PASSED THE ISO/TS9001, AND IT PASSED THE ISO/TS16949 IN 2013 SGS. IN NOVEMBER 2015, THE PRODUCT PASSED THE EU ENVIRONMENTAL PROTECTION STANDARD ROHS AND PAHS CERTIFICATION, AND THE PRODUCT SUCCESSFULLY ENTERED THE EUROPEAN AND AMERICAN MARKETS SUCH AS THE UNITED STATES, GERMANY, FRANCE, AND AUSTRALIA. WE HAVE 19 PRODUCT PATENTS, AND HAVE WON THE HEBEI PROVINCE SCIENCE AND TECHNOLOGY SMALL AND MEDIUM-SIZED ENTERPRISES, HIGH-TECH ENTERPRISES, HEBEI PROVINCE "SPECIALIZED, SPECIALIZED AND NEW" SMALL AND MEDIUM-SIZED ENTERPRISES, HEBEI PROVINCE FAMOUS TRADEMARKS, HEBEI FAMOUS BRAND PRODUCTS, HEBEI PROVINCE SMALL AND MEDIUM-SIZED ENTERPRISES FAMOUS BRAND, HEBEI PROVINCE INDUSTRIAL ENTERPRISE R&D CENTER, HEBEI SCIENCE AND TECHNOLOGY LITTLE GIANT, XINGTAI INNOVATIVE ENTERPRISE MORE THAN 40 HONORS. WITH STRONG STRENGTH, ADVANCED PRODUCTS AND HIGH-QUALITY SERVICE, WE SINCERELY WELCOME CHINESE AND FOREIGN FRIENDS TO VISIT OUR COMPANY FOR GUIDANCE! COMPANY SINCERELY WELCOMES CHINESE AND FOREIGN FRIENDS TO VISIT OUR COMPANY FOR GUIDANCE!

【荣获实用新型专利证书】 NEW UTILITY PATENT CERTIFICATE



【单孔管线气密套环展示图】

AIR TIGHT SEALING COLLAR FOR SINGLE PIPE

适合于18-70MM管线外径 (单孔)
SUITABLE FOR 18-70MM DIA

根据实际需求尺寸 剪切合适的位置
使装配效果更好 密封性能更佳
CUT ACCORDING TO THE REAL SIZE,
SEALING BETTER



注* 根据实际使用尺寸
沿虚线位置剪切

口径大小
DIAMETER (SMALL-BIG)



【多孔管线气密套环展示图】

AIR TIGHT SEALING COLLAR FOR MULTI-PIPES

适合于3-30MM管线外径 (多孔)
SUITABLE FOR 3-30MM DIA

根据实际需求尺寸 剪切合适的位置
使装配效果更好 密封性能更佳
CUT ACCORDING TO THE REAL SIZE,
SEALING BETTER





三元乙丙 (EPDM) 橡胶密封胶片

EPDM SEALING SHEET



EPDM 橡胶密封胶片
EPDM SEALING SHEET WITHOUT ADHESIVE



EPDM 橡胶密封胶片 (半背胶)
EPDM SEALING SHEET WITH HALF ADHESIVE



EPDM 橡胶密封胶片 (全背胶)
EPDM SEALING SHEET WITH ADHESIVE



密封胶片
SEALING RUBBER SHEET WITH ADHESIVE



XYST®


金属覆膜装饰条

Metal coated decorative strip



汽车-家具-室内装修-门窗装饰条/美观提升档次/防尘/密封性佳

【型号齐全 支持定制】 AUTOMOBILE DECORATIVE STRIP / BEAUTIFUL / DUSTPROOF / GOOD SEALING PERFORMANCE —[COMPLETE MODELS SUPPORT CUSTOMIZATION]



室内装饰条-U型装饰条/踢脚线-护墙角-防水等/免打孔更方便

【颜色型号齐全 支持定制】 INTERIOR TRIM STRIP / BEAUTIFUL / SAFER ANTI-COLLISION COMPLETE COLORS AND STYLES —[SUPPORT CUSTOMIZATION]



WWW.XTXYST.COM
XYST SEALING MATERIAL CO.,LTD.



XYST®

彩色大断面密封条

Color large section sealing strip



彩色大断面密封条，形状/颜色/大小均可定制。三元乙丙橡胶和PVC两种材质可选。

LARGE SECTION SEALING STRIP, SHAPE / COLOR / SIZE CAN BE CUSTOMIZED.
ETHYLENE PROPYLENE DIENE MONOMER AVAILABLE IN RUBBER AND PVC.

韧性好 抗老化 耐高温 密封效果更佳 厂家直销 支持定制
有着先进的生产设备和技术研发值得信赖

THE MANUFACTURER'S DIRECT SALES SUPPORT CUSTOMIZATION HAS ADVANCED
PRODUCTION EQUIPMENT AND TECHNOLOGY RESEARCH AND DEVELOPMENT
TRUSTWORTHY

大断面密封条
【型号齐全 支持定制】

WWW.XTXYST.COM
XYST SEALING MATERIAL CO.,LTD.



XYST[®]

硅胶广告导光/发光灯带

Silicone advertising light guide/light emitting strip



广告发光软条导光条【不同规格 不同颜色 支持定制】

ADVERTISING LUMINOUS SOFT LIGHT GUIDE STRIP [DIFFERENT SPECIFICATIONS AND COLORS SUPPORT CUSTOMIZATION]




LED发光条导光带

LED LIGHT GUIDE STRIP






光纤导光条

OPTICAL FIBER GUIDE STRIP



蓄斯特密封材料有限公司
XYST SEALING MATERIAL CO.,LTD.
WWW.XTYST.COM
E-mail: PJG@XTXYST.COM



硅胶柔软有韧性、户外防水、应用广泛、任意弯曲造型

SILICONE IS SOFT AND FLEXIBLE, OUTDOOR WATERPROOF, WIDELY USED, AND CAN BE BENT AT WILL



酒吧KTV(BAR KTV)



车灯改装(LAMP MODIFICATION)



室外亮化(OUTDOOR LIGHTING)



店铺招牌(SHOP SIGNBOARD)



家装照明(HOME DECORATION LIGHTING)



做字造型(MAKE CHARACTER MODELING)



葛斯特密封材料有限公司
XYST SEALING MATERIAL CO.,LTD.
WWW.XTYST.COM
E-mail: PJG@XTYST.COM

The sales network



美国 加拿大 巴西 委内瑞拉 墨西哥 伊拉克 阿联酋 菲律宾 哈萨克斯坦 乌兹别克斯坦 马来西亚 泰国 尼日利亚 赞比亚 南非 德国 法国 荷兰 英国 意大利 俄罗斯 奥地利 波兰 斯洛伐克 乌克兰 以色列 爱沙尼亚 澳大利亚 波黑 挪威

USA, Canada, Brazil, Venezuela, Mexico, Iraq, UAE, Philippines, Kazakhstan, Uzbekistan, Malaysia, Thailand, Nigeria, Zambia, South Africa, Germany, France, Netherlands, Britain, Italy, Russia, Austria, Poland, Slovakia, Ukraine, Israel, Estonia, Australia, Bosnia and Herzegovina, Norway

MERSELER PHILIPS SIEMENS 



地址：中国河北省邢台市威县汽车工业配件产业聚集区工业大道9号
 ADD: NO.9 AUTO PARTS INDUSTRIAL PARK, WEIXIAN, XINGTAI CITY, 054700 HEBEI PROVINCE, CHINA
 电话：0319-6392208 传真：0319-6392218
 TEL: 0319-6392208 FAX: 0319-6392218
 QQ: 879953560 E-MAIL: PJG@XTXYST.COM
 Http://www.xtxyst.com Http:xtxyst.en.alibaba.com

