



KEY TECHNOLOGY CHINA LIMITED
深圳市键特电子有限公司



COMPANY PROFILE

RUGGED KEYBOARD
AND MICE EXPERT



PRODUCT



01 COMPANY OVERVIEW




ABOUT US



Established in 2006, Key Technology China Limited is an ISO9001-2015 and GJB9001C-2017 registered enterprise engaged in research, development, sale and service of all kinds of rugged keyboards/pointing devices for harsh environments covering industrial/military/marine/medical/coal & mine/oil and gas/transportation/aerospace/naval/radar/console/UAV ground station/public access/food and beverage/vehicle etc. demanding applications. We have excellent and experienced teams who focus on product development & design, quality control and company running. Dedicated to strict quality control and thoughtful customer service, our experienced staff are always available to provide ideal solutions to customers. Ranging from our off-the-shelf products to customized one, we can always deliver you a satisfying solution! Besides, our products have obtained many certificates/testing reports including but not limit to CE, RoHS, FCC, ESD, REACH, GJB150A-2009, GJB-151B-2013, MIL-STD-461G-EMC-EMI-EMS-ESD, MIL-STD-810F-high and low wide working temperature, low pressure, humidity, vibration, shock, temperature shock, drop, rain, salt mist, sand and dust, fungus, solar radiation etc., IEC60945-2002, IP67, IP68, IEC-60601-1-2, Explosive-proof and etc. certificates.

COMPANY OVERVIEW



KEY TECHNOLOGY CHINA LIMITED

possess the professional experience and empirical knowledge to design, develop, manufacture, market and sell most complete line of rugged keyboard/ keypad/trackball/ touchpad/Joystick/FSR etc. input devices for industrial/military/medical/marine/aerospace/ navy/coal and mine/kiosk & self service terminal /food & beverage/transportation etc.applications.




WORKSHOP & PRODUCTION LINE



02 PRODUCT APPLICATION



PRODUCT APPLICATION



PRODUCT APPLICATION



■ A: INDUSTRIAL:




- Industrial automation, bank kiosks, pharmaceutical, oil and gas, food and beverage, clean or dirty manufacturing environments, warehouses, coal and mine.

PRODUCT

APPLICATION

- **B: MEDICAL**

- Lab, hospital, medical kiosk, clinic, dental, such as carts, diagnostic equipments, operation rooms, dialysis centers etc.



PRODUCT APPLICATION



■ C: MILITARY

■ Army, Navy, Air force, Defense etc.

PRODUCT APPLICATION



- D: Robot, ROV, UAV etc.



PRODUCT APPLICATION



- E. mobile keyboard, vehicle and portable keyboard with mouse etc.

PRODUCT APPLICATION



- F. Navy, fleet, marine consoles, navigation control and boating, Radar, ECDIS etc.





03 PRODUCT DISPLAY



ULTRA THIN RUGGED SERIES



K-TEK-M275TP-FN-BL-FC-KC-ML



K-TEK-M315TP-FN-BL-FC-KC-ML



K-TEK-M315KP-FN-BL-FC-KC-EP+TP85-DML+2K



K-TEK-M280-FN-BL-FC-DM



K-TEK-M280-FN-BL-FC-KC-DM-EP



K-TEK-M280-FN-BL-FC-KC+TP85-DML+2K

IP67 DWP SCISSOR SWITCH SERIES



K-TEK-V275TP-FN-BL-SC-FC-ML-DWP



K-TEK-V285-FN-BL-SC-FC-ML-DWP



K-TEK-V340KP-FN-BL-SC-FC-ML-DWP



K-TEK-V340TP-FN-BL-SC-FC-ML-DWP



K-TEK-V440KP-FN-BL-SC-DT



K-TEK-V440TP-KP-FN-BL-SC-DR

SILICONE KEYBOARD SERIES



K-TEK-M286-TPT-FN-BL-ML



K-TEK-M315KP-FN-BL-ML+M73TP



K-TEK-M315TP-FN-BL-NV-151B



K-TEK-M366-OTB-KP-FN-BL-SS



K-TEK-M386KP-FN-BL-ML



K-TEK-M425-OTB-FN-BL-NV-151B

CHICLET KEYBOARD SERIES




K-TEK-M275TP-FN-BL-ML-DWP



K-TEK-M270-FN-BL-IT-NV-151B-DWP+M73TP



K-TEK-M327KP-FN-BL-IT-ML-DWP+M125TP



K-TEK-M334KP-FN-BL-IT-NV-151B-DWP



K-TEK-M390-MTB-AVB-FN-BL-BT-NV-151B-DWP



K-TEK-M440-OTB-FN-BL-NV-151B-DWP


MEMBRANE KEYBOARD SERIES



K-TEK-D185-OTB-KP-SW




K-TEK-D256-FN-SW



K-TEK-D333-OTB-FN-SW



K-TEK-D396-OTB-KP-FN-DT-SW



K-TEK-D483-178-MTB-KP-FN-SW



K-TEK-D410TP-KP-FN-SW

STAINLESS STEEL SERIES



K-TEK-A191-BT-DWP



K-TEK-A340KP-FN-BL-DWP



K-TEK-B380TP-FN-DT-DWP-2.4G



K-TEK-A361-OTB-FN-DWP



K-TEK-A443-38-OTB-JS-FN-DT-DWP



K-TEK-A420TP-KP-FN-DT-DWP

KEYPAD SERIES



K-TEK-M129KP-MA-BL-ML



K-TEK-M91KP-BL-ML-DWP



K-TEK-M160HP-KP-IL-SS



K-TEK-B135FK-5-AC-BL-DWP



K-TEK-A88KP-BL-DWP



K-TEK-B139KP-20-DWP

MOUSE & JOYSTICK



K-TEK-B100-JS



K-TEK-GBC4-C2U2T-ZK



K-TEK-HC1U-360



K-TEK-M64-OMS-DT



K-TEK-M65-OMS-DT-WF



K-TEK-M58-OMS-DT-DWP

TRACKBALL



K-TEK-M100-OTB-AVB



K-TEK-38-OTB



K-TEK-M120-50-MTB-AVB-NV-151B



K-TEK-M129-OTB-AVB-NV-151B



K-TEK-B100-50-MTB-AVB-ML



K-TEK-B120-38-OTB-RM-DWP

04

CERTIFICATE



CE/FCC/ROHS CERTIFICATE

CE

BST A RELIABLE TESTING FOR TRUST

Certificate of Compliance

Certificate No. : BSTXD22123022353209EC

Applicant : Key Technology (China) Limited
B703, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng Subdistrict, Long Gang District, ShenZhen, Guangdong Province, P.R.China.

Manufacturer : Key Technology (China) Limited
Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guangdong Province, P.R. China

Product Name : Rugged Keyboard

Trade Name : 

Main Test Model : K-TEK-D410TP-KP-FN-SW. Please see the table below

Test Standard : EN 55032:2015/A11:2020
EN IEC 61000-3-2:2019/A1:2021
EN 61000-3-3:2013/A1:2019/A2:2021
EN 55035:2017/A1:2020

As shown in the Test Report No. : BSTXD22123022353209ER

The EUT described above has been tested by us with the listed standards and found in compliance with the council EMC directive 2014/30/EU, it is possible to use CE marking to demonstrate the compliance with this EMC Directive.
The certificate applies to the tested sample above mentioned only and shall not imply an assessment of the whole production.

 
Christina Deng
Manager
Dec.30, 2022

BST Testing (Shenzhen) Co., Ltd.
Add: No.7, New Era Industrial Zone, Guanlan, Bao'an District, Shenzhen, Guangdong, China
Certificate Search: <http://www.bst-lab.com>, Tel:400-962-6168, E-mail: christina@bst-lab.com

FCC

BST A RELIABLE TESTING FOR TRUST

Supplier's Declaration of Conformity

This device complies with part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference.

Certification Summary:

Applicant: Key Technology (China) Limited
Address: B703, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng Subdistrict, Long Gang District, ShenZhen, Guangdong Province, P.R.China.

Manufacturer: Key Technology (China) Limited
Address: Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guangdong Province, P.R. China

Test standard: FCC Part 15 Class B

Trade Name: 

Product Type: Silicone Keyboard

Main Test Model: K-TEK-A361MTB-FN-DWP. Please see the table below

Certificate Number: BSTXD22123022353204EC

Report number: BSTXD22123022353204ER

Issuance Date: Dec. 30, 2022

Tested by: BST Testing (Shenzhen) Co., Ltd.

Signature of Officer: 
Christina Deng - Certification Manager

We, the responsible party,
Key Technology (China) Limited
declare that the product
Silicone Keyboard.



was tested to conform to the applicable FCC Rules and regulations. The method of testing was in accordance to the most accurate measurement standards possible, and that all necessary steps have been enforced to assure that all production units of the same equipment will continue to comply with the Federal Communications Commission's requirements.

Signature: _____ Date: _____

BST Testing (Shenzhen) Co., Ltd.
Add: No.7, New Era Industrial Zone, Guanlan, Bao'an District, Shenzhen, Guangdong, China
Certificate Search: <http://www.bst-lab.com>, Tel:400-962-6168, E-mail: christina@bst-lab.com

RoHS

BST A RELIABLE TESTING FOR TRUST

Certificate of Compliance

Certificate No. : BSTDG22123022353210CC

Applicant : Key Technology (China) Limited
B703, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng Subdistrict, Long Gang District, ShenZhen, Guangdong Province, P.R.China.

Manufacturer : Key Technology (China) Limited
Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guangdong Province, P.R. China

Product Name : Stainless Steel Keyboard

Trade Name : 

Main Test Model : K-TEK-A361MTB-FN-DWP. Please see the table below

Test Standard : IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013,
IEC 62321-6:2015, IEC 62321-7-1:2015,
IEC 62321-7-2:2017, IEC 62321-8:2017

As shown in the Test Report No. : BSTDG22123022353210CR

The EUT described above has been tested by us and found in compliance with the council RoHS 3 Directive 2011/65/EU Annex II (EU) 2015/863 as last amended by Directive (EU) 2017/2102. This certificate is only valid in conjunction with the test report.

 
Christina Deng
Manager
Dec.30, 2022

Dongguan BST Testing Co., Ltd.
Add: Building No.1, Chaoxin Industrial Park, Dongxihu Road, Yantian Street, Yantian District, Shenzhen, Guangdong, China
Certificate Search: <http://www.bst-lab.com>, Tel: 400-962-6168, E-mail: christina@bst-lab.com

EXPLOSION-PROOF CERTIFICATE

Certificate number: CNEx22.1981X

防爆合格证
Electrical Apparatus for Explosive Atmospheres
CERTIFICATE OF CONFORMITY

CNEX
国家防爆

Manufacturer: KEY TECHNOLOGY (CHINA) LIMITED
Address: Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208
Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guang
Dong Province, P.R. China.

Product: Explosion-proof keyboard

Type: K-TEK-A361-FN-DT-DWP

Marking: Ex II IIC T4 Gb

Standard(s): A361-1A-2022

Drawing No.: K-TEK-A361-FN-DT-DWP

The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:

GB 3836.1-2010 Explosive atmospheres - Part 1: Equipment - General requirements
GB 3836.4-2010 Explosive atmospheres - Part 4: Equipment protection by intrinsic safety "i"

Note:
1. Intrinsic safety parameters:
power supply: $U_i=6VDC$ $I_i=500mA$ $P_i=0.75W$ $C_i=22.4\mu F$ $L_i=0mH$;
Signal output: $U_i=5VDC$ $I_i=10mA$ $P_i=12.5mW$ $C_i=22.4\mu F$ $L_i=0mH$.
2. Operation ambient temperature range: $-20^{\circ}C \sim +60^{\circ}C$.

Director: [Signature] Date: 2022-06-29
Valid until: 2027-06-28

Ex
CQST

国家防爆电气产品质量监督检验中心
CHINA NATIONAL QUALITY SUPERVISION INSPECTION CENTER FOR EXPLOSION-PROOF ELECTRICAL PRODUCTS
Address: 100080 Beijing, China
Tel: 010-64401111 Fax: 010-64401112
E-mail: cnex@cnex.org.cn

3. 本证书的有效性依赖于获证企业的质量管理体系。企业应确保其质量管理体系符合相关标准的要求，并定期接受本中心的监督审核。如有违反，本中心有权暂停或撤销该证书。
Note: This certificate is only valid for products which are identified by the manufacturer's name, model and verified number of this certificate. The responsibility to ensure the products comply with relevant standards lies with the manufacturer.

Certificate number: CNEx21.4249X

防爆合格证
Electrical Apparatus for Explosive Atmospheres
CERTIFICATE OF CONFORMITY

CNEX
国家防爆

Manufacturer: KEY TECHNOLOGY (CHINA) LIMITED
Address: Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208
Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guang
Dong Province, P.R. China.

Product: Explosion-proof keypad

Type: K-TEK-B139KP-DWP

Marking: Ex II IIC T4 Gb

Standard(s): B139-1A-2021

Drawing No.: K-TEK-B139KP-DWP_Assembly drawing

The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:

GB 3836.1-2010 Explosive atmospheres - Part 1: Equipment - General requirements
GB 3836.4-2010 Explosive atmospheres - Part 4: Equipment protection by intrinsic safety "i"

Note:
1. Intrinsic safety parameters:
power supply: $U_i=6VDC$ $I_i=500mA$ $P_i=0.75W$ $C_i=24.6\mu F$ $L_i=0mH$;
Signal output: $U_i=5VDC$ $I_i=10mA$ $P_i=12.5mW$ $C_i=24.6\mu F$ $L_i=0mH$.
2. Operation ambient temperature range: $-20^{\circ}C \sim +60^{\circ}C$.

Director: [Signature] Date: 2022-06-29
Valid until: 2027-06-28

Ex
CQST

国家防爆电气产品质量监督检验中心
CHINA NATIONAL QUALITY SUPERVISION INSPECTION CENTER FOR EXPLOSION-PROOF ELECTRICAL PRODUCTS
Address: 100080 Beijing, China
Tel: 010-64401111 Fax: 010-64401112
E-mail: cnex@cnex.org.cn

3. 本证书的有效性依赖于获证企业的质量管理体系。企业应确保其质量管理体系符合相关标准的要求，并定期接受本中心的监督审核。如有违反，本中心有权暂停或撤销该证书。
Note: This certificate is only valid for products which are identified by the manufacturer's name, model and verified number of this certificate. The responsibility to ensure the products comply with relevant standards lies with the manufacturer.

Certificate number: CNEx21.4248X

防爆合格证
Electrical Apparatus for Explosive Atmospheres
CERTIFICATE OF CONFORMITY

CNEX
国家防爆

Manufacturer: KEY TECHNOLOGY (CHINA) LIMITED
Address: Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208
Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guang
Dong Province, P.R. China.

Product: Explosion-proof mouse

Type: K-TEK-AB83-DWP

Marking: Ex II IIC T4 Gb

Standard(s): AB83-1A-2021

Drawing No.: K-TEK-AB83-DWP_Assembly drawing

The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:

GB 3836.1-2010 Explosive atmospheres - Part 1: Equipment - General requirements
GB 3836.4-2010 Explosive atmospheres - Part 4: Equipment protection by intrinsic safety "i"

Note:
1. Intrinsic safety parameters:
power supply: $U_i=6VDC$ $I_i=500mA$ $P_i=0.75W$ $C_i=24.6\mu F$ $L_i=0mH$;
Signal output: $U_i=5VDC$ $I_i=10mA$ $P_i=12.5mW$ $C_i=24.6\mu F$ $L_i=0mH$.
2. Operation ambient temperature range: $-20^{\circ}C \sim +60^{\circ}C$.

Director: [Signature] Date: 2022-06-29
Valid until: 2027-06-28

Ex
CQST

国家防爆电气产品质量监督检验中心
CHINA NATIONAL QUALITY SUPERVISION INSPECTION CENTER FOR EXPLOSION-PROOF ELECTRICAL PRODUCTS
Address: 100080 Beijing, China
Tel: 010-64401111 Fax: 010-64401112
E-mail: cnex@cnex.org.cn


3. 本证书的有效性依赖于获证企业的质量管理体系。企业应确保其质量管理体系符合相关标准的要求，并定期接受本中心的监督审核。如有违反，本中心有权暂停或撤销该证书。
Note: This certificate is only valid for products which are identified by the manufacturer's name, model and verified number of this certificate. The responsibility to ensure the products comply with relevant standards lies with the manufacturer.

CERTIFICATE

Medical Certificate

SHENZHEN HUATONGWEI INTERNATIONAL INSPECTION Co., Ltd.

Test Verification of Conformity

Certificate No.: CHTEM19050063 Certificate Verification: 

Issued Date: May 22, 2019

The equipment, as described herewith, was tested pursuant to applicable test procedure and complies with the requirements of:

EN60601-1-2:2015
IEC60601-1-2:2014

The test results are traceable to the international or national standards.

Applicant: KEY TECHNOLOGY (CHINA) LIMITED

8702, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longsheng Subdistrict, Long Gang District, Shenzhen, Guangdong, P.R.China

Manufacturer: KEY TECHNOLOGY (CHINA) LIMITED

8702, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longsheng Subdistrict, Long Gang District, Shenzhen, Guangdong, P.R.China

EUT Name: Medical Keyboard with Mouse


Model number: K-TEK-M399TP-KP-FN-BL-DT, K-TEK-M64-OMS-DT





Listed Model(s): See attachment page

Laboratory: Shenzhen Huatongwei International Inspection Co., Ltd.
Huang Ge North Industrial Park, Qianyu Road, Tianan, Gongming, Shenzhen, Guangdong, China
Tel: 86-755-83740079 Fax: 86-755-30748039
Http: <http://www.szhthw.com.cn> E-mail: cd@szthw.com.cn



Note:
The certification is only valid for the equipment and configuration described, in conjunction with the test data detailed above.

For and on behalf of
Shenzhen Huatongwei International Inspection Co., Ltd.

Authorized by: 

IEC60945 Certificate

Page 1 of 55 Verified code: 537725

Test Report

Report No.: E20220124425-2-G1

Customer: Key Technology (China) Limited
Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guangdong Province, P.R. China Zip Code: 523703

Address:

Sample Name: IEC60945 keyboard and mouse mouse




Sample Model: K-TEK-M440-OTB-FN-BL-NV-EMC-DWP

Receive Sample Date: Mar 03, 2022

Test Date: Mar 08, 2022 - Mar 10, 2022



Reference Document: IEC 60945:2002-Maritime navigation and radiocommunication equipment and systems-General requirements-Methods of testing and required test results
9.2 Conducted emissions
9.3 Radiated emissions from enclosure port
10.9 Immunity to electrostatic discharge
10.4 Immunity to radiated radio-frequencies
10.5 Immunity to fast transients
10.6 Immunity to surges
10.3 Immunity to conducted radio frequency disturbance
10.8 Power Supply Failure
11.2 Compass safe distance

Test Result: Refer to the following report

Prepared by:  Reviewed by:  Approved by: 

GUANGZHOU GRG METROLOGY & TEST CO., LTD.
Issued Date: 2022-04-22

GUANGZHOU GRG METROLOGY & TEST CO., LTD.
Address: No.163, Pingyuan Road, West of Huangpu Avenue, Guangzhou, Guangdong, China
Tel: (+86) 400-602-0999 FAX: (+86) 020-36698685 Web: <http://www.grgtest.com>

IEC60945 Certificate

Page 1 of 21 Verified Code: 234946

Test Report

Report No.: H202201241776-01EN

Customer: Key Technology (China) Limited
Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guangdong Province, P.R. China. Zip Code: 523703

Address:

Sample Name: IEC60945 keyboard and mouse

Sample Model: K-TEK-M440-OTB-FN-BL-NV-EMC-DWP

Receive Sample Date: Mar 07, 2022

Test Date: Mar. 14, 2022 - Apr. 13, 2022

Reference Document: IEC60945: 2002

Test Result: Pass

Prepared by:  Reviewed by:  Approved by: 

GUANGZHOU GRG METROLOGY & TEST CO., LTD.
Issued Date: 2022/4/26

GUANGZHOU GRG METROLOGY & TEST CO., LTD.
Address: No.163, Pingyuan Road, West of Huangpu Avenue, Guangzhou, Guangdong, China
Tel: (+86) 400-602-0999 FAX: (+86) 020-36698685 Web: <http://www.grgtest.com>

MIL-STD-461G CERTIFICATE

MIL-STD-461G-EMC-EMI-EMS-ESD

  中国认可
检测
TESTING
CNAS L0785

170021181819

编号: 200218D02C

电磁兼容性试验报告

送试单位名称: 深圳市键特电子有限公司

送试单位地址: 深圳市宝龙工业区高科大道6号4楼

产品型号名称: K-TEK-V275TP-FN-SG-BL-NV-EMC 军用计算机键盘


试验日期: 2020年06月07日~06月08日

中航工业环境与可靠性试验与研究中心

2020年06月10日(发布)

第1页共23页

MIL-STD-461G-EMC-EMI-EMS-ESD

 广电计量

Report No.: E202204226352-2

GJB151B-2013 Thumb ball mouse EMC Test Report

Applicant : Key Technology (China) Limited

Manufacturer : Key Technology (China) Limited

Model : K-TEK-M100-OTB-NV-151B

Sample Description : GJB151B-2013 Thumb ball mouse

Date of Test : August 06,2022 to August 17,2022

Page 1 of 146

Vibration

Ref.No.:ACSH22101106-R02

Page 2 of 7

Test Report

Client information

Name: Key Technology (China) Limited
Address: Floor7, Building S8, Fengang Tianan Cyber Park, No.208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guang Dong Province, P.R.China.

Unit of production

Name: Key Technology (China) Limited
Address: Floor7, Building S8, Fengang Tianan Cyber Park, No.208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guang Dong Province, P.R.China

Company headquarters of the entrusting unit

Name: Key Technology (China) Limited
Address: B703, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng Subdistrict, Long Gang District, Shenzhen, Guang Dong Province, P.R.China.

Sample

Sample name: Silicone keyboard
Sample model: K-TEK-M275TP-FN-BL-NV-EMC-151B
Sample serial number: ACSH22101101-S01-03
Number of samples: 3pcs
Production unit: Key Technology (China) Limited
Sample pick up date: October 11, 2022
Source: sample sent by the entrusting party
Describe: The sample appeared in good condition at the time of sampling

Testing location and environment

Testing location: Shenzhen Anche Shenghui Testing Technology Co., Ltd.
Temperature: 21°C~28°C Relative Humidity: 45%~75% Air Pressure: 100kPa~102kPa

Testing base

- 1) GJB 150.1A-2009
- 2) GJB 150.5A-2009

Test results

Samples commissioned by Key Technology (China) Limited: Silicone Keyboard K-TEK-M275TP-FN-BL-NV-EMC-151B. According to the testing requirements of the client, Temperature shock tests were conducted from 16 October 2022 to 17 October 2022.

After the test, the samples meet the technical requirements in GJB 150.5A-2009 standard, and the test is qualified.

For details of the test, see Summary of Test Results.

Shenzhen Anche Shenghui Testing Technology Co., Ltd.

MIL-STD-810F CERTIFICATE

Low Pressure

Ref.No.:ACSH22101105-R02 Page 2 of 7

Test Report

Client information
Name: Key Technology (China) Limited
Address: Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guangdong Province, P.R. China.

Unit of production
Name: Key Technology (China) Limited
Address: Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guangdong Province, P.R. China

Company headquarters of the entrusting unit
Name: Key Technology (China) Limited
Address: B703, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng Subdistrict, Long Gang District, Shenzhen, Guangdong Province, P.R. China.

Sample
Sample name: Silicone keyboard
Sample model: K-TEK-M275TP-FN-BL-NV-EMC-151B
Sample serial number: ACSH22101101-S01-03
Number of samples: 3pcs
Production unit: Key Technology (China) Limited
Sample pick up date: October 11, 2022
Source: sample sent by the entrusting party
Describe: The sample appeared in good condition at the time of sampling

Testing location and environment
Testing location: Shenzhen Anche Shenghui Testing Technology Co., Ltd.
Temperature: 21℃~28℃ Relative Humidity: 45%~75% Air Pressure: 100kPa~102kPa

Testing base
1) GJB 150.1A-2009
2) GJB 150.2A-2009

Test results
Samples commissioned by Key Technology (China) Limited: Silicone Keyboard K-TEK-M275TP-FN-BL-NV-EMC-151B. According to the testing requirements of the client, the low pressure test was conducted on 16 October 2022.
After the test, the samples meet the technical requirements in GJB 150.2A-2009 standard, and the test is qualified.
For details of the test, see Summary of Test Results.

Shenzhen Anche Shenghui Testing Technology Co., Ltd.

Temperature Shock

Ref.No.:ACSH22101106-R02 Page 2 of 7

Test Report

Client information
Name: Key Technology (China) Limited
Address: Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guangdong Province, P.R. China.

Unit of production
Name: Key Technology (China) Limited
Address: Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guangdong Province, P.R. China

Company headquarters of the entrusting unit
Name: Key Technology (China) Limited
Address: B703, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng Subdistrict, Long Gang District, Shenzhen, Guangdong Province, P.R. China.

Sample
Sample name: Silicone keyboard
Sample model: K-TEK-M275TP-FN-BL-NV-EMC-151B
Sample serial number: ACSH22101101-S01-03
Number of samples: 3pcs
Production unit: Key Technology (China) Limited
Sample pick up date: October 11, 2022
Source: sample sent by the entrusting party
Describe: The sample appeared in good condition at the time of sampling

Testing location and environment
Testing location: Shenzhen Anche Shenghui Testing Technology Co., Ltd.
Temperature: 21℃~28℃ Relative Humidity: 45%~75% Air Pressure: 100kPa~102kPa

Testing base
1) GJB 150.1A-2009
2) GJB 150.5A-2009

Test results
Samples commissioned by Key Technology (China) Limited: Silicone Keyboard K-TEK-M275TP-FN-BL-NV-EMC-151B. According to the testing requirements of the client, temperature shock tests were conducted from 16 October 2022 to 17 October 2022.
After the test, the samples meet the technical requirements in GJB 150.5A-2009 standard, and the test is qualified.
For details of the test, see Summary of Test Results.

Shenzhen Anche Shenghui Testing Technology Co., Ltd.

Low Temperature

Ref.No.:ACSH22101101-R02 Page 2 of 7

Test Report

Client information
Name: Key Technology (China) Limited
Address: Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guangdong Province, P.R. China.

Unit of production
Name: Key Technology (China) Limited
Address: Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208 Fenggang Section, Dongshen Road, Fenggang Town, Dongguan City, Guangdong Province, P.R. China

Company headquarters of the entrusting unit
Name: Key Technology (China) Limited
Address: B703, Building 1, Tianan Cyber Park, Huang Ge North Rd, Longcheng Subdistrict, Long Gang District, Shenzhen, Guangdong Province, P.R. China.

Sample
Sample name: Silicone keyboard
Sample model: K-TEK-M275TP-FN-BL-NV-EMC-151B
Sample serial number: ACSH22101101-S01-03
Number of samples: 3pcs
Production unit: Key Technology (China) Limited
Sample pick up date: October 11, 2022
Source: sample sent by the entrusting party
Describe: The sample appeared in good condition at the time of sampling

Testing location and environment
Testing location: Shenzhen Anche Shenghui Testing Technology Co., Ltd.
Temperature: 21℃~28℃ Relative Humidity: 45%~75% Air Pressure: 100kPa~102kPa

Testing base
1) GJB 150.1A-2009
2) GJB 150.4A-2009

Test results
Samples commissioned by Key Technology (China) Limited: Silicone Keyboard K-TEK-M275TP-FN-BL-NV-EMC-151B. According to the testing requirements of the client, the low temperature test was conducted from October 11, 2022 to October 13, 2022.
After the test, the samples meet the technical requirements in GJB 150.4A-2009 standard, and the test is qualified.
For details of the test, see Summary of Test Results.

Shenzhen Anche Shenghui Testing Technology Co., Ltd.

THANK YOU

Ms. Lois Chan

Tel: +86-755-8923 0460

Mob: +86 13725360426

E-mail: sales05@key-tek.cn, sales05@rugged-key.com

Web: www.rugged-key.com , www.rugged-system.com

Head Office Add.: B702, Building 1, Tianan Cyber Park, No. 524, Qinglin Road,
Huanggekeng Community, Longcheng Subdistrict, Long Gang District,
Shenzhen, Guangdong, P.R.China. Zipcode: 518172

Factory Add.: Floor 7, Building S8, Fenggang Tianan Cyber Park, No. 208
Fenggang Section, Dongshen Road, Fenggang Town, DongGuan,
Guangdong, P.R.China. Zipcode: 523703

