



ATLAS

DEFENSE



EQUIPMENT CATALOG

COMBAT OPTICS

JOINTLY PRODUCED BY T-EAGLE & ATLAS DEFENSE @2026



SCORCH

RMR/PICATINNY THERMAL SCOPE

256*192 RESOLUTION - 12 MM THERMAL SENSOR

13MM - F0.9 LENS

RMR /PICATINNY

TOUCH SCREEN

COMPACT SIZE



ATLAS
DEFENSE

Create your professional account at: <https://atlasdefense.fr/fr/>

COMBAT OPTICS



PEACEKEEPER LPVO scope 1-8x28 **High Performance Tactical Scope**

Magnification: 1x to 8x
Objective Diameter: 28 mm
Field of View at 91 m: 32 m at 3.96 m
CM1 FFP (First Focal Plane) Reticle
Illuminated Reticle (CR2032)
Coating: Multi-coated + anti-fog
Eye Relief: 9 cm

Waterproof: IP67
Anti-fog treatment
Shock resistance: military
Temperature: -30°C to +60°C
Weight: 709 g
Length: 28 cm
Tube: 34 mm
Lifetime warranty

Click Value: 1/2 MOA (1.449 cm at 100 m)
Elevation Adjustment: 175 MOA
Fixed Parallax: 91 m
Built-in Zero Stop
Custom Diopter Adjustment
CR2032 3V Battery Included



**Contact us for reseller
pricing**

ATLAS
DEFENSE

Submit your application at: <https://atlasdefense.fr/fr/>

COMBAT OPTICS



INTRUDER 1x22 Multi-Reticule Red Dot



Magnification: x1
Objective Diameter: 22 mm
Parallax: 1.5" at 100
Eye Relief: Unlimited
Click Value: 1 MOA
Dot Size: 2 MOA
Elevation Adjustment Range: 140 MOA
Windage Adjustment Range: 140 MOA
Dot Strength: 2 NV + 10 Levels
Motion Detection: Yes
Battery Location: Side
Lifetime Warranty

Lens: Ultra High Transmittance at 96%
Lens Coating: Multi-coated Anti-Reflective Coating
Anti-Fog Coating: Yes
Finish: Matte Dark Graphite Gray Anodized
Material: 6061-T6 Aircraft-Grade Aluminum
Power Supply: 3V CR2032 Battery
Battery Life: 40,000 hours (low light)
Waterproof: IP67
Shock Resistance: 1200G (3.8Hz more than 100 times)
Operating Temperature: -30 ~ +60°C
Dimensions in mm: L.63.6 x W.42.8 x H.65
Weight: 145g



**Contact us for
reseller pricing**



ATLAS
DEFENSE

Submit your application at: <https://atlasdefense.fr/fr/>

COMBAT OPTICS



DEFENDER SOLAR RED DOT 1x22

Magnification: x1
Objective Diameter: 22 mm
Parallax: 1" at 100
Eye Relief: Unlimited
Click Value: 1/2 MOA
Dot Size: 2 MOA
Elevation Adjustment Range: 140 MOA
Windage Adjustment Range: 140 MOA
Dot Strength: 2 NV + 10 Levels
Motion Detection: Yes
Battery Location: Side
Lifetime Warranty

Lens: 96% Ultra High Light Transmission
Lens Coating: Anti-Reflective Multi-Coating
Anti-Fog Coating: Yes
Finish: Matte Dark Graphite Gray Anodized
Material: 6061-T6 Aircraft Grade Aluminum
Power Supply: CR2032 Battery + Solar
Battery Life: 100,000 Hours
Waterproof: IP67
Shock Resistance: 1200G (3.8Hz more than 100 times)
Operating Temperature: -30 ~ +60°C
Dimensions in mm: L.63.6 x W.42.8 x H.65
Weight: 168.8g



**Contact us for
reseller pricing**



ATLAS
DEFENSE

Submit your application at: <https://atlasdefense.fr/fr/>

COMBAT OPTICS



GRUNT RED DOT 1x24x17

Magnification: x1
Objective Diameter: 24x17
Parallax: 1" at 100
Eye Relief: Unlimited
Click Value: 1 MOA
Dot Size: 2 MOA
Elevation Adjustment Range: 100 MOA
Windage Adjustment Range: 100 MOA
Dot Strength: 6 Levels
Motion Detection: No
Battery Location: On the Bottom
Print: Glock No. 02, Trijicon RMR

Lens: Ultra High Transmittance at 96%
Lens Coating: Multi-coated Anti-Reflective Coating
Finish: Matte Anodized Dark Graphite Gray
Material: 6061-T6 Aircraft-Grade Aluminum
Power Supply: 3V CR2032 Battery
Battery Life: 50,000 hours (low light)
Waterproof: IPX4
Shock Resistance: 1000G (3.8Hz more than 100 times)
Operating Temperature: -30 ~ +60°C
Dimensions in mm: L.46 x W.30.5 x H.26
Weight: 29g
Lifetime Warranty



**Contact us for
reseller pricing**



ATLAS
DEFENSE

Submit your application at: <https://atlasdefense.fr/fr/>

COMBAT OPTICS



CONTRARIAN Magnifier X3

Finish: Black Oxide
Zoom and Objective Diameter: 3x - 21.8 mm
Point Intensity: None
Eye Relief: 69 mm
Lens Coating: Fully Multi-Coated
Center Height: 69 mm
Diopter: +/- 2°
Accessories: Cleaning Cloth, Mount
Weight: 286.5 g
Shock Resistance: Up to 308 caliber
Waterproof: Rainproof
Fogproof: No
Lifetime Warranty

Exemple :



Contact us for reseller pricing

ATLAS
DEFENSE

Submit your application at: <https://atlasdefense.fr/fr/>

TACTICAL LIGHTS



CERBERUS / CERBERUS L **2000lm / 2000lm + Green Laser**

Luminous flux: 2000 lm
Candela: 54,000 cd nl / 62,200 cd max
Beam angle: 18° (hotspot 11.4°)
ANSI range: 465–500 m
Realistic range: 80–150 m
Weight: 129 g

High-visibility green laser, day/night
Selection switch (L): Laser / Flashlight / Laser + Flashlight
Ambidextrous dual switch
Magnetic charging + indicator
Universal pistol grip rail



ATLAS
DEFENSE

Create your professional account at: <https://atlasdefense.fr/fr/>

TACTICAL LIGHTS



RAVAGER L **2500 lm + Green Laser**

Maximum Intensity: 91,400 cd (calculated at 10 m).

Beam Angle: 17°.

Measurements at 5 m: 2,500 lx | Beam Diameter 6 m | Hot Spot 1.5 m.

Measurements at 10 m: 914 lx | Beam Diameter 10 m | Hot Spot ≈2 m.

Maximum Light Output: 2000 Lumens

Range: 300m (lamp) / 2000m (laser)

Battery Life: 120 min (lamp) / 20 h (laser only)

Waterproof Rating: IPX6 certified

Material: Robust aircraft-grade aluminum alloy

Dimensions: Length 146 mm, Head Diameter 42 mm

Total Weight: 254g



ATLAS
DEFENSE

Create your professional account at: <https://atlasdefense.fr/fr/>

TACTICAL LIGHT



RAVAGER **2000 lm (Flash / Strobe)**

Intensity: \approx 55,000 candelas
Measured actual luminous flux: 2000 lumens
Color temperature: \sim 6000K (cool white)

Optics: long range
Battery: Li-ion 21700 – 5000 mAh
Recharging: 5V magnetic USB
Battery life at full power: 1.5–2 hours
CNC machined aircraft-grade aluminum
Abrasion-resistant hard anodizing
Water resistance: IPX6 (heavy rain/splash)
Recoil resistance (long guns)
Length: 145 mm
Head diameter: 42 mm
Weight with battery: 214 g



ATLAS
DEFENSE

Create your professional account at: <https://atlasdefense.fr/fr/>

TACTICAL LIGHTS



PREDATOR **900 lm + Green Laser**

Luminous flux: 900 lumens
Luminous intensity: 6000 cd
Beam range: up to 150 m
Beam angle: 17°

Beam type: focused (spot)
Illuminance: 6000 lux

Color temperature: 5700–7000 K

Battery life: 1.5 hours (high beam) 4.5 hours (standard beam)
Up to 45 hours / 120 hours depending on laser mode

Battery: 1 x 18650 – 2600 mAh (included)

Charging: Integrated USB

Material: Aluminum alloy

Shock resistance: 1 m

Waterproof rating: IP66

Dimensions: Ø35 mm × 144.5 mm

Weight: 178 g (with battery)

Mounting: Picatinny rail

Remote control: Picatinny / M-LOK



ATLAS
DEFENSE

Create your professional account at: <https://atlasdefense.fr/fr/>

TACTICAL LIGHT



JUGGERNAUT **1250 lm (Flash / Strobe)**

Luminous flux: 1250 lumens

Luminous intensity: 9000 cd

Beam range: up to 210 m

Beam angle: 14°

Beam type: focused (spot)

Illuminance: 9000 lux

Color temperature: 5700–7000 K

Modes: High / Strobe

Battery life: 1.75 h (high mode), up to 6.5 h (extended use)

Battery: 1 x 18650 – 2600 mAh (included)

Charging: Integrated USB

Material: Aluminum alloy

Shock resistance: 1 m

Waterproof rating: IP66

Dimensions: 30 x 136 mm

Weight: 176 g (with bracket)

Mounting: Rail Picatinny

Remote control: Picatinny / M-LOK



ATLAS
DEFENSE

Create your professional account at: <https://atlasdefense.fr/fr/>

CONTRACTOR WEAPON CASES

EXTRA LONG 130cm



2-3 LONG WEAPONS 112cm



2 WEAPONS 113cm



LONG WEAPONS 93cm



VERY LONG WEAPONS 122cm



4 HANDGUNS

IP67 Rated O-Ring
Impact and Chemical Resistant
Pressure Relief Valve
Pre-Cut Foam Interior Padding
Dual-Stage Compression Latches
Padlock Eyelets
Wheels and Handles
Stainless Steel Hinge Pins
Made of Fullerene and ABS19

Contact us for reseller pricing

ATLAS
DEFENSE

Submit your application at: <https://atlasdefense.fr/fr/>

SHOOTER WEAPON CASES



RIGID LIGHT LONG WEAPON 85cm



HANDGUN



RIGID LIGHTWEIGHT VERY LONG WEAPONS 120cm



RIGID LIGHTWEIGHT EXTRA LONG WEAPONS 130cm

Weight: 850g to 4.1kg
Operating temperature: -10°C /60°C
IP65 rated
Chemical resistance
Convuluted foam
Sliding latches

Contact us for reseller pricing



Submit your application at: <https://atlasdefense.fr/fr/>

CHEAP WEAPON CASES



80cm*24cm*7cm



80cm*28cm*7cm



95cm*24cm*7cm



98cm*28cm*7cm



116cm*20cm*7cm

Rifle Case: Quality and Protection at a Low Price
Padlockable Sliding Closures
Thick Honeycomb Foam
Rigid
Color: Black
Polypropylene Material
Weight: 2.2kg to 3.0kg

Contact us for reseller pricing



Submit your application at: <https://atlasdefense.fr/fr/>

SOFT CASES FOR WEAPONS



MULTICAM



OD GREEN



LIGHT GREY



GERMAN CAMO



GREY



DEEP BLUE



ACU



OCP



BLACK



TAUPE



ITALIAN CAMO



GREEN

Outer fabric: Cordura 600, ultra-resistant.
Color: Choice of colors.
Foam thickness: 1.5 cm on each side.
Interior dimensions: 98 cm x 32 cm x 5 cm.
Four magazine pockets measuring 22 x 7 cm.
One 10 x 10 cm Velcro patch.
Two-way zipper closure with lockable closure.

Contact us for reseller pricing



Submit your application at: <https://atlasdefense.fr/fr/>

SHOOTING KIT



ACTIVE EARMUFF WITH BALLISTIC GLASSES

SNR 27dB ATTENUATION
Sound amplification and noise reduction (SNR 27dB)
0.01s response time
Two omnidirectional microphones
Audio input jack
Ultra-thin shells
Omnidirectional microphone
Urban Ballistic Goggles
Dark Gray Polarized TAC Lens with Mirror Coating
Dark Gray Anti-Fog Polycarbonate Lens
Clear Anti-Fog Polycarbonate Lens
Yellow Anti-Fog Polycarbonate Lens
Hard carrying case, batteries included
Designed in Auvergne – made in China



ACTIVE BLUETOOTH EARMUFF WITH BALLISTIC GLASSES

SNR 27dB ATTENUATION
Padded and adjustable faux leather headband
Power supply: 2 AAA batteries (included) –
Battery life up to 600 hours at 30% volume
Sound amplification: up to 10 times surrounding noise

Sound-activated compression in 0.01s
2 high-sensitivity omnidirectional microphones
3.5mm audio input jack
Ultra-thin shells
Stend Up Ballistic Goggles
Polarized Dark Gray Polycarbonate Lens
Anti-fog Clear Polycarbonate Lens
Anti-fog Yellow Polycarbonate Lens
Hard carrying case, batteries included
Designed in Auvergne – made in China



PASSIVE EARMUFF WITH BALLISTIC GLASSES

SNR 27dB ATTENUATION
Mechanical hearing protection
Compact and foldable design
Snap-on ear cushions for easy replacement
Ultra-thin ear cups
Padded and adjustable headband
Designed in Auvergne – made in China

Contact us for reseller pricing



GEL EAR CUSHIONS FOR PROTECTIVE EARMUFF

2 gel ear cushions for Songuard hearing protection earmuffs, suitable for all passive, active, and Bluetooth models, washable.

ATLAS
DEFENSE

Submit your application at: <https://atlasdefense.fr/fr/>

ACTIVE EARMUFFS



SONGUARD ACTIVE EARMUFFS

SNR 27dB ATTENUATION

Padded and adjustable faux leather headband
Power supply: 2 AAA batteries (included) –
Battery life up to 600 hours at 30% volume
Sound amplification: up to 10 times ambient noise
Sound-activated compression in 0.01s
2 high-sensitivity omnidirectional microphones
3.5mm audio input jack
Ultra-thin ear cups
Snap-on foam ear cushions, gel option
Designed in Auvergne – made in China

SONGUARD ACTIVE BLUETOOTH EARMUFFS

SNR 27dB ATTENUATION

Padded and adjustable faux leather headband
Power supply: 2 AAA batteries (included) –
Battery life up to 600 hours at 30% volume
Sound amplification: up to 10 times ambient noise
Two sound and Bluetooth adjustment dials
Sound-activated compression in 0.01s
Two high-sensitivity omnidirectional microphones
3.5mm audio input jack
Ultra-thin ear cups
Snap-on foam ear cushions, gel option
Designed in Auvergne – made in China

COULEUR :



GEL EAR CUSHIONS FOR PROTECTIVE EARMUFFS

2 gel ear cushions for Songuard hearing protection headphones,
suitable for all passive, active, and Bluetooth models, washable.

Contact us for reseller pricing

ATLAS
DEFENSE

Submit your application at: <https://atlasdefense.fr/fr/>

BALLISTIC MASKS

AND GLASSES



Armored Ballistic Masks KIT:
Optimal Protection and
Compatibility with Tactical Helmets

Interchangeable Polycarbonate Lenses

Dark gray polarized lens,
clear anti-fog lens,
and yellow anti-fog lens



Ballistic Intervention Masks KIT:
Optimal Protection for Special Forces
in Operations

Interchangeable Polycarbonate Lenses

Black TPU Frame

Dark Gray Polarized Lens,
Clear Anti-Fog
and Yellow Anti-Fog



Autonomous Ballistic Glasses:
Maximum Protection for
Hostile Environments



Urban Ballistic Glasses KIT:
Protection and Versatility for Urban Combat

Interchangeable Polycarbonate Lenses

Dark gray polarized lens, clear anti-fog lens,
and yellow anti-fog lens



Versatile Ballistic Glasses KIT:
Versatility and Complete Protection

Black polycarbonate frame,
Dark Gray Polarized TAC anti-scratch lens,
anti-fog mirror, clear anti-fog
and high-contrast yellow anti-fog

Contact us for reseller pricing

All ballistic glasses and masks were designed in collaboration with, and for, emergency response units. They comply with STANAG 4926 and ANSI Z87.1 standards. Combat tested.

ATLAS
DEFENSE

Submit your application at: <https://atlasdefense.fr/fr/>

BALLISTIC GLASSES



BALLISTIC GLASSES KIT WITH 3 READY LENSES

**Black TPU frame,
Dark Gray Polarized lens,
clear anti-fog
and high-contrast yellow anti-fog**



Attacker Ballistic Glasses KIT: Superior Protection for Tactical Professionals

Interchangeable Polycarbonate Lenses

**Dark gray TAC polarized lens,
clear anti-fog lens, and
high-contrast yellow anti-fog lens**



Stand Up Ballistic Glasses Kit: Protection and Performance for High-Risk Environments

**Matte Black TR90 Frame,
Polarized Anti-Scratch Dark Gray Lens,
Anti-Fog Clear Lens
and High-Contrast Yellow Anti-Fog Lens**



Stand Up Ballistic Glasses Kit: Protection and Performance for High-Risk Environments

**Matte Black TR90 Frame,
Polarized Anti-Scratch Dark Gray Lens,
Anti-Fog Clear Lens
and High-Contrast Yellow Anti-Fog Lens**

Contact us for reseller pricing

All ballistic glasses and masks were designed in collaboration with, and for, emergency response units. They comply with STANAG 4926 and ANSI Z87.1 standards. Combat tested.

ATLAS
DEFENSE

Submit your application at: <https://atlasdefense.fr/fr/>

ATLAS

DEFENSE

Atlas Defense SAS

82 Boulevard de la République

63700 Saint Eloy les mines

France

SIRET: 925 403 057 00019

SIA : 23RS333062

 <https://atlasdefense.fr/>

 Atlas Defense France

 contact@atlasdefense.fr

