



INNOVATIVE ANTENNA

CHINMORE INDUSTRY CO., LTD.

新北市樹林區光武街30巷13號
No.13, Ln.30, Guangwu St., Shulin Dist.,
New Taipei City 238, Taiwan (R.O.C)
TEL: 886-2-8684-4946
FAX: 886-2-8684-2881
WEB: www.chinmore.com
EMAIL: service@chinmore.com.tw

2024



INDEX

Company Profile

Company Profile.....	P.1
Production / QC Equipment.....	P.2
Magnetic Mount Antennas.....	P.3~P.4
Magnetic / Screw Mount Antennas.....	P.5
FPC Antennas.....	P.6
Adhesive Mount Antennas.....	P.7~P.8
Combination / Single Antennas.....	P.9~P.13
GPS / GLONASS / GALILEO Antennas.....	P.13
GPS / GLONASS L1 / L2/ L5 Antennas.....	P.14
GPS/GLONASS/GALILEO Embedded Antennas.....	P.14
Marine Antennas.....	P.15~P.16
OMNI LTE Antennas.....	P.17
Rubber Stubby Antennas.....	P.18~P.19
RF Connectors.....	P.20~P.22
Cable Assemblies.....	P.22
Mini/Thin/Micro RF Coaxial Cables / Coaxial Cable Connectors.....	P.23
Cable Assemblies.....	P.24

● **Business type:**

Exporter
Manufacturer

● **Product Range:**

Antennas
Coaxial cable assemblies
RF connectors

● **Competitive advantages:**

Experienced R&D team
ODM/OEM capability
High production capacity
High reliability
Great reputation
Quality commitment

● **ODM/OEM Services provided:**

Number of R&D staff:10
Number of engineers :7

● **Certifications:**

CE
RoHS
ISO 9001:2008
ISO14001:2015



ISO 9001




ISO14001





Network Analyzers(VNA)



Test Chamber



QC Projector



CNC Precision Automatic Lathe




Product Assembly Line



Warehouse

OEM / ODM PROCESS



Magnetic Mount Antennas

Magnetic / Screw Mount Antennas




Model No. **M30**
3G / 2G



Model No. **NMO Antenna**
419 MHz



Model No. **M83**
27 MHz



Model No. **M35**
4G LTE / 3G / 2G
Mounting type: Magnetic mount



Model No. **M89**
5G / 4G LTE / 3G / 2G
Mounting type: Screw mount

FPC Antennas

Adhesive Mount Antennas



Model No. **C14** specification

■ Frequency:
850 /900 /1700 /1800 /
1900 /2100 MHz



Model No. **CH-183** specification

■ Frequency:
824~960 MHz / 1710~2170 MHz



Model No. **C70** specification

■ Frequency:
2.4 GHz



Model No. **C25** specification

■ Frequency:
800~960 MHz



Model No. **LTE-001** specification

■ Frequency:
700~960 MHz/ 1710~2170 MHz /
2600~2700 MHz



Model No. **LTE-002** specification

■ Frequency:
700~960 MHz/ 1710~2170 MHz /
2600~2700 MHz



Model No. **C09-1**



Model No. **C09-16**



Model No. **C09-2**



Model No. **C09-3**



Model No. **C09-5**

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency :
2G / 3G / 4G / 5G LTE
868MHz / 915MHz / 433MHz



Model No. **C11** Series

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency :
2G / 3G / 4G LTE



Model No. **C11S** Series

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency :
2G / 3G / 4G LTE



Model No. **C11SS** Series

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency :
2G / 3G / 4G LTE



Model No. **R36A** series
Mounting type : Screw mount



- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency
- ✓ Certificates : IP67




Model No. **R36F** series
Mounting type : Screw mount



- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency
- ✓ Certificates : IP67

Combination / Single Antennas

Combination / Single Antennas



Model No. **R30** series
Mounting type : Adhesive mount

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency



Model No. **R34** series
Mounting type : Magnetic mount

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency
- ✓ Certificates : IP67



Model No. **L39** series
Mounting type : Adhesive mount

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency



Model No. **T29** series
Mounting type : Adhesive mount

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency

Combination / Single Antennas

Combination / Single Antennas



Model No. **R40** series
Mounting type : Adhesive mount

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency



Model No. **R39** series
Mounting type : Screw mount

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency

GPS/ GLONASS/ GALILEO Antennas



Model No. **R62** series
Mounting type : Screw mount

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency




Model No. **GPS-01** series
Mounting type : Magnetic mount

- ✓ Customized Cable and Connector
- ✓ Certificates : IP67

GPS/GLONASS L1/L2/L5 Antennas

Marine Antennas



Model No. **R55** series
 Mounting type : Magnetic mount / Screw mount

- ✓ Customized Cable and Connector
- ✓ Option Antenna Frequency
- ✓ Certificates : IP67



Model No. **GPS L1/L2/L5**
specification

Frequency: 1575.42 MHz
 1227.6 MHz
 1176 MHz
 Dimension: 47.5 mm x 47.5 mm x 4 mm



Model No. **GPS L1/L2/L5**
specification


Frequency: 1575.42 MHz
 1227.6 MHz
 1176 MHz
 Dimension: 25 mm x 25 mm x 8 mm

GPS/ GLONASS/ GALILEO Embedded Antennas



Model No. **GA-056** *specification*

Frequency: 1575.42 MHz / 1602 MHz
 VSWR: 2.0:1
 Impedance: 50 Ω
 Gain: 25 dBi
 Dimension: 10 mm x 10 mm x 4 mm



Model No. **GPS / GLONASS**



VHF1
 158MHz

VHF2
 158MHz

GNSS+VHF
 158MHz



YG-23
VHF-158MHz



GPS-10
GNSS



GPS-05
GNSS IP68



MA-80 Series
LTE-5dB



YG-21
LTE-7dB

YG-28
LTE-7dB

Rubber Stubby Antennas

Rubber Stubby Antennas

GSM / CDMA / RFID / BLUETOOTH / WI MAX / 3G Antenna



W-231 L=56mm
 W-247 L=53.5mm
 W-275 L=79mm
 W-275B L=76mm
 W-79 L=89mm
 W-117 L=112mm



W-168 L=186mm
 W-117A(SMA) L=112mm
 W-117U(TNC) L=112mm
 W-304 L=184mm
 W-304D L=246mm

4G / LTE Antenna



EM-674 *specification*
 Frequency: 824-960/1710-2170/
 2600-2700 MHz
 L=201mm
 Connector: SMA M

EM-502 *specification*
 Frequency: 824-960/
 1710-2170-2700 MHz
 L=233mm
 Connector: SMA M

EM-500 *specification*
 Frequency: 824-960/
 1710-2170-2700 MHz
 L=173mm
 Connector: SMA M

WIFI Antenna



EM-673 *specification*
 Frequency: 2.4G/5.8G
 L=115mm
 Connector: RP SMA M

EM-501 *specification*
 Frequency: 2.4G/5.8G
 L=173mm
 Connector: RP SMA M



EM-586 *specification*
 Frequency: 2.4G/5.8G
 L=108mm
 Connector: RP SMA M

EM-607 *specification*
 Frequency: 2.4G/5.8G
 L=76.5mm
 Connector: RP SMA M

EM-614 *specification*
 Frequency: 2.4G
 Gain=7dBi

RF Connectors

RF Connectors



BNC F



BNC M



FAKRA C



FAKRA D



FME F



FME M



SMA F



SMA M



MCX F



MCX M



SMB F



SMB M

RF Connectors


Mini/Thin/Micro RF Coaxial Cables Coaxial Cable Connectors



TNC F



TNC M



U.FL



H.FL

Cable Assemblies

CONNECTOR


CABLE

CONNECTOR


- SMA-MALE(RA/RP)
- SMA-FEMALE(RA/RP)
- SMB-MALE
- SMB-FEMALE(RA/BH)
- SMC-MALE(RA)
- SMC-FEMALE(BH)
- FME-MALE(BH)
- FME-FEMALE(RA)
- N-MALE
- N-FEMALE(BH)
- F-MALE
- F-FEMALE
- TNC-MALE(RA)
- TNC-FEMALE(BH)
- MCX-MALE(RA)
- MCX-FEMALE(RA)
- MMCX-MALE(RA)
- MMCX-FEMALE(RA)
- FAKRA series
- U.FL
- H.FL
- W.FL
- .
- .
- etc

- RG174
- RG178
- RG316
- RG58
- MR100
- MR195
- MR200
- MR240
- MR400
- cable 1.13
- cable 1.32
- cable 1.37
- cable 1.48
- .
- .
- .
- .
- .
- .
- .
- .
- etc

- SMA-MALE(RA/RP)
- SMA-FEMALE(RA/RP)
- SMB-MALE
- SMB-FEMALE(RA/BH)
- SMC-MALE(RA)
- SMC-FEMALE(BH)
- FME-MALE(BH)
- FME-FEMALE(RA)
- N-MALE
- N-FEMALE(BH)
- F-MALE
- F-FEMALE
- TNC-MALE(RA)
- TNC-FEMALE(BH)
- MCX-MALE(RA)
- MCX-FEMALE(RA)
- MMCX-MALE(RA)
- MMCX-FEMALE(RA)
- FAKRA series
- U.FL
- H.FL
- W.FL
- .
- .
- etc



W.FL



I.PX

Difference cable assembly available as per request.

