


ACB-A


Material	Galvanized Steel
Color	RAL9002 / Pantone 7534C
Finish	Epoxy Polyster Powder
Accessories	8x80mm Lag Screw (6) 10mm Concrete Anchor (6) 1" Bolt (4) Clip Nut (4) Rubber Mount (4)



Code	HxWxL (mm)	Thickness (mm)	Load (kg)
ACB-A01	450x560x850	2	200
ACB-A02	450x600x850	2	200

ACB-B


Material	Cold Press Steel / Galvanized Steel	
Color	RAL9016	
Finish	Epoxy Polyster Powder	
Accessories	Plastic anchor bolts (5) Wood screw M8*65 (5) Metal washer M8 (5) Bolt M8*25 (4) Metal Washer M8 (4)	Nut M8*30 (4) Rubber mat (4) Adjustive screws (2) Connecting screws (2) Spirit level (1)



Code	HxWxL (mm)	Thickness (mm)	Load (kg)
ACB-B01	350x420x800	1.5	150
ACB-B02	350x450x800	1.5	150
ACB-B07	375x420x800	1.5	150
ACB-B08	375x460x800	1.5	180
ACB-B03	375x550x800	1.5	180
ACB-B09	390x420x800	1.5	180
ACB-B04	350x420x800	1.8	180
ACB-B05	350x450x800	1.8	180
ACB-B06	350x550x800	1.8	180
ACB-B10	375x420x800	1.8	180
ACB-B11	390x550x800	1.8	180
ACB-B12	450x550x800	1.8	180
ACB-B13	375x420x800	2.0	200
ACB-B14	390x550x800	2.0	200
ACB-B15	450x550x800	2.0	200

ACB-C

Material	Cold Press Steel / Galvanized Steel
Color	RAL9016
Finish	Epoxy Polyster Powder
Accessories	Expansion bolts (4) Rubber mat (4) Bolts, nuts and washers



Code	HxWxL (mm)	Thickness (mm)	Load (kg)
ACB-C01	390x450x50	1.5	150
ACB-C02	390x500x50	1.5	150
ACB-C03	400x500x50	1.5	180
ACB-C04	390x450x50	1.8	180
ACB-C05	390x550x50	1.8	180
ACB-C06	450x550x50	1.8	180
ACB-C07	450x500x50	2.0	200
ACB-C08	450x550x50	2.0	200

ACB-D


Material	Cold Press Steel / Galvanized Steel
Color	Ivory
Finish	Epoxy Polyster Powder
Accessories	Anti-vibrator SG40



Code	HxW (mm)	Thickness (mm)	Load (kg)
ACB-D01	400x250	2	200
ACB-D02	460x250	2	200

ACB-E


Material	Cold Press Steel / Galvanized Steel
Color	RAL1013, RAL9002
Finish	Epoxy Powder
Accessories (optional)	Expansion bolts Bolts, nuts and washers



Code	HxWxL (mm)	Thickness (mm)	Load (kg)
ACB-E01	500x400x60	2	200
ACB-E02	500x450x60	2	200
ACB-E03	500x500x60	2	200
ACB-E04	500x600x60	2	200
ACB-E05	1000x600x60	1.5	150
ACB-E06	500x400x50	1.5	150
ACB-E07	500x450x50	1.5	150
ACB-E08	500x500x50	1.5	150
ACB-E09	500x600x50	1.5	150
ACB-G01	500x400x60	1.5	150
ACB-G02	500x450x60	1.5	150
ACB-G03	500x500x60	1.5	150
ACB-G04	500x600x60	1.8	180

ACB-F


Material	Cold Press Steel / Galvanized Steel
Color	RAL1013, RAL9002
Finish	Epoxy Powder
Accessories (optional)	Expansion bolts Bolts, nuts and washers



Code	HxWxL (mm)	Thickness (mm)	Load (kg)
ACB-F01	500x400x60	1.5	150
ACB-F02	500x450x60	1.5	150
ACB-F03	500x500x60	1.5	150
ACB-F04	500x600x60	1.8	180
ACB-F05	1000x600x60	3	300
ACB-F201	500x400x50	1.5	150
ACB-F202	500x450x50	1.5	150
ACB-F203	500x500x50	1.5	150
ACB-F204	500x600x50	1.8	180

ACB-J


Material	Cold Press Steel / Galvanized Steel
Accessories	Bolts Nuts Metal washer Rubber pads (4)



Code	HxWxL (mm)	Load (kg)
ACB-J01	380x400x850	100
ACB-J02	480x400x850	100
ACB-J03	550x420x1000	200
ACB-J04	600x500x1000	200

ACB-H

Material	Cold Press Steel / Galvanized Steel
Color	RAL9016
Finish	Epoxy Polyster Powder
Accessories	Expansion bolts (4) Rubber mat (4) Bolts, nuts and washers



Code	HxWxL (mm)	Thickness (mm)	Load (kg)
ACB-C01	410x450x1.5mm	1.5	120
ACB-C02	410x450x1.8mm	1.5	150
ACB-C03	410x450x2mm	2	180

ADJUSTABLE ROOF MOUNT BRACKET

Material	Cold Press Steel / Galvanized Steel
Color	RAL9002
Finish	Epoxy Polyester Powder
Accessories	Bolts, nuts and washers Rubber Pads (4) Spirit level (1)


Adjusted angle (degrees) 20-35



Code	HxWxL (mm)	Thickness (mm)	Load (kg)
21CF741	250x450x800	1.8	150-200

ACR-A

Applicable Scope	7500Btu-24000Btu A/C
Load per Kit (kg)	150



Code	A	B	C	D	E	F	G	H	I	J	K
ACR-A	95	47	16	47	41	40	32	35	30	8	20

ACR-B

Applicable Scope	7500Btu-24000Btu A/C
------------------	----------------------

Code	Size (mm)	Load per kit (kg)
ACR-B01	105x45x75	120
ACR-B02	105x45x100	150



ACR-C

Applicable Scope	7500Btu-24000Btu A/C
------------------	----------------------

Code	Size (mm)	Load (kg)
ACR-C01	100x57x50	150



ACR-D

Applicable Scope	7500Btu-24000Btu A/C
Load per Kit (kg)	200

Code	Size (mm)	Color
ACR-D01	DIA100x90	black
ACR-D02	DIA100x90	white



ACR-E

Material	Polypropylene
Color	Ivory
Accessories (optional)	Anti-slip EVA tape Bolts and Nuts

Code	Size (mm)	Load per kit (kg)
ACR-E01	100x100x90	200



FLOOR SUPPORT-1

Material	PVC
Color	Ivory
Accessories (optional)	Screws M10*32 (2) Nuts M10 (2) Washers M10 (2) Rubber or Foam Tape



Code	Length (mm)	Color	Load (kg)
22CF101	350	Black	300
22CF102	450	Black	300
22CF103	1000	Black	300
22CF104	350	Ivory	300
22CF105	450	Ivory	300
22CF106	1000	Ivory	300



FLOOR SUPPORT-2B

Light weight, anti vibration and easy installation



Code	Size (mm)	Color	Load (kg)
22CF202B	450*75*120	Ivory	140

FLOOR SUPPORT-3

Light weight, anti vibration and easy installation



Code	Length (mm)	Color	Load (kg)
22CF301	350	black	140
22CF302	450	black	140
22CF303	1000	black	140
22CF304	350	ivory	140
22CF305	450	ivory	140
22CF306	1000	ivory	140

FLOOR SUPPORT-4A



Code	Length (mm)	Load (kg)	Accessories
22CF401A	250x130x50	200	screw kits x2
22CF402A	400x130x50	200	screw kits x4

FLOOR SUPPORT-4C

- Designed to provide a stable and secure base for A/C equipments
- With aluminum profile. Install with steel fixing screws and spirit levels



Code	Size(mm)	Load (kg)	Accessories
22CF401C	250x180x95	200	screw kits x2
22CF402C	400x180x95	250	screw kits x4
22CF403C	600x180x95	250	screw kits x4
22CF404C	1000x180x95	300	screw kits x4

FLOOR SUPPORT-4D



Code	AxBxCxD(mm)	Weight (kg/kit)	Load per kit (kg)	pcs per kit	Accessories
22CF401D	250x163x98x210	4.87	220	2	screw kits x2
22CF402D	400x163x98x360	7.33	320	2	screw kits x4
22CF403D	450x163x98x410	8.21	350	2	screw kits x4
22CF404D	500x163x98x460	9.1	380	2	screw kits x4
22CF405D	600x163x98x560	10.86	500	2	screw kits x4
22CF406D	1000x163x98x960	17.93	800	2	screw kits x4

CONDENSER PAD - DURAPAD



- DURA PAD is made from polypropylene, ensuring lightweight and durable
- Engineered with uniform and honeycomb ribbing for level loading, optimum strength and self-leveling ground support
- Unaffected by UV exposure or extreme outdoor temperature
- Environmental friendly, made from 98% recycled plastic
- Tested per ASTM D2299 with refrigerants, synthetic canine urine, compressor oil or salt solution.
- Drillable, making the pad easily secured with equipment in neccessary cases


Code	Size(inch)	Weight(kg)	Max. Load(lb)
EP-01	18x38x3	3.8	1500
EP-02	24x24x3	3.4	1530
EP-03	30x30x3	5.3	1580
EP-04	32x32x3	6.0	1730
EP-05	36x36x3	7.3	1800

ANTI-VIBRATOR

Anti-vibrators in AC installation minimize vibrations and noise generated by the compressor and other moving parts, ensuring smoother operation and extending the lifespan of the system. They also protect surrounding structures and components from potential damage caused by continuous vibrations. 4 pieces in one kit.


AG35

Code	Size (mm)	Load per kit (kg)
51CF101	35x25 M8	100
51CF101S	40x20 M8	50




AG45

Code	Size (mm)	Load per kit (kg)
51CF102	45x30 M8	150
51CF102S	40x20 M8	80




SG40

Code	Size (mm)	Load per kit (kg)
51CF201	48x40 M8	100




SG60

Code	Size (mm)	Load per kit (kg)
51CF301	56x52 M10	150




AA30

Code	Size (mm)	Load per kit (kg)
51CF401	30x20 M8	90




AA40

Code	Size (mm)	Load per kit (kg)
51CF402	40x40 M8	150
51CF403	40x30 M8	150




S26/S30

Code	Size (mm)	Load per kit (kg)
51CF501	35x20 M8	150
51CF502	40x40 M8	150



AT


Code	Size (mm)	Load per kit (kg)
51CF601	30x30 M8	100



RUBBER/CORK ANTI-VIBRATION PAD

- Ideal for air conditioners, compressors, cooling towers, presses, machines, etc..
- High-quality elastomeric oil resistant padding.
- The cork is laminated between two corrugated pads.

Code	Size(mm)
22CF501	50x50x22.3 (2")
22CF502	75x75x22.3 (3")
22CF503	100x100x22.3 (4")
22CF504	150x150x22.3 (6")
22CF505	300x300x22.3 (12")
22CF506	450x450x22.3 (18")



EVA ANTI-VIBRATION PAD

- Tested against other pads at four different vibration settings
- Oil resistant and chemical resistant
- Much more effective at vibration dampening than solid rubber

Code	Size(mm)
22CF601	50x50x22.3 (2")
22CF602	75x75x22.3 (3")
22CF603	100x100x22.3 (4")
22CF604	150x150x22.3 (6")
22CF605	300x300x22.3 (12")
22CF606	450x450x22.3 (18")

