

Mobile marking devices for diverse use.




-

0

0

MOBILE MARKING TECHNOLOGY







New technologies, as well as modern production systems, 1913, the family-owned permit economic and highly precise production.

1111

administration, and banks!









YOUR CHOICE, YOUR INDIVIDUAL SOLUTION ...





There is an industrywide demand for functional marking solutions. They are needed to comply with laws or internal specifications, to permit tracking, or to monitor serial production. The handy REINER marking devices are characterised by their diverse usage options and long service lives. The print images can be easily made to individual requirements. They are smear-resistant and will adhere to many different surfaces. Data transfer is possible through various systems.

PRINTABLE MATERIALS

 \bigcirc

6 |

ABSORBENT **SURFACES**

Due to the REINER ink quality, very durable print images can be created on absorbent surfaces, such as wood, paper, pallets, or cardboard. The marking always remains optimally legible and thereby ensures smooth processes.

Beyond that, there is no longer any need for the elaborate use of labels. Printing protects the environment.

No smearing, no detachment. REINER marking devices produce good results on non-absorbent surfaces, such as glass, plastics, or metal.

NON-

ABSORBENT

SURFACES

The print images are made in the highest quality and adhere permanently - even if the external influences are detrimental. Inks are also available to match any task at hand: black for light- and yellow for dark-coloured surfaces, as well as UV ink for invisible imprints.

THE REINER INKS

REINER inkjet printing cartridges have an high yield. They produce perfect print images and are suitable for the application areas of wood, paper, cardboard, metal and plastic, as well as glass. An UV version is available. The cartridges can be replaced in a few simple steps.

> Are you looking for the matching cartridge for your device? The printing cartridge finder will help you at once: www.reiner.de/ink

Would you like a sample print on your product? Contact you dealer www.reiner.de/representation


WHAT TO PRINT

T⊡ ∎■■3

The REINER marking devices make it easy to produce desired and required imprints with great freedom of design. The inkjet create imprints in resolutions of up to 300 dpi.

This permits a near-unlimited imprint range in the highest quality - even machine-readable.

1D CODE





WHICH INDUSTRIES BENEFIT



8 |

ging industry, product marking, labelling of construction parts, further downstream in producdocument marking, print images tion, and the more quickly logison plastics, integration in pro- tics will be able to act efficientpallets, or marking onto stainneeded easy marking solutions.

Cardboard marking in the packa- The simpler printing on the marking is, the less time is needed duction lines, logo printing on ly, quickly and without defects.

less steels – nearly all industry Direct printing with the REINER marking devices will noticeably simplify your work processes.

- Mobile at the workplaces where they are needed, thanks to high-performance rechargeable batteries.
- For optimal printing results thanks to high-guality ink.
- No extensive training needed thanks to intuitive handling.

INBOUND GOODS OUTBOUND GOODS

WHICH SYSTEMS CAN BE USED FOR PRINTING ...



The PCset graphic software was developed for REINER

products and is enclosed free of charge. It is intuitive to use and easy to operate.

PC-SET

GRAPHIC

Set out right away without any great configuration effort. Create your desired print images in the blink of an eye.

EXCEL

GOODS MARKING


DOCUMENT MANAGEMENT

PRODUCTION

ADMINISTRATION

LOGISTICS

WORD



The mobile REINER printers

have an integrated interface

to permit transfer of Word

contents, such as serial print

data, by direct printing.

Mark your products easily X with data previously created

plates? REINER permits simple data transfer and direct printing from Excel (in some cases, installation of Excel add-ins will be necessary).

Do you use Excel to

create marking tem-

You can create numbers, letters, 1D and 2D codes in Excel and print them on easily.



MOBILE-SET GRAPHIC



The free app permits the creation of print images and texts, as well as

transfer to the jetStamp[®] 1025, jetStamp[®] graphic 970 and REINER 940 marking devices via an Android Smartphone.

Load the images right from your files, enjoy the ability to enter texts freely, and comfortably adjust the desired print sizes.

LABEL **SOFTWARE**



The enclosed Windows printer driver will install the mo-

bile *jetStamp*[®] inkjet printer as a "normal" printer in your system environment.

Continue working with the label software you have always used. All existing templates can be used and easily sent to the marking device.

ERP/WWS SYSTEMS



The network-capable, mobile REINER inkjet printers can be easily integrated into existing ERP or

goods management systems. They only need to have their programming custom-expanded.



Then the desired data can be transferred without delay. Processes and

demand planning ensured by ERP or WWS are preserved.

REINER MARKING SYSTEMS FOR ANY APPLICATION ...

Are you looking for the device to match your demand?

to meet your requirements.

Marking device	Impi				Material			Print size	Print colour	Data transfer	Prints from	m				Storable print images	Power supply	Dis- play	Druck- resolution
	Numbers, date, time, text	1D sequential and 2D print, graphics capable	Sequential 1D and 2D print, graphics capable	Measuring results (sense objects)	Paper, cardboard, wood, stone/ Brick, fabric/ textiles	Metal, plastics	Glass				REINER software PCset/PCset easy/ PCset graphic	MOBILEset graphic APP	Word, Excel	Label software	ERP systems such as Oracle, Microsoft Dyna- mics, Lexware				
jetStamp® 1025	•	•			•		-	Multiple lines Height: max. 25mm Width: max. 85mm	Black Yellow	USB, Bluetooth, WiFi/WLAN	•	•			-	255	Recharge- able battery (approx. 1,000 im- prints)	•	300 dpi
jetStamp® 1025 sens	•	•			•		-	Multiple lines Height: max. 25mm Width: max. 85mm	Black Yellow	USB, Bluetooth, WiFi/WLAN, V24/RS232	•	•			•	255	Recharge- able battery (approx. 1,000 im- prints)	•	300 dpi
jetStamp® graphic 970							-	Multiple lines Height: max. 12.7 mm Width: max. 65 mm	Black Red UV	USB, Bluetooth, WiFi/WLAN	•					4	Recharge- able battery (approx. 1,000 im- prints)		300 dpi
jetStamp® 990	ŀ				•	-	-	2-lines, 20 characters per line Height: max. 3.2 mm Width: max. 42 mm	Black Red Yellow	USB, Bluetooth, WiFi/WLAN	-					25	Recharge- able battery (approx. 500 imprints)	•	96 dpi
REINER 940	•	•			•		-	Multiple lines Height: max. 12.7 mm Width: max. 140 mm	Black Red UV	USB, Bluetooth, WiFi/WLAN	•				-	4	Recharge- able battery (approx. 1,000 im- prints)		300 dpi
speed-i-jet 798	•							1-line Height: max. 3.2 mm Width: 40 characters	Black	USB	•					1	Recharge- able battery (approx. 1,000 im- prints)		96 dpi





| 11

 100% mobile Large imprint area Ideal for small and large objects Display-guided operation Large imprint storage
 Same model as the jetStamp 1025, but expanded by a connection for sensors Different measuring tasks with a single measuring device Available sensors: 1D/2D code reader, temperature, room-air quality, moisture, barometer, altimeter
 Ideal for medium to small imprint areas Diverse imprint options Lightweight device The station places the device well and securely stored Quick print image change
 Ideal for small areas Prints on curved and irregular surfaces Operator-friendly Beginners' model Fast imprint
 Ideal for large and curved surfaces Long imprint area 100% mobile and stationary marking Imprint by pulling motion Suitable for left- and right-handed users
 Handy pocket format 100% mobile User-friendly Easy handling Suitable for left- and right-handed users

Features

jetStamp® 1025 MEASURED VALUE DOCUMENTATION ALL-IN-ONE



12 |

.

0

•

The large one: The mobile marking device *jetStamp*® 1025 is the ideal solution for printing on large areas, such as pallets, cardboard or packaging.

Entirely without cables or a fixed location, the *jetStamp*® 1025 can be used where it is needed. Integrated capping to seal the print head keeps ink from drying out even with longer breaks between uses.

The *jetStamp*[®] 1025 makes work easier in many ways. The integrated display shows the set print image easily legible at all times.

The print images can be transferred to the mobile marking device by Bluetooth or USB.


With its integrated multi-triggering, placed both on the side and at the centre of the handle, the device can be handled ergonomically and comfortably. The *jetStamp*[®] 1025 prints date, time, texts, numbers, graphics, sequential 1D and 2D codes, multiline imprints

- 100% mobile
- Large imprint area
- Ideal for small and large objects
- Display-guided operation
- Large imprint memory



Technical details

Dimensions (L x W x H):	194 x 200 x 98 mm
Weight:	approx. 950 g
Printing technology:	Inkjet
Max. imprint size (W x H):	85 x 25 mm
Max. print speed:	< 0.9 s/imprint
Print resolution:	300 dpi
Battery capacity:	up to 1,000 imprints
Order number:	1030 000-000 <i>jetStamp</i> For the matching accessories a









| 13



Video *jetStamp*® 1025

[®] 1025 incl. case + ink P5-S-BK nd ink, see page 24 and following.

jetStamp[®] 1025 sense

MEASURED VALUE DOCUMEN-TATION FROM A SINGLE SOURCE



The "sense" makes the difference! In addition to the *jetStamp*® 1025 basic model, REINER is offering an extra device solution for mobile measuring tasks and their immediate documentation by direct printing.

The *jetStamp*® 1025 sense model offers maximal flexibility in documenting measured values. The model requires no additional external measuring devices. The desired sensor (temperature, weight, room-air quality, humidity, etc.) is connected directly to the device. This makes the *jetStamp*® 1025 sense a closed measuring device with integrated printer.

The recorded measured value can be printed on documents and other surfaces directly and repeatably at the measuring site.

1


The *jetStamp*[®] 1025 sense prints measuring results (sense objects) date, time, texts, numbers, figures, sequential 1D and 2D codes, multiline imprints

- Different measuring tasks with a single measuring device
- Available sensors: 1D/2D code reader, temperature, weight, room-air quality, humidity, barometer, altimeter, etc.



Technical details

Dimensions (L x W x H):	194 x 200 x 98 mm
Weight:	approx. 950 g
Printing technology:	Inkjet
Max. imprint size (W x H):	85 x 25 mm
Max. print speed:	< 0.9 s/imprint
Print resolution:	300 dpi
Battery capacity:	up to 1,000 imprints
Order number:	1030 000-000 <i>jetStamp</i> For the matching accessories a









| 15



Video *jetStamp*® 1025

[®] sense 1025 incl. case + ink P5-S-BK nd ink, see page 24 and following.

jetStamp graphic 970 THE HANDY PRO



Handy and easy to program – the *jetStamp® graphic* 970 is an inkjet printer that marks documents or products easily and quickly, and at the highest print quality.

The specially developed MP-ink permits printing on different materials for perfect, machinereadable marking. The device is sealed in the station to prevent the ink from drying out during longer work breaks. Its mobility makes it possible to integrate the *jetStamp® graphic* 970 in the process chain just where it is needed.

The required print images can be created quickly and easily at the computer and transferred by USB or Bluetooth.


A memory option for up to four imprints that can be switched easily via a setting wheel optimises work steps and saves working time. The *jetStamp*[®] *graphic* 970 prints dates, times, texts, numbers, graphics, sequential 1D codes and 2D codes, multiline imprints

- For medium and small imprint areas
- Diverse imprint options
- Lightweight device
- The device is securely stored and placed well by the station
- Quick print image change



Technical details

Dimensions (L x W x H):	140 x 160 x 85 mm Base
Weight:	approx. 520 g
Printing technology:	Inkjet
Max. imprint size (W x H):	65 x 12.7 mm
Max. print speed:	< 1 s/imprint
Print resolution:	300 dpi
Battery capacity:	up to 1,000 imprints
Order number:	970 000-000 <i>jetStamp®</i> For the matching accessories ar



16 |









e station 155 x 140 x 30 mm



Video jetStamp® graphic 970

graphic 970 incl. case + ink P3-S-BK nd ink, see page 24 and following.

jetStamp[®] 990 THE QUICK AND HANDY ONE



The REINER jetStamp[®] 990 is characterised by rapid speed and particularly handy use thanks to its compact size.

The smallest device from the *jetStamp*[®] family permits quick and simple markings on any smooth or irregular surface. Like its bigger siblings, the inkjet printer is characterised by optimal integration options:

jetStamp 990

it can be used mobile at the respective workplace integrated into the production line.

The robust jetStamp® 990 MP offers perfect flexibility with its memory options. Up to 25 customised texts or special functions can be stored in the device. Five of these slots are filled with pre-set example images at delivery.

The integrated LC display shows the set print image easily legible at all times in order to prevent marking errors.

0

The jetStamp® 990 prints date, time, texts, numbers, one- and two-line imprints

- Ideal for small areas
- Also prints on curved surfaces
- User-friendly
- Starting model
- Quick imprint



Dimensions (L x W x H):	105 x 85 x 160 mm Base
Weight:	approx. 520 g
Printing technology:	Inkjet
Max. imprint size (W x H):	2 lines, each 42 x 3.2 mm
Max. print speed:	< 1 s/imprint
Print resolution:	96 dpi
Battery capacity:	up to 1,000 imprints
Order number:	990 000-000 <i>jetStamp</i> ® 9

Technical details












station 120 x 145 x 35 mm

990 incl. case + ink P1-S-BK

d ink, see page 24 and following.



REINER 940 EVEN IF IT IS ROUND

• REINER 940 •

Made in GERMAN

Quick and weighing only 530 g: The REINER 940 is a mobile inkjet printer that marks products and packaging easily and in the blink of an eye.

The rechargeable battery permits up to 1,000 imprints per charge, wirelessly and not bound to any one location. The device stores up to four print images that can be switched easily with a setting wheel. Marking takes place by rolling the REINER 940 over the surface and is even possible contact-free.

Clever: Since different hand movement speeds prevent perfectly even work, integrated sensors regulate ink supply for perfect machine-readable marking.

Integrated capping to seal the print head keeps ink from drying out even with longer breaks between uses.

0=0

The REINER 940 prints date, time, texts, numbers, graphics, sequential 1D codes and 2D codes, multiline imprints

- Ideal for large and curved surfaces
- Long imprint area
- Mobile or stationary marking
- Imprint also possible by pulling motion
- Suitable for left- and right-handed users



Technical details

Dimensions (L x W x H):	47 x 147 x 221 mm
Weight:	approx. 530 g
Printing technology:	Inkjet
Max. imprint size (W x H):	140 x 12.7 mm
Max. print speed:	400 mm/s
Print resolution:	300 dpi
Battery capacity:	up to 1,000 imprints
Order number:	940 000-000 REINER 94 For the matching accessories a







C Sty FORESTRY COMMISSION

speed-i-Jet 798 THE LITTLE FAST ONE

Complete independence: The *speed*-i-Jet 798 is the handy marking solution for mobile printing of custom texts, sequential numbers, date, and time.

The print image can be created easily on the computer before use and transmitted via USB.

ed-i-Jet 798

REUNIER

Absorbent and even irregular surfaces can be marked directly and individually.

The handy pocket format fits into any work clothing.

Clever: In spite of different hand motion speeds, all the print images will appear in optimal quality.

The *speed*-i-Jet 798 is easy to operate: Simply pull it across the surfaces


to be printed on and push the red button. Done!

The *speed*-i-Jet 798 prints date, time, texts, numbers, imprints in one line

- Handy pocket format
- 100% mobile
- User-friendly
- Simple handling
- Suitable for left- and right-handed users



Technical details	
Dimensions (L x W x H):	173 x 32 x 43 m
Weight:	approx. 125 g
Printing technology:	Inkjet
Number height:	3.2 mm
Max. imprint size:	40 characters, in
Print resolution:	96 dpi
Battery capacity:	up to 1,000 imp
Order number:	798 000-000 <i>s</i> For the matching ac





R





mm

in one line

prints

speed-i-Jet 798 + ink P1-S-BK accessories and ink, see page 24 and following.



Video *speed*-i-Jet 798

THE MATCHING INK FOR YOUR USE ...

When material

matters REINER offers high-quality inks matching the surface of the material to be marked: light inks for dark surfaces, dark inks for light surfaces, and UV ink that is only visible under UV light.



	Marking device		Colour	Designation	Material	Item no.
			Black	P5-S-BK	Paper, cardboard, wood	1037 100-000
jetStamp® 1025		1945 1945 1947 1947	Black	P5-MP3-BK	Paper, cardboard, wood, metal, plastic	1037 100-120
<i>jetStamp</i> ® 1025 sense			Black	P5-MP4-BK	Paper, cardboard, wood, metal, plastic, glass	1037 100-130
			Vellow	P5-MP6-YE	Paper, cardboard, wood, metal, plastic, glass	1037 100-140
			Black	РЗ-Ѕ-ВК	Paper, cardboard, wood	947 100-000
jetStamp® graphic 970		RENUT Vidnaj	Black	P3-MP3-BK	Paper, cardboard, wood, metal, plastic	947 100-120
REINER 940			Black	P3-MP4-BK	Paper, cardboard, wood, metal, plastic, glass	947 100-130
			U V	P3-MP5-UV	Paper, cardboard, wood, metal, plastic, glass	947 100-140
			Black	P1-S-BK	Paper, cardboard, wood	801 307-000
			Red	P1-S-RD	Paper, cardboard, wood	801 307-050
jetStamp® 990			Black	P1-MP4-BK	Paper, cardboard, wood, metal, plastic, glass	791 060-030
			Black	P1-MP3-BK	Paper, cardboard, wood, metal, plastic	791060-020
			Yellow	P1-MP6-YE	Paper, cardboard, wood, metal, plastic, glass	791 060-040
	1		Black	Р1-Ѕ-ВК	Paper, cardboard, wood	801 307-000
speed-i-Jet 798			Red	P1-S-RD	Paper, cardboard, wood	801 307-050



WELL EQUIPPED WITH THE RIGHT ACCESSORIES ...

Would you like

a little more? Using the matching REINER accessories permits precise adjustment of the mobile marking devices to their areas of use. The "small and large helpers" facilitate and secure repeating work processes and support ergonomic workplace design.

Marking device		Case	Indicator of print position	Pedal	Push-on templates	Protective sleeve	Automatic prin- ting station	Ink tray	Holder	Sensor 1D/2D code reader	Sensor climate	Sensor temperature (IR) button	Sensor temperature (IR) cable	Sensor measuring equipment V24/RS232
									W			0		
		and storage	Consistent imprint on small or curved surfaces	External triggering of prints by foot (hand)	Supports printing of small parts and flexible materials	Protects the device from impact, dust and dirt	Stationary printing station at the workplace	Optimises special and sensitive print images	Device holder for attaching the device at the workplace	Optical reading and decoding unit	Measurement of tempera- ture, barometric pressure humidity, altitude above sea level, CO ₂ content		Sensor for measuring temperature even in hard-to-reach loca- tions	Compatible with any measuring equip- ment via a V24/ RS232 connection
		•	•	•	•	•	•	-	-					
jetStamp® 1025	Item no.	1037 010-100	1037 210-000	381050-005	1037 240-000	1037 260-000	1037 300-000	1037 230-000	1037 270-000					
		-	•	•	•	•	•	•	•	•	•	•	•	•
<i>jetStamp</i> ® 1025 sense	Item no.									1037 520-000	1037 280-300	1037 270-000	1037 280-000	1037540-000
		-	-	-					•					
jetStamp® graphic 970	Item no.	1037 010-100	1037 210-000	381 050-030					1037 270-000					
		-	-	-					-					
jetStamp® 990	Item no.	1037 010-100	1037 210-000	381050-005					1037 270-000					
1		•												
REINER 940	Item no.	1037 010-100												
speed-i-jet 798	Item no.													











																Er	nst	t R	ein	er (imt	H 8	Co	. K	G						
																Ba	aun	nar	inst	ral	se :	16								2022	
																78	12		lint	wa	nac	n	Ge	rma	nv					07.2	
																														_	
																Ph	lor	ie:	+49	<u>7</u>	723	65	7-0							erved	
																Cro	inc	~ () r a i		- do									esei	
)rei											es r	
																W	ww	.re	ine	r.de	2									changes	
																														chnical	
																														echr	
																															_
																														2022-0144	
																														-0- 2	
																														202	
																														5	
																														76230-001	
																														623	