



PATCHBOX

Setup.exe
/dev/mount
Patchcatch
Solo (24 Pack)

PATCHBOX® Setup.exe

The Setup.exe enables one technician to do the job of two. The Setup.exe secures the weight of equipment, such as switches, in server and network racks until they are securely screwed in. Mounted inside out of a rack the Setup.exe creates the ideal workspace to place a laptop during configuration or terminating a patch panel. Suitable for threaded holes as well as squared punched holes in 19" racks.

Technical Specification

Dimension Folded

465mm x 53.5mm x 45mm WxDxH

Materials

Aluminium, stainless steel, powder coated steel

Gross Weight

0.83kg

Max. load weight

50kg (110lbs)

Packaging Dimensions

510mm x 600mm x 55mm WxDxH

HS-Code

8205 5980



Items included

- 1x Setup.exe
- 1x Threaded holes adapter
- 1x Squared holes adapter

Product Code

PBXEXE2

YEARS OF
WARRANTY

LIFETIME

MADE
IN

CHINA

PATCHBOX® /dev/mount

The /dev/mount is the fastest solution replacing conventional cage nuts used in server and network racks. Its faster mounting capabilities increases productivity of mounting 19" equipment. The /dev/mount holds equipment securely in place before the nuts are fastened, making hardware mounting a faster and more secure task.

Technical Specification

Profile

Spring steel / aluminium

Weight

1.33kg

Packaging Dimensions

235mm x 155mm x 70mm WxDxH

HS-Code

7318 1900



Compatibility with 19" rails

The /dev/mount is compatible with 19" rails with square punched holes that are capable of installing standard server rails.

Items included

50 x /dev/mount

100 x dual-sided / reversible hex nuts



Product Code

DVMNT50

No tools necessary. Tightening the hex nuts by hand is quite sufficient.



Patchcatch Solo

The Patchcatch Solo is ORU Cable Management Tool that fastens your device while at the same time managing your cables. One 24-Pack replaces 48 conventional cage nut screws as well as 12 cable managers, therefore allowing you to use up to 50% more rack space. Ideal for server cabinets with limited space around the rails, the Patchcatch Solo enables you to manage your cables on the front sides of the rack without wasting a rack unit. The Patchcatch Solo is compatible with conventional M6 cage nuts, the PATCHBOX /dev/mount, and the Mounting Rails of the patchbox.one. One 24-pack of Patchcatch Solo allows you to manage cables and fasten hardware of 12 rack units.

10 Years of
Warranty


Items included



48 x Patchcatch Solo



48 x Patchcatch Solo Spacer



24 x Patchcatch Solo Clips

Technical Information

Materials

Steel and plastic POM

Gross Weight

0.81 kg / 1.78 lbs

Packaging Dimensions

Width: 200 mm Height: 60 mm Depth: 90 mm | Width: 7.87 in Height: 2.36 in Depth: 3.54 in

Max. load weight

250 kg / 551 lbs

Assembly Depth

13 mm x 43 mm x 56 mm | 0.51 in x 1.69 in x 2.20 in

Operating Temperature Range

-40°C – 100°C


Ambient Humidity Non-Condensing

10% – 90%

Custom Tariff Number

73181900

Width: 13 mm / 0.51 in
Depth: 61 mm / 2.40 in
Height: 43 mm / 1.69 in





PATCHBOX GmbH
Handelskai 94-96 / 271
1200 Vienna / Austria

sales@patchbox.com
[+43 1 99 71 960](tel:+4319971960)

patchbox.com
shop.patchbox.com
