



**Green Product  
Award Winner 25**

## **CARPE DIEM - on flax backing**

**Artikel Nr.**

CRPDIE2020FVPRW

**Mediterranean herbs, olive leaves, approx. 3 vibrant cosmos flowers per m<sup>2</sup>, approx. 3 delphinium flowers per m<sup>2</sup>, Greek mountain tea and colourful petals on breathable flax fleece.**

**Summer, sun, pure relaxation! This natural surface exudes the carefree spirit of a sunny day by the Mediterranean. With its vibrant texture, summery blend, and Mediterranean play of colours, it transforms any space into an oasis of tranquility. Perfect for anyone wanting to bring a holiday feeling into everyday life.**

**Order your DIN A5 sample now!**

Mediterranean herbs, olive leaves, approx. 3 magnificent cosmea blossoms/m<sup>2</sup>, approx. 3 delphinium blossoms /m<sup>2</sup> and Greek mountain tea in a light coverage on natural non-woven flax backing.

## Characteristics

<b>Raw material</b>	Mediterranean herbs, olive leaves, Greek mountain tea, cosmeas and colourful flowers
<b>Scent</b>	● ● ○
<b>Light fastness</b>	● ● ○
<b>Abrasion resistance</b>	● ● ○
<b>Vibrancy</b>	● ● ○

## Technical details


<b>Backing</b>	Flax Backing
<b>Format</b>	Rolled goods, width: 1,360 mm
<b>MOQ</b>	1 m <sup>2</sup> ( ca. 0.74 running metre)
<b>Weight</b>	202 g/m <sup>2</sup>
<b>Thickness</b>	0.2 mm
<b>Flexibility</b>	Bending radii up to 0.5 mm
<b>Translucency</b>	light-permeable

## Material details

**Breathable** The natural flax fleece backing is breathable, unbleached, ecological and climate regulating.



**Free match** Free match  
The naturally scattered materials do not require matching patterns between panels.



**Overlap and double-cut** Each panel overlaps approx. 2 cm with the one next to it. Please note the edge tolerance.



**Wallpapering technique** Do not apply glue to the back of the wallpaper, but to the surface. Please note our glue recommendations.



## Processing

### Wallpaper

Installation of Organoid® natural surfaces on flax fleece as a wallpaper:

- Wall-pasting technique
- Pay attention to Organoid glue recommendations
- Double cut: Each panel overlaps with the one next to it (approx. 2 cm)
- Cut with scissors, cutter or plotter
- Pre-trials recommended
- In the case of wallpapers, the effect is to be checked after processing three strips. Claims that go beyond the replacement of defective goods will not be accepted.

Processing

### Décor

Installation of Organoid® natural surfaces on flax fleece in woodworking (décor):

- Process with normal wood-working machinery
- Glue (e.g. white glue) is applied onto the wooden materials, as the fleece absorbs moisture and glue stains may appear on the front if glue is applied to the fleece
- Cover the natural surface with the enclosed separating paper
- pressing temperature. 60°C
- For sensitive wood-working applications, use a counter-balance (enclosed on request)
- Cut with scissors, cutter or plotter
- Pre-trials recommended

Processing

## Inspiration



### **ORGANOID GmbH**

6500 Fließ

Nesselgarten 422

[www.organoids.com](http://www.organoids.com)

[info@organoids.com](mailto:info@organoids.com)

Tel. [+43 5449 200 01](tel:+43544920001)

18.2.2026