


# JIER PUMP

## 厦门市佶尔电器有限公司

Xiamen Jier Electrical Appliances Co., Ltd



- 公司概况 Company Profile
- 主营产品 Main Products
- 官方网站 Official website
- 认证与实力 Certificate

Xiamen Jier Electrical Appliance is a multinational factory located in Xiamen City, Fujian province, south of China.



**We have 4000 square meters workshops, 4 production line, the delivering time is 38 days after receipt of your depositsinvolved. There are more than 50 employees in our factory.**

01

# 公司概况

## Company Profile

The company was founded in 2008 and now has become a leading company in the pump field. We are growing step by step to become a renowned international brand and a high-quality supplier to the pump industry. Our company has undergone strong R&D (Research and Development) for helping our customers with the deepest understanding of engineering which ensures that our customers can be certain about the quality in every area of the pump field. Our market has expanded all over the world.



厦门市佺尔电器有限公司

Xiamen Jier Electrical Appliances Co., Ltd

## **Innovation and a high level of expertise give you the best choice for your needs.**

Our notable efforts to be closer to our customers has several meaningful mechanisms for customer oriented development. Inventions by JIER Electrical company include competent international skills.





- 
- 变压器绕线拉**
- 生产看板**
- | 料别          | 规格      | 拉长    | 日期   |     |    |
|-------------|---------|-------|------|-----|----|
| 应制人数        | 5       | 10/14 | 9/18 |     |    |
| 实制人数        | 5       |       |      |     |    |
| 标准工时        |         |       |      |     |    |
| 主规格电压       | 200/500 |       |      |     |    |
| 规格型号        | 78-312  |       |      |     |    |
| 订单数量        | 5000    |       |      |     |    |
| 项目          | 目标产量    | 实际产量  | 累计数量 | 不良数 | 备注 |
| 8:00-10:30  | 800     | 700   | 600  | 1   |    |
| 10:30-11:30 | 800     | 750   | 700  | 2   |    |
| 12:30-15:30 | 800     | 740   |      | 1   |    |
| 15:30-17:30 | 800     |       |      |     |    |
| 加班17:00-    | 1500    |       |      |     |    |
| 合计          |         |       |      |     |    |

In the production process, our company has a complete set of automatic production line for potting and evacuation to ensure that the sealing compounds are accurate, automatic machine for wire winding, automatic machine for putting O-ring on the fitting, Automatic machine for putting the cups on the body of the pump,etc





1

Our manufacturing capability and capacity can supply you in different stages of the manufacturing process; daily output is 10000 water pumps and 1000 for mist makers.



2

Each of our products undergoes four times tests: voltage testing and current testing for the semi-finished product, then-current testing and voltage testing after product assembly and sampling inspection of finished products.



02

主营产品

Main Products

Fountain pump

Pond pumps

DC pumps

Solar fountain pump

Solar LED lighting

LED lighting





厦门市佶尔电器有限公司

Xiamen Jier Electrical Appliances Co., Ltd



Fountain Pumps



Pond Pumps



DC Pumps

Each product can withstand voltage test, stable quality, smooth appearance without any stains.





LED Lighting



Solar Fountain Pumps



Solar LED Lighting

Xiamen JIER Electrical Appliance has the highest level of development in the manufacturing of advanced fountain pumps, pond pumps, DC pumps, LED lighting, solar fountain pumps and solar LED lighting, wifi controlled pump & light for this field.





JR-150 JR-250



JR-350 JR-450 JR-600  
JR-800 JR-1100 JR-1500  
JR-2000 JR-3000



JR-600F JR-800F JR-1100F  
JR-1500F JR-2000F 3000F



JR-4000



JR-4500 JR-5000



JR-5500H (Utility pump)



JR-5500L (Utility pump)




JR-6500 JR-8000 JR-10000 JR-12000  
JR-15000 JR-18000 JR-20000  
JR-25000 JR-30000





03


官方网站  
Official website




If you buy a batch of pumps, Kindly visit us :  
[www.jierpump.com](http://www.jierpump.com)



[www.Barstpump.com](http://www.Barstpump.com)





If you need buy individually, you can visit Amazon:

1. [https://www.amazon.com/s?me=A1U8GOC30RTJDN  
&marketplaceID=ATVPDKIKX0DER](https://www.amazon.com/s?me=A1U8GOC30RTJDN&marketplaceID=ATVPDKIKX0DER), Amazon in U.S.A
2. [https://www.amazon.co.uk/s?me=A2DUHZ5M0QGOWW  
&marketplaceID=A1F83G8C2AR07P](https://www.amazon.co.uk/s?me=A2DUHZ5M0QGOWW&marketplaceID=A1F83G8C2AR07P) Amazon in UK
3. [https://www.amazon.de/s?me=A2DUHZ5M0QGOWW&mark  
etplaceID=A1PA6795UKMFR9](https://www.amazon.de/s?me=A2DUHZ5M0QGOWW&marketplaceID=A1PA6795UKMFR9) Amazon in Germany
4. [https://www.amazon.fr/s?me=A2DUHZ5M0QGOWW&marketpl  
aceID=A13V1IB3VIYZZH](https://www.amazon.fr/s?me=A2DUHZ5M0QGOWW&marketplaceID=A13V1IB3VIYZZH) Amazon in Germany in France.





04

# 认证与实力 Certificate



Xiamen Jier Electrical Appliance


**Xiamen Jier Electrical Appliances Co., Ltd**



- ✓ The success of JIER Electrical Appliance is a statement of high quality product bring from a clear process in the production and management fields; it is garnered by our group to be certified in ISO9001
- ✓ Our products are certified with UL, CUL, ETL, CE, SAA, UKCA, the UL file is E329601.



## Quality Assurance



Total Quality. Assured.


## Test Verification of Conformity

Verification Number: 201229042GZU-VOC001

On the basis of the referenced test report(s), sample(s) tested of the below product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it <them>.

Once compliance with all product relevant **CE** mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Applicant Name & Address:	Xiamen Jier Electrical Appliances Co., Ltd. 3F, PuliSheng Industrial Zone, Southern Guang Xing Road, Jimei District, Xiamen City, China.
Product Description:	Submersible Pump for aquarium
Ratings & Principle Characteristics:	See Appendix
Models/Type References:	See Appendix
Brand Name:	<b>Jier</b>
Relevant Standards/Directives:	Household and similar electrical appliances —Safety— EN 60335-1: 2012+A11:2014+A13:2017+A1:2019+A14:2019+A2:2019/Part 1: General requirements EN 60335-2-41:2003+A1:2004+A2:2010 / Part 2-41: Particular requirements for pumps EN 62233: 2008/ Measurement methods for electromagnetic fields of household appliances and similar apparatus with regard to human exposure Low Voltage Directive 2014/35/EU
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Room 02, & 101/E201/E301/E401/E501/E601/E701/E801 of Room 01 1-8/F., No. 7-2, Caipin Road, Science City, GETDD, Guangzhou, Guangdong, China.
Date of Tests:	29 Dec., 2020 – 08 Jul., 2021
Test Report Number(s):	201229042GZU-001, 08 Jul., 2021
Additional information in Appendix.	

  
Signature

Name: Rose Zhao  
Position: Technical Manager  
Date: 08 Jul., 2021

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability (in any party, either, than to the Client) in accordance with the agreement, for any loss, expense or damage (involving by the use of this Verification, only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or any of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Intertek Page 1 of 2 GT-OP-116 (02-April-2020)

## CERTIFICATE OF COMPLIANCE

Certificate Number	20180726-E329601
Report Reference	E329601-20090723
Issue Date	2018-JULY-26

Issued to: XIAMEN JIER ELECTRICAL APPLIANCES CO LTD  
3F, Puli Sheng Industrial Zone  
Southern GuangXing Road 9  
Jimei District  
Xiamen, Fujian 361022 CHINA

This is to certify that representative samples of PUMPS, ELECTRICALLY OPERATED, LIQUID Submersible Water Pump, Models JR-250, JR-300, JR-350, JR-400, JR-450, JR-500, JR-600, JR-800, JR-1000, JR-1100, PAC-1100, PAC-1000, JR-1300, JR-1500, JR-2000, PAC-2000, JR-2500, JR-3000, PAC-3000 and JR-3500.


Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 778 - Standard for Motor-Operated Water Pumps  
CSA 22.2 No. 108-14 - Standard for Liquid Pumps


Additional Information: See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

  
UL LLC  
Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at [help@ul.com](mailto:help@ul.com) or <http://ul.com/contactus>

Page 1 of 1

 	Ref. Certif. No. SG ITS-25575
---	----------------------------------

### IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

#### CB TEST CERTIFICATE

Product	Submersible pump for aquarium
Name and address of the applicant	Xiamen Jier Electrical Appliances Co., Ltd. 3F, PuliSheng Industrial Zone, Southern Guang Xing Road, Jimei District, Xiamen City, China
Name and address of the manufacturer	Xiamen Jier Electrical Appliances Co., Ltd. 3F, PuliSheng Industrial Zone, Southern Guang Xing Road, Jimei District, Xiamen City, China
Name and address of the factory <small>Note: When more than one factory, please report on page 2</small>	Xiamen Jier Electrical Appliances Co., Ltd. 3F, PuliSheng Industrial Zone, Southern Guang Xing Road, Jimei District, Xiamen City, China
Ratings and principal characteristics	See page 2
Trademark (if any)	Jier
Customer's Testing Facility (CTF) Stage used	-
Model / Type Ref.	JR-XA, JR-XY (X=150, 250, 350, 450, 600, 800, 1100, 1300, 1500, 2000, 2500, 3000, 3500); (Y=Blank, represents it with European plug, =B, represents it with BS plug)
Additional information (if necessary may also be reported on page 2)	-
A sample of the product was tested and found to be in conformity with	IEC 60335-2-41:2012 IEC 60335-1:2010 + A1:2013 + A2:2016
As shown in the Test Report Ref. No. which forms part of this Certificate	201229042GZU-001

This CB Test Certificate is issued by the National Certification Body

Intertek Testing Services (Singapore) Pte Ltd  
5, Pereira Road, #06-01  
Asawide Industrial Building  
Singapore 368025  
Date: 15 July 2021

intertek  
  
Signature: Chew Keng Moh





## AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

<b>Applicant:</b> XIAMEN JIER ELECTRICAL APPLIANCES CO., LTD 3F, Pulisheng Industrial Zone, Southern Guangxing Road 9, Jimei District, Xiamen City	<b>Manufacturer:</b> XIAMEN JIER ELECTRICAL APPLIANCES CO., LTD 3F, Pulisheng Industrial Zone, Southern Guangxing Road 9, Jimei District, Xiamen City
<b>Country:</b> China	<b>Country:</b> China
<b>Contact:</b> Mr. Xiaogxing Liu	<b>Contact:</b> Mr. Xiaogxing Liu
<b>Phone:</b> 13695029488	<b>Phone:</b> 13695029488
<b>FAX:</b> -	<b>FAX:</b> -
<b>Email:</b> 903668731@qq.com	<b>Email:</b> 903668731@qq.com

**Party Authorized To Apply Mark:** Same as Manufacturer  
**Report Issuing Office:** Intertek Testing Services Shanghai Limited

**Control Number:** 5012528 **Authorized by:** for Dean Davidson, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow-up Services are for the purpose of ensuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.  
545 East Algonquin Road, Arlington Heights, IL 60005  
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

<b>Standard(s):</b>	Standard For Electric Aquarium Equipment [UL 1018:2011 Ed.6+R:17Mar2017]
<b>Product:</b>	Liquid Pumps [CSA C22.2#108:2014 Ed.5]
<b>Brand Name:</b>	Jier
<b>Models:</b>	JR-150a



Page 1 of 2

## VERIFICATION OF EMC COMPLIANCE

**Verification No.:** CE GZEM2206002927HSV  
**Applicant:** Xiamen Jier Electrical Appliances Co., Ltd.  
**Address of Applicant:** 3FL, PuLiSheng Industrial Park, Southern Guangxing Road 9, Xinglin, Jimei District, Xiamen, City, China  
**Manufacturer:** Xiamen Jier Electrical Appliances Co., Ltd.  
**Address of Manufacturer:** 3FL, PuLiSheng Industrial Park, Southern Guangxing Road 9, Xinglin, Jimei District, Xiamen, City, China  
**Factory:** Xiamen Jier Electrical Appliances Co., Ltd.  
**Address of Factory:** 3FL, PuLiSheng Industrial Park, Southern Guangxing Road 9, Xinglin, Jimei District, Xiamen, City, China  
**Product Description:** Pump  
**Model No.:** Refer to 2 page.  
**Trade Mark:** JIER  
**Sufficient samples of the product have been tested and found to be in conformity with**  
**Test Standards:** EN 61000-3-3: 2013+A2:2021  
EN IEC 55014-1: 2021  
EN IEC 55014-2: 2021  
EN IEC 61000-3-2: 2019+A1:2021

**As shown in the**  
**Test Report Number(s):** GZEM220600292701

This verification of EMC Compliance has been granted to the applicant based on the results of the tests, performed by laboratory of SGS-CSTC Standards Technical Services Co., Ltd. on the sample of the above-mentioned product in accordance with the provisions of the relevant specific standards under Directive 2014/30/EU.

The CE mark as shown below can be used, under the responsibility of the manufacturer, after completion of an EU Declaration of Conformity and compliance with all relevant EU Directives.



Kobe Jian  
EMC Laboratory Manager

Date: 2022-06-17

Copyright of this verification is owned by SGS-CSTC Standards Technical Services Co., Ltd. and may not be reproduced other than in full and with the prior approval of the General Manager. This verification is subjected to the governance of the General Conditions of Services which can be accessed at <https://www.sgs.com/en/terms-and-conditions>.

Member of SGS Group (Société Générale de Surveillance)

EMC-VOC-F01/ Rev.1.0/ 2020-11-05



## Test Verification of Conformity

Verification Number: 201229042GZU-VOC002

On the basis of the referenced test report(s), sample(s) tested of the below product have been found to comply with the standards harmonized with the regulation(s) listed on this verification at the time the tests were carried out. Other standards and Regulations may be relevant to the product. The latest version standard indicated in the technical file meets the requirements of the regulation(s). This verification is part of the full test report(s) and should be read in conjunction with it <them>.

Once compliance with all product relevant **UK CA** mark regulations are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

<b>Applicant Name &amp; Address:</b>	Xiamen Jier Electrical Appliances Co., Ltd. 3F, Pulisheng Industrial Zone, Southern Guang Xing Road, Jimei District, Xiamen City, China.
<b>Product Description:</b>	Submersible Pump for aquarium
<b>Ratings &amp; Principle Characteristics:</b>	See Appendix
<b>Models/Type References:</b>	See Appendix
<b>Brand Name:</b>	<b>Jier</b>
<b>Relevant Standards/Regulations:</b>	Household and similar electrical appliances —Safety— EN 60335-1: 2012+A11:2014+A13:2017+A1:2019+A14:2019+A2:2019/Part 1: General requirements EN 60335-2-41:2003+A1:2004+A2:2010 / Part 2-41: Particular requirements for pumps EN 62233: 2008/ Measurement methods for electromagnetic fields of household appliances and similar apparatus with regard to human exposure Electrical Equipment (Safety) Regulations 2016
<b>Verification Issuing Office Name &amp; Address:</b>	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Room 02, & 101/E201/E301/E401/E501/E601/E701/E801 of Room 01 1-8/F., No. 7-2, Caipin Road, Science City, GETDD, Guangzhou, Guangdong, China 29 Dec., 2020 – 08 Jul., 2021
<b>Date of Tests:</b>	201229042GZU-001, 08 Jul., 2021
<b>Test Report Number(s):</b>	
<b>Additional information in Appendix:</b>	

Signature

**Name:** Rose Zhao  
**Position:** Technical Manager  
**Date:** 08 Jul., 2021

This verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this verification. Only the Client is authorized to permit copying or distribution of this verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this verification are relevant only to the sample tested/inspected. This verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

**SAA APPROVALS®**

**Certificate of Suitability**

**Certificate No.:** SAA211496

**Certificate Holder:** Xiamen Jier Electrical Appliances Co., Ltd.  
3F, Pulisheng Industrial Zone,  
#9 Southern Guangxing Road, Jimei District,  
Xiamen City 361000  
P.R. China

**Regulatory Definition:** Non-Prescribed  
**Product Description:** Submersible Pump for Aquarium  
**Trade Name/s:** Jier  
**Model No.:** JR-150S  
**Rating/Marking/s:** 220-240Vac 50 Hz 3.2W  
Maximum Liquid Temperature: 35°C  
Class I, IPX8

**Standard/s:** AS/NZS 60335.2.41:2013 Inc A1  
AS/NZS 60335.1:2020

**Condition/s:** Nil

**Approval Marks:** RCM (in accordance with AS/NZS 4417 and EESS requirements)  
and  
SAA211496

**Initial Issue Date:** 26 July 2021  
**Expiry Date:** 26 July 2026

**For and on Behalf of**  
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065 and RECS accreditation under the Queensland Government legislative requirements. SAA certifies the product nominated in this certificate complies with standards listed above in accordance with the schemes herein.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)

**JAS-ANZ**

**SAA APPROVED**

Issued: 26-07-21 211496  
Page 1 of 3

**SGS**

**Verification Report** No. XMNEC2200021307 Date: 19 May 2022 Page 1 of 23

**Client Name:** XIAMEN JIER ELECTRICAL APPLIANCES CO.,LTD  
**Client Address:** 3F, PULISHENG INDUSTRIAL ZONE, SOUTHERN GUANGXIN ROAD, XINGLING, JIMEI DISTRICT, XIAMEN, CHINA

**Sample Name:** pump  
**Tested Basic Model No.** JR-450LV  
**(P.O.No.):**  
**Client Ref. Info.:** JR-150LV, JR-250LV, JR-350LV, JR-450LV, JR-600LV, JR-800LV, JR-1100LV, JR-1300LV, JR-1500LV, JR-150, JR-250, JR-350, JR-450, JR-600, JR-800, JR-1100, JR-1300, JR-1500, JR-2000, JR-2500, JR-3000, JR-3500, JR-4000, JR-4500, JR-5000, JR-150A, JR-250A, JR-350A, JR-450A, JR-600A, JR-800A, JR-1100A, JR-1300A, JR-1500A, JR-2000A, JR-2500A, JR-3000A, JR-3500A, JR-150S, JR-250S, JR-350S, JR-450S, JR-600S, JR-800S, JR-1100S, JR-1300S, JR-1500S, JR-2000S, JR-2500S, JR-3000S, JR-3500S, JR-4000S, JR-4500S, JR-5000S, JR-150B, JR-250B, JR-350B, JR-450B, JR-600B, JR-800B, JR-1100B, JR-1300B, JR-1500B, JR-2000B, JR-2500B, JR-3000B, JR-3500B, JR-4000B, JR-4500B, JR-5000B

The above sample(s) and information were provided by the client.

**Results and photos of this report refer to verification report XMNEC2200021303**  
**This report is to supersede verification report XMNEC2200021305**  
**SGS Job No.:** 22625738 - XM  
**Date of Sample Received:** 06 Jan 2022  
**Verification Period:** 06 Jan 2022 - 17 Jan 2022  
**Verification Requested:** With reference to SI 2012 No. 3032 Environmental Protection in United Kingdom - The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (Amendment) Regulations 2012 (as amended) (UK RoHS).  
**Verification Method(s):** Please refer to next page(s).  
**Verification Result(s):** Please refer to next page(s).  
**Verification Conclusion:** Based on the verification results of the submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), and Diisobutyl phthalate (DIBP) comply with UK RoHS limits, the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions. If any, the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CH.Overseas@sgs.com](mailto:CH.Overseas@sgs.com)

No. 31 Xiangsheng Road, Xiang An Tech Industrial Zone, Xiamen, Fujian Province, China 361101 | (86-592) 5769895 | (86-592) 5769899 | [www.sgs.com.cn](http://www.sgs.com.cn)  
中国·福建·厦门市火炬(海沧)产业区青坑路31号 邮编: 361101 | (86-592) 5769895 | (86-592) 5769899 | [www.sgs.com.cn](http://www.sgs.com.cn)

Member of the SGS Group (SGS SA)

**SGS**

**Verification Report** No. XMNEC2200021303 Date: 24 Jan 2022 Page 1 of 23

**XIAMEN JIER ELECTRICAL APPLIANCES CO.,LTD**  
3F, PULISHENG INDUSTRIAL ZONE, SOUTHERN GUANGXIN ROAD, XINGLING, JIMEI DISTRICT, XIAMEN, CHINA

**This report is to supersede verification report XMNEC2200021301**  
**Sample Name:** pump  
**SGS Job No.:** 22367854 - XM  
**Tested Basic Model No.** JR-450LV  
**(P.O.No.):**  
**Client Ref. Info.:** JR-150LV, JR-250LV, JR-350LV, JR-450LV, JR-600LV, JR-800LV, JR-1100LV, JR-1300LV, JR-1500LV, JR-150, JR-250, JR-350, JR-450, JR-600, JR-800, JR-1100, JR-1300, JR-1500, JR-2000, JR-2500, JR-3000, JR-3500, JR-4000, JR-4500, JR-5000, JR-150A, JR-250A, JR-350A, JR-450A, JR-600A, JR-800A, JR-1100A, JR-1300A, JR-1500A, JR-2000A, JR-2500A, JR-3000A, JR-3500A, JR-150S, JR-250S, JR-350S, JR-450S, JR-600S, JR-800S, JR-1100S, JR-1300S, JR-1500S, JR-2000S, JR-2500S, JR-3000S, JR-3500S, JR-4000S, JR-4500S, JR-5000S, JR-150B, JR-250B, JR-350B, JR-450B, JR-600B, JR-800B, JR-1100B, JR-1300B, JR-1500B, JR-2000B, JR-2500B, JR-3000B, JR-3500B, JR-4000B, JR-4500B, JR-5000B

**Date of Sample Received:** 06 Jan 2022  
**Verification Period:** 06 Jan 2022 - 17 Jan 2022  
**Verification Requested:** With reference to RoHS Directive (EU) 2015/863 amending 2011/65/EU.  
**Verification Method:** Please refer to next page(s).  
**Verification Result:** Please refer to next page(s).  
**Verification Conclusion:** Based on the verification results of the submitted samples, the results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs), Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's finding at the time of its intervention only and within the limits of Client's instructions. If any, the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CH.Overseas@sgs.com](mailto:CH.Overseas@sgs.com)

No. 31 Xiangsheng Road, Xiang An Tech Industrial Zone, Xiamen, Fujian Province, China 361101 | (86-592) 5769895 | (86-592) 5769899 | [www.sgs.com.cn](http://www.sgs.com.cn)  
中国·福建·厦门市火炬(海沧)产业区青坑路31号 邮编: 361101 | (86-592) 5769895 | (86-592) 5769899 | [www.sgs.com.cn](http://www.sgs.com.cn)

Member of the SGS Group (SGS SA)



## Contact US

0086-592-7175385

13695029488

[sales@jierpump.com](mailto:sales@jierpump.com)

