




OUR NATURAL STONES

FROM THE HEART OF BAVARIA IN GERMANY



PRODUCT OVERVIEW

DIETFURT LIMESTONE GALA • WACHENZELL DOLOMITE • DIETFURT DOLOMITE

TABLE OF CONTENTS

DIETFURT LIMESTONE gala
FROST RESISTANT IN ACCORDANCE WITH EN 1237



DIAMOND HONED



SANDBLASTED



BUSHHAMMERED



SANDBLASTED AND BRUSHED




CLASSIC



CASTELLINA®



SPLITFACE



PAGE 06-11

VENEERS

PAGE 12-19

PAVING

BORDERING

CASTELLINA®
COBBLESTONES

COBBLESTONES
MERCHANT STYLE
COBBLES

TABLE OF CONTENTS

WACHENZELL DOLOMITE | DIETFURT DOLOMITE
FROSTRESISTANT IN ACCORDANCE WITH EN 12372, DE-ICING SALT IN ACCORDANCE WITH ÖNORM B 3003 AS WELL AS TL-PFLASTER STB



DIAMOND HONED



SANDBLASTED



CASTELLINA®



CASTELLINA® RUSTICA



SPLITFACE



© 2020 SEBASTIAN GLOVATIK

PAGE 20-29

- STANDARD BLOCK TREADS
- STEPS AND COPINGS
- SOLID WORKS
- CUSTOM STONES
- PRIVACY PANEL
- PILLARS

PAGE 30-33

- INSTALLATION GUIDELINES
- MAINTENANCE GUIDELINES
- ENVIRONMENT
- CERTIFICATIONS
- LOCATIONS
- CONTACT



SPLITFACE VENEER

SPLITFACE FRONT, SAWN EDGES
RANDOM LENGTHS, 18–63 CM

COURSE HEIGHTS 7,5 + 15 + 22,5 CM:
FOR IRREGULAR WALL STONE
3– 5 CM EMBEDDED DEPTH (100 KG/M²)
9–12 CM EMBEDDED DEPTH* (240 KG/M²)

COURSE HEIGHTS 6 + 8 + 10 CM:
FOR REGULAR WALL STONE**
3– 5 CM EMBEDDED DEPTH (100 KG/M²)
9–12 CM EMBEDDED DEPTH* (240 KG/M²)

MIXTURE RATIO:
FOR IRREGULAR STONE WALL
7,5 CM = 15 %, 15 CM = 45 %, 22,5 CM = 40 %

ADDITIONAL OPTIONS:
SPLITFACE SIDES
SINGLE HEIGHTS
FIXED LENGTHS

ROCKFACE VENEER

ROCKFACE FRONT, SAWN EDGES
RANDOM LENGTHS, 18–63 CM

COURSE HEIGHTS 4 + 9 + 14 CM:
FOR IRREGULAR WALL STONE
CA. 4–6 CM EMBEDDED DEPTH (140 KG/M²)
CA. 6–9 CM EMBEDDED DEPTH (200 KG/M²)

MIXTURE RATIO:
FOR IRREGULAR STONE WALL
4 CM = 10 %, 9 CM = 50 %, 14 CM = 40 %

ADDITIONAL OPTIONS:
BOSSSED SIDES
SINGLE HEIGHTS
FIXED LENGTHS

CORNERS

FOR SPLITFACE- AND ROCKFACE VENEERS
SIDE LENGTHS 6–12 AND 15–33 CM
EMBEDDED DEPTH CA. 3–6 CM

COURSE HEIGHTS: 4 + 6 CM
COURSE HEIGHTS: 7,5–10 CM
COURSE HEIGHTS: 14 + 15 CM
COURSE HEIGHTS: 22,5 CM



*APPROVED AS A FACING SHELL IN FACADE CONSTRUCTION IN ACCORDANCE WITH THE STANDARD.
**REQUIRED QUANTITY (LM) FOR REGULAR MASONRY MUST ALWAYS BE SPECIFIED WHEN PLACING THE ORDER.



COUNTRY-STYLE STONE WALL ANTIQUE

SPLITFACE FRONT AND ANTIQUE TUMBLED
RANDOM LENGTHS, 18-63 CM

COURSE HEIGHTS 7,5 + 15 + 22,5 CM:
FOR IRREGULAR WALL STONE
3- 5 CM EMBEDDED DEPTH (100 KG/M²)
9-12 CM EMBEDDED DEPTH* (240 KG/M²)

COURSE HEIGHTS 6 + 8 + 10 CM:
FOR REGULAR WALL STONE**
3- 5 CM EMBEDDED DEPTH (100 KG/M²)
9-12 CM EMBEDDED DEPTH* (240 KG/M²)

MIXTURE RATIO:
FOR IRREGULAR STONE WALL
7,5 CM = 15%, 15 CM = 45%, 22,5 CM = 40 %

ADDITIONAL OPTIONS:
SPLITFACE SIDES
SINGLE HEIGHTS
FIXED LENGTHS



COUNTRY-STYLE STONE WALL CASTELLINA®

SPLITFACE FRONT AND CASTELLINA® TUMBLED
RANDOM LENGTHS, 18-63 CM

COURSE HEIGHTS 7,5 + 15 + 22,5 CM:
FOR IRREGULAR WALL STONE
3- 5 CM EMBEDDED DEPTH (100 KG/M²)
9-12 CM EMBEDDED DEPTH* (240 KG/M²)

COURSE HEIGHTS 6 + 8 + 10 CM:
FOR REGULAR WALL STONE**
3- 5 CM EMBEDDED DEPTH (100 KG/M²)
9-12 CM EMBEDDED DEPTH* (240 KG/M²)

MIXTURE RATIO:
FOR IRREGULAR WALL STONE
7,5 CM = 15%, 15 CM = 45%, 22,5 CM = 40 %

ADDITIONAL OPTIONS:
SPLITFACE SIDES
SINGLE HEIGHTS
FIXED LENGTHS



COUNTRY-STYLE CORNERS

SIDE LENGTHS 6-12 AND 15-33 CM
EMBEDDED DEPTH 3-5 CM

COURSE HEIGHTS: 6 CM
COURSE HEIGHTS: 7,5-10 CM
COURSE HEIGHTS: 15 CM
COURSE HEIGHTS: 22,5 CM

ADDITIONAL OPTION:
CASTELLINA® TUMBLED



*APPROVED AS A FACING SHELL IN FACADE CONSTRUCTION IN ACCORDANCE WITH THE STANDARD.
**REQUIRED QUANTITY (LM) FOR REGULAR MASONRY MUST ALWAYS BE SPECIFIED WHEN PLACING THE ORDER.



SANDBLASTED VENEER

SANDBLASTED FRONT, SAWN EDGES
RANDOM LENGTHS, 18-63 CM

COURSE HEIGHTS 8 + 10 + 12 CM:

2 CM EMBEDDED DEPTH	(55 KG/M²)
3 CM EMBEDDED DEPTH	(85 KG/M²)
4 CM EMBEDDED DEPTH	(113 KG/M²)



SPLITFACE VENEER

SPLITFACE FRONT, SAWN EDGES
RANDOM LENGTHS, 18-63 CM

COURSE HEIGHTS 4 + 9 + 14 CM:

FOR IRREGULAR STONE WALL

2 CM EMBEDDED DEPTH	(70 KG/M²)
---------------------	------------

COURSE HEIGHTS 6 + 8 + 10 + 12 CM:

2 CM EMBEDDED DEPTH	(70 KG/M²)
---------------------	------------



CASTELLINA® SPLITFACE VENEER

SPLITFACE FRONT AND CASTELLINA® TUMBLED,
SAWN EDGES
RANDOM LENGTHS, 18-63 CM

COURSE HEIGHTS 4 + 9 + 14 CM:

FOR IRREGULAR STONE WALL

2 CM EMBEDDED DEPTH	(70 KG/M²)
---------------------	------------

COURSE HEIGHTS 6 + 8 + 10 + 12 CM:

2 CM EMBEDDED DEPTH	(70 KG/M²)
---------------------	------------

MIXTURE RATIO FOR SPLITFACE AND CASTELLINA® SPLITFACE VENEERS:

IRREGULAR STONE WALL

4 CM = 10 %, 9 CM = 50 %, 14 CM = 40 %



SPLITFACE CORNERS

SIDE LENGTHS 6-12 AND 15-25 CM
EMBEDDED DEPTH 2 CM


COURSE HEIGHTS: 4 CM

COURSE HEIGHTS: 6 + 8 + 9 CM

COURSE HEIGHTS: 10 + 12 + 14 CM

ADDITIONAL OPTION:

CASTELLINA® TUMBLED



CUSTOM ORDER!

IF YOU ARE INTERESTED, PLEASE INQUIRE



*ALSO AVAILABLE IN WACHENZELL DOLOMITE.

PAVING

SLIGHTLY EASED EDGES
4 CM THICK, 115 KG/M²

RANDOM LENGTHS:
30 OR 40 CM WIDE

DIMENSIONS:
40 × 40 CM / 40 × 60 CM
60 × 60 CM
60 × 90 CM
60 × 120 CM
100 × 100 CM

ALTERNATIVE FORMATS AVAILABLE UPON REQUEST

SKIRTINGS

CHAMFERED EDGES

DIMENSIONS:
8 × 1,5 CM × RANDOM LENGTHS

POLYGONAL PANELS*

4 CM THICK, 115 KG/M²

LARGE FORMAT:
SAWN EDGES
EDGE LENGTH APPROX. 100-150 CM

– PANELS DELIVERED CUT TO SIZE,
READY TO BE INSTALLED –

PENTAGONAL FLOORING*

PENTAGONAL PANEL, SAWN EDGES

3 CM THICK, 89 KG/M²
EASY AND QUICK TO INSTALL

DIMENSIONS:
0,34 M²

FS POLYGONAL FLOORING*


3 PANEL SIZES CAN BE COMBINED,
SAWN EDGES
2-3 PANEL PER M²
3 CM THICK
EDGE LENGTH 60-90 CM

– WITH A PANEL THICKNESS OF 3 CM
WE RECOMMEND LAYING IN
DRAINAGE MORTAR –

AVAILABLE IN VARIOUS FINISHES



PAVING MADE OF DIETFURT LIMESTONE gala



PAVING

SLIGHTLY EASED EDGES

RANDOM LENGTHS:
30 ODER 40 CM WIDE

DIMENSIONS:
40 × 40 CM / 40 × 60 CM
60 × 60 CM
60 × 90 CM
60 × 120 CM

ADDITIONAL OPTION:
CALIBRATED THICKNESS

SKIRTINGS

CHAMFERED EDGES

DIMENSIONS:
8 × 2 CM, IN RANDOM LENGTHS

ROMAN PATTERN

TUMBLED
4 CM THICK, 115 KG/M²

DIMENSIONS:
40 × 60 CM / 40 × 40 CM
40 × 20 CM / 20 × 20 CM

BORDER STONES

22 CM HIGH, 8 CM THICK, 44 KG/LM

SPLITFACE TOP AND BOTTOM EDGE, SAWN SIDES
• RANDOM LENGTHS UP TO 80 CM

ALL EDGES SAWN,
CHAMFERED TOP EDGE
• RANDOM LENGTHS
• FIXED LENGTHS



PRIVAT GARDEN MADE OF DIETFURT DOLOMITE



CASTELLINA® COBBLESTONES*

SAWN SIDES, TUMBLED

DIMENSIONS L × W × H:

10 × 10 × 10 CM

12 × 12 × 12 CM

14 × 14 × 14 CM

CASTELLINA® COBBLESTONE PANELS*

SAWN SIDES AND TUMBLED

DIMENSIONS L × W × H:

60 × 30 CM, 8 CM THICK

16 × 16 / 23 × 16 CM, 8 CM THICK

16 × 16 / 23 × 16 CM, 10 CM THICK



CASTELLINA® COBBLESTONE STRIPS*

SAWN SIDES AND TUMBLED

DIMENSIONS L × W × H:

20-40 × 10 × 10 CM

20-40 × 12 × 12 CM



FRANKENSTEIN CASTELLINA®

UNIVERSALLY APPLICABLE

FOR WALLS, COBBLESTONES, BORDERS, GARDENING, WALL STONES

EDGES SAWN AND TUMBLED

DIMENSIONS L × W × H:

24 × 12 × 7,5 CM 1 M² = 32 ST. (5,5 KG/PC.)

24 × 7,5 × 12 CM 1 M² = 50 ST. (5,5 KG/PC.)



ROMAN PATTERN COBBLESTONES CASTELLINA®

EDGES SAWN AND TUMBLED, 210 KG/M²

8 CM THICK

DIMENSIONS L × W × H:


20 × 40 / 20 × 20 / 20 × 10 / 10 × 10 CM

CASTELLINA® RUSTIC FINISH

CASTELLINA® FINISH

ADDITIONAL OPTIONS:

*SANDBLASTED OR BUSHHAMMERED FINISH





COBBLESTONES

SAWN AND TUMBLED,
SPLITFACE EDGES, PARTIALLY SAWN

DIMENSIONS L × W × H:

6 × 6 × 6 CM

8 × 8 × 8 CM

10 × 10 × 10 CM

QUANTITY EVALUATION:

6 × 6 × 6 CM = CA. 120 KG/M²

8 × 8 × 8 CM = CA. 160 KG/M²

10 × 10 × 10 CM = CA. 220 KG/M²

PACKED IN BIG-BAGS - CONTENTS:

6 × 6 × 6 CM = 9 M²

8 × 8 × 8 CM = 7 M²

10 × 10 × 10 CM = 5 M²

COBBLESTONE PANELS*

SAWN AND TUBLED,
SPLITFACE EDGES, PARTIALLY SAWN

DIMENSION L × W × H:

16 × 16 / 16 × 23 CM, 8 CM THICK

16 × 16 / 16 × 23 CM, 10 CM THICK

COBBLESTONE COURSES & COLUMNS*

SAWN AND TUMBLED,
SPLITFACE EDGES, PARTIALLY SAWN

DIMENSIONS L × W × H:

15-33 × 8 × 8 CM

20-40 × 10 × 10 CM

MERCHANT STYLE COBBLES*


SAWN SURFACE
EDGES SPLITFACE OR SAWN

DIMENSIONS L × W × H:

7-12 × 7-18 × 8 CM

ADDITIONAL OPTIONS:

*SANDBLASTED OR BUSHHAMMERED FINISH





SPLITFACE SOLID TREADS

SPLITFACE FRONT AND CHAMFERED,
SAWN JOINT AREAS, RAW SIDES
WEIGHT PER LM 140 KG

DIMENSIONS L x W x H:

80 x 37 x 15 CM
100 x 37 x 15 CM
120 x 37 x 15 CM



ROUGH HEWN SOLID TREADS

HAND-BUSHHAMMERED FINISH,
SPLITFACE FRONT AND SIDES AND ADJUSTED
WEIGHT PER LM 140 KG

DIMENSIONS L x W x H:

80 x 37 x 15 CM
100 x 37 x 15 CM
120 x 37 x 15 CM



STANDARD SOLID TREADS

SANDBLASTED FINISH,
ROCKFACE FRONT EDGE, SIDES SAWN
WEIGHT PER LM 140 KG

DIMENSIONS L x W x H:

80 x 37 x 15 CM
100 x 37 x 15 CM
120 x 37 x 15 CM




STANDARD SOLID TREAD SANDBLASTED

SANDBLASTED TOP INCL. FRONT EDGE,
SAWN SIDES
WEIGHT PER LM 132 KG

DIMENSIONS L x W x H:

80 x 35 x 15 CM
100 x 35 x 15 CM
120 x 35 x 15 CM

ADDITIONAL DETAIL FOR ALL STANDARD BLOCK TREADS:
CALIBRATED FRONT EDGE



BLOC TREADS MADE OF DIETFURT LIMESTONE gala



TREADS AND COPINGS

FINISHED TOP
FRONT EDGE HONED AND CHAMFERED

THICKNESS:

3 CM THICK
4 CM THICK
6 CM THICK
8 CM THICK

CUSTOMIZED BLOCK TREADS

UP TO 40 CM WIDE, 12-20 CM THICK,
STRAIGHT EDGES, WITHOUT PROFILES

FINISH:

TOP AND FRONT EDGE
CALIBRATED FRONT EDGE

INDIVIDUALIZED OPTIONS:

(I. E. CURVED AND ANGLED CUTS)
INDIVIDUALLY CUSTOMIZABLE

ADDITIONAL OPTIONS:

TREAD ENDS
COPING HONED AND CHAMFERED
RISER ENDS
WINDOW SILLS HONED AN CHAMFERED
SPLITFACE ENDS
SANDBLASTED ENDS
SAWN CUT OUTS
DRIP NOSE ON ENDS AND LONG EDGES
SPLAY CUTS
DRILL HOLES UP TO 4 CM IN DIAMETER
ADDITIONAL ENDS HONED AN CHAMFERED
BULLNOSE / HALF-NOSE HONED





TREADS & COPINGS

*OPEN-TEXTURED, PARTIALLY FILLED,
FINISH TOP
FRONT EDGE HONED AND CHAMFERED

THICKNESS:

4 CM THICK

6 CM THICK

8 CM THICK

CUSTOMIZED BLOCK TREADS

*OPEN-TEXTURED, PARTIALLY FILLED,
UP TO 40 CM WIDE, 12-20 CM THICK,
STRAIGHT EDGES, WITHOUT PROFILES

FINISHED:

TOP AND FRONT EDGE

CALIBRATED FRONT EDGE

CUSTOM DETAILS AVAILABLE UPON REQUEST:

(I. E. CURVED STONES, DIAGONAL CUTS ETC.)

INDIVIDUALLY CUSTOMIZABLE

ADDITIONAL OPTIONS :

TREAD ENDS

COPING HONED AND CHAMFERED

RISER ENDS

WINDOW SILLS HONED AN CHAMFERED

SPLITFACE ENDS

SANDBLASTED ENDS

SAWN CUT OUTS


DRIP NOSE ON ENDS AND LONG EDGES

SPLAY CUTS

DRILL HOLES UP TO 4 CM IN DIAMETER

ADDITIONAL ENDS HONED AN CHAMFERED

BULLNOSE / HALF-NOSE HONED



PRIVATE GARDEN MADE OF DIETFURT DOLOMITE



MACHINE CHISELED



SPLITLINE

DIETFURT LIMESTONE gala



SANDBLASTED



DIAMAND HONED

WACHENZELL DOLOMITE

PRIVACY PANEL WALLS CUSTOM DESIGNED FRONT FACE FINISHED, HONED EDGES

PRIVACY PANEL DIETFURT LIMESTONE gala WACHENZELL DOLOMITE DIETFURT DOLOMITE

DIMENSIONS:
 170 × 60 × 6 CM
 170 × 80 × 6 CM


– CUSTOM SIZES AVAILABLE –

ADDITIONAL DETAILS:
 TOP EDGE CHISELED
 CUSTOM CUT OUTS

NATURAL CRUST

FRONT FACE NATURAL CRUST,
 BACK SIDE AND EDGES SAWN

DIETFURT LIMESTONE gala
 DIMENSTIONS:
 80–130 × 8–12 × 150–260 CM



PRIVACY PANEL PP04 MADE OF DIETFURT LIMESTONE gala



SITTING BEAN

SANDBLASTED AND BRUSHED

DIMENSIONS L × W × H:

80 × 55 × 45 CM (400 KG/PC.)

120 × 70 × 45 CM (750 KG/PC.)

160 × 90 × 45 CM (1.300 KG/PC.)

PILLARS

WEIGHT 150 KG/PC.

INCL. 2 DRILL HOLES

DIMENSIONS L × W × H:

160 × 30 × 12 CM

TYPE 01:

COARSELY BUSHHAMMERED SIDES,
EMBOSSSED EDGES

TYPE 04:

SANDBLASTED SIDES,
EMBOSSSED EDGES

PILLARS

WEIGHT 170 KG/PC.

POINTED TOP

DIMENSIONS L × W × H:

160 × 20 × 20 CM

TYPE 05:

ALL SIDES SANDBLASTED

TYPE 05 R:

ALL SIDES SANDBLASTED,
WITH DECORATIVE SAWN JOINTS

PILLARS

WEIGHT 90 KG/PC.

SLOPED TOP

DIMENSIONS L × W × H:


160 × 15 × 15 CM

TYPE 06:

ALL SIDES SANDBLASTED

CUSTOM PIECES AND DETAIL WORK AVAILABLE UPON REQUEST





CA. 90 CM	B	A	A	A	B	D				
	B	C	A		A		D			
	B		B	A				C	B	B
	A		A		B				A	
	B	A		A			A		B	D
	A		A		A		A			
	A		A		A		A			
CA. 200 CM						30 CM				

ENVIRONMENTAL POLICY OF FRANKEN-SCHOTTER GMBH & CO. KG

Franken-Schotter's roots are as a natural resource processor. Although we have access to one of the largest natural stone reserves in the world, we do work with a non-renewable resource and therefore must ensure that these resources are available for future generations to come. With that in mind we have a sense of obligation to use our natural resources in an efficient and respectful manner and keep our environmental footprint to a minimum. This mentality is reflected all along our supply chain, from our quarrying activities all the way down to the production of our finished products. We operate on a zero waste basis, meaning that everything that we take from the earth is utilized.

Once we have finished quarrying stone the areas of extraction are re-naturalized, returning the area to its natural state, minimizing the effect on plants and wildlife as well as our communities.

By investing in new technologies and using sustainable quarrying practices and the use of chain saws we have been able to increase our natural stone yield up to 100% while using 75% less fuel.

Dynamite consumption has also been reduced by a factor of four since 2007. With the use of a state of the art resin line we have been able to increase our yield another 20%. By focusing on our technologies we have been able to add value to our products and have been able to increase our revenue by 300% while simultaneously keeping the amount of stone we extract from our quarries at consistent levels.

We have implemented an environmental management system in order to continuously document and improve our advances and provide transparency to our environmental activities. We are proud to be EMAS III / ISO 14001 certified and have EPDs for our wall cladding and floorings products since 2015.

We have made great strides in our sustainability program over the years but resting on these laurels doesn't fit into our business culture, therefore we plan to continually improve our processes in order to keep our environmental footprint to an absolute minimum.

FOR MORE INFORMATION ON OUR ENVIRONMENTAL POLICIES, PLEASE VISIT:
[HTTPS://WWW.FRANKEN-SCHOTTER.COM/DE/UNTERNEHMEN/NACHHALTIGKEIT/](https://www.franken-schotter.com/de/unternehmen/nachhaltigkeit/)



HEADQUARTERS DIETFURT SHOWROOM • SALES • QUARRY

HUNGERBACHTAL 1
91757 TREUCHTLINGEN-DIETFURT
GERMANY

PHONE +49 9142-802-0
TELEFAX +49 9142-802-267



NATURAL STONE FACTORY PETERSBUCH PRODUCTION

MARMORSTRASSE 2
85135 TITTING-PETERSBUCH
GERMANY

PHONE +49 8423-9910-0
TELEFAX +49 8423-9910-11



NATURAL STONE FACTORY KALDORF SALES • PRODUCTION

AUWEG 6
85135 TITTING-KALDORF
GERMANY

PHONE +49 8423-9911-0
TELEFAX +49 8423-9911-40



NATURAL STONE FACTORY WEGSCHEID SHOWROOM • SALES • PRODUCTION

ALTE SCHERNFELDER STRASSE 1
85072 EICHSTÄTT-WEGSCHEID
GERMANY

PHONE +49 8421-909797-0
TELEFAX +49 8421-909797-10

www.franken-schotter.com
info@franken-schotter.de

WE WOULD ALSO BE HAPPY TO INFORM YOU ABOUT OUR OTHER OFFERS

PRODUCT PORTFOLIO


FACADES

INTERIOR

ASPHALT

BULK MATERIAL

DIETFURT NATURAL STONE FOR INTERIOR



FRANKEN-SCHOTTER GMBH & CO. KG

HUNGERBACHTAL 1
91757 TREUCHTLINGEN-DIETFURT
GERMANY

PHONE +49 9142 / 802-0
TELEFAX +49 9142 / 802-267

info@franken-schotter.de
www.franken-schotter.com

