

DAVIKA

SCOPE MOUNTS AND SHOOTING ACCESSORIES
PRODUCT CATALOG

WE MANUFACTURE
HIGH-QUALITY SCOPE MOUNTS
FOR BOLT-ACTION RIFLES,
SCOPE MOUNTS FOR AR-10 AND AR-15,
SCOPE RINGS, QUICK-DETACH SCOPE MOUNTS,
RED DOR MOUNTS, SCOPE LEVELS AND
OTHER SHOOTING ACCESSORIES

01

Functionality

PRECISION AND FUNCTIONALITY THROUGH
ADVANCED TECHNOLOGIES.

02

Model Selection

MONOBLOCKS, CANTILEVER MOUNTS, SCOPE
RINGS, QD MOUNTS, RED DOT MOUNTS,
SCOPE LEVELS.

03

Quality

PREMIUM MATERIALS AND MODERN
TECHNOLOGIES ENSURE OUTSTANDING
QUALITY.

04

Design

MIXING MILITARY-GRADE FUNCTIONALITY
WITH MODERN AESTHETICS.

01 / SCOPE MOUNTS

DESIGNED SPECIFICALLY FOR HIGH-PRECISION BOLT-ACTION RIFLES, DAVIKA
SCOPE MOUNTS DELIVER UNMATCHED RELIABILITY AND PERFORMANCE UNDER
THE MOST CHALLENGING CONDITIONS.

02 / SNIPER SCOPE LEVELS

DAVIKA BUBBLE LEVELS ARE DESIGNED TO ELIMINATE THE CANT ERROR,
ENSURING YOUR RIFLE STAYS PERFECTLY HORIZONTAL WITH EVERY SHOT.
WHETHER MOUNTED ON THE SCOPE, MONOBLOCK, OR PICATINNY RAIL, OUR
PRECISION-ENGINEERED LEVELS DELIVER RELIABLE PERFORMANCE, EVEN IN THE
MOST CHALLENGING CONDITIONS.

03 / RED DOT MOUNTS

DAVIKA RED DOT MOUNTS SERIES IS DESIGNED TO DELIVER SUPERIOR
ERGONOMICS, COMFORT, AND RELIABILITY IN ANY CONDITIONS. ENGINEERED
WITH MILITARY-GRADE FUNCTIONALITY IN MINDE, THESE MOUNTS ENSURE
OPTIMAL HEAD POSITIONING AND SEAMLESS INTEGRATION WITH YOUR GEAR—
WHETHER IT'S BODY ARMOR, HEARING PROTECTION, NIGHT VISION GOGGLES,
OR PROTECTIVE MASKS—ALLOWING FOR A NATURAL AND EFFICIENT SHOOTING
POSITION IN EVERY SCENARIO.

04 / ACCESSORIES

DAVIKA SHOOTING ACCESSORIES ARE DESIGNED WITH A FOCUS ON ADAPTABILITY,
DURABILITY, AND PRECISION. FROM ADJUSTABLE COMPONENTS TO SPECIALIZED
PARTS, OUR ACCESSORIES ENABLE SHOOTERS TO ADAPT THEIR RIFLES FOR
MAXIMUM COMFORT, ACCURACY, AND EFFECTIVENESS IN THE FIELD.

PERFECT YOUR RIFLE

Information about the Product

MSM-01 IS A PREMIUM ONE-PIECE SCOPE MOUNT, ENGINEERED FOR PROFESSIONAL SHOOTERS. DESIGNED SPECIFICALLY FOR HIGH-PRECISION BOLT-ACTION RIFLES, IT DELIVERS UNMATCHED RELIABILITY AND PERFORMANCE UNDER THE MOST CHALLENGING CONDITIONS.

BUILT TO HANDLE THE RECOIL OF POWERFUL CALIBERS, THE MSM-01 OFFERS EXCEPTIONAL REPEATABILITY AND ENSURES A ROCK-SOLID HOLD ON YOUR OPTICAL SCOPE, EVEN IN THE MOST EXTREME OPERATIONAL SCENARIOS.

WHAT SETS THE MSM-01 APART IS DAVIKA SMAI MOUNTING INTERFACE, WHICH ALLOWS SECURE INTEGRATION OF VARIOUS ACCESSORIES TO THE SCOPE MOUNT. THIS FEATURE TRANSFORMS THE SCOPE MOUNT INTO A VERSATILE PLATFORM, ENABLING THE ATTACHMENT OF MISSION-CRITICAL ACCESSORIES. WHETHER FOR COMPETITION, OR OTHER USE, THIS ADAPTABILITY EMPOWERS PROFESSIONALS TO BUILD FULLY MODULAR SYSTEMS ADAPTED TO THEIR NEEDS.

ADDITIONALLY, THE MSM-01 IS AVAILABLE WITH TILT OPTIONS, PROVIDING EXTENDED VERTICAL ADJUSTMENT RANGES FOR SUPERIOR ACCURACY AT EXTREME DISTANCES, MAKING IT THE ULTIMATE CHOICE FOR LONG-RANGE PRECISION SHOOTERS.

WITH ADVANCED ENGINEERING, DURABLE CONSTRUCTION, AND INNOVATIVE FEATURES, THE MSM-01 STANDS AS THE PERFECT SOLUTION, THAT PROVIDING OUR CUSTOMERS ONE OF THE BEST SCOPE MOUNTING SYSTEM AT THE MARKET.

Features

- ORIGINAL AND ATTRACTIVE DESIGN
- ROCK-SOLID FIXATION ON THE PICATINNY RAIL
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE MSM-01 SCOPE MOUNT IS MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- INTEGRATED RECOIL LUG FOR RELIABLE AND EFFECTIVE RECOIL ABSORPTION
- SCOPE MOUNT PROVIDES IDEAL INSTALLATION REPEATABILITY DUE TO THE SPECIAL GEOMETRY OF THE LOWER PART OF THE MOUNT AND INTEGRATED RECOIL LUG (PATENTED)
- THE INNER SURFACE OF THE RINGS HAS SPECIAL NOTCHES THAT ENSURE RELIABLE RETENTION OF THE SCOPE AND NO DISPLACEMENT DURING SHOOTING
- THE INTERNAL GEOMETRY OF THE RINGS MAKES IT IMPOSSIBLE TO DAMAGE THE SCOPE TUBE
- RELIABLE FIXATION OF THE SCOPE TUBE IN THE RINGS WITH 12 SCREWS
- PREMIUM QUALITY BLACK COATED SCREWS
- MAXIMUM STRUCTURAL RIGIDITY
- SMAI MOUNTING INTERFACE, WHICH ALLOWS SECURE INTEGRATION OF VARIOUS ACCESSORIES TO THE SCOPE MOUNT

MSM-01

MONOBLOCK SCOPE MOUNT
24 MODIFICATIONS
2 COLORS

DIAMETER: / 30 MM / 34 MM / 35 MM / 36 MM

TILT: / 0 MIL 0 MOA / 3 MIL 10.3 MOA /
6 MIL 20.6 MOA / 9 MIL 30 MOA

HEIGHT: / 30 MM / 34 MM / 38 MM



QUALITY WITHOUT COMPROMISES

Information about the Product

MSM-02 IS A PREMIUM ONE-PIECE SCOPE MOUNT, ENGINEERED FOR PROFESSIONAL SHOOTERS. DESIGNED FOR USE WITH AR-10 AND AR-15 RIFLES, IT OFFERS EXCEPTIONAL PERFORMANCE AND VERSATILITY, ENSURING RELIABILITY IN THE MOST DYNAMIC AND CHALLENGING ENVIRONMENTS.

MADE FOR FAST AND DYNAMIC SHOOTING, THE MSM-02 FEATURES A LIGHTWEIGHT CONSTRUCTION WITHOUT COMPROMISING OF RIGIDITY. ITS CANTILEVER DESIGN ALLOWS FOR OPTIMAL SCOPE POSITIONING, ACCORDING TO THE SHOOTER'S EYE, FOR MAXIMUM COMFORT AND ACCURACY.

WHAT SETS THE MSM-02 APART IS DAVIKA SMAI MOUNTING INTERFACE, WHICH ALLOWS SECURE INTEGRATION OF VARIOUS ACCESSORIES TO THE SCOPE MOUNT. THIS FEATURE TRANSFORMS THE SCOPE MOUNT INTO A HIGHLY ADAPTABLE PLATFORM, ENABLING USERS TO ATTACH MISSION-CRITICAL ACCESSORIES QUICKLY AND SECURELY. THIS MODULAR CAPABILITY EMPOWERS PROFESSIONALS TO BUILD CUSTOM SYSTEMS ADAPTED TO THEIR NEEDS, WHETHER IN SPORT, HUNTING, OR COMPETITION SETTINGS.

THE MSM-02 IS ALSO AVAILABLE WITH TILT OPTIONS, PROVIDING AN EXTENDED RANGE FOR VERTICAL SCOPE ADJUSTMENTS. THIS FEATURE ENSURES SUPERIOR ACCURACY AT LONGER DISTANCES, MAKING IT A PREFERRED CHOICE FOR SHOOTERS REQUIRING PRECISION IN BOTH TACTICAL AND LONG-RANGE APPLICATIONS.

WITH ITS ADVANCED ENGINEERING, LIGHTWEIGHT YET ROBUST CONSTRUCTION, AND MODULAR FUNCTIONALITY, THE MSM-02 STANDS AS AN IDEAL SOLUTION, THAT PROVIDING OUR CUSTOMERS ONE OF THE BEST SCOPE MOUNTING SYSTEM AT THE MARKET.

Features

- ORIGINAL AND ATTRACTIVE DESIGN
- CANTILEVER DESIGN FOR OPTIMAL SCOPE POSITIONING, ACCORDING TO THE SHOOTER'S EYE, FOR MAXIMUM COMFORT AND ACCURACY ON AR-10 AND AR-15
- ROCK-SOLID FIXATION ON THE PICATINNY RAIL
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE MSM-02 SCOPE MOUNT IS MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- INTEGRATED RECOIL LUG FOR RELIABLE AND EFFECTIVE RECOIL ABSORPTION
- SCOPE MOUNT PROVIDES IDEAL INSTALLATION REPEATABILITY DUE TO THE SPECIAL GEOMETRY OF THE LOWER PART OF THE MOUNT AND INTEGRATED RECOIL LUG (PATENTED)
- THE INNER SURFACE OF THE RINGS HAS SPECIAL NOTCHES THAT ENSURE RELIABLE RETENTION OF THE SCOPE AND NO DISPLACEMENT DURING SHOOTING
- THE INTERNAL GEOMETRY OF THE RINGS MAKES IT IMPOSSIBLE TO DAMAGE THE SCOPE TUBE
- RELIABLE FIXATION OF THE SCOPE TUBE IN THE RINGS WITH 12 SCREWS
- PREMIUM QUALITY BLACK COATED SCREWS
- THE WEIGHT OF THE SCOPE MOUNT IS REDUCED AS MUCH AS POSSIBLE WITHOUT LOSING THE RIGIDITY OF THE STRUCTURE
- SMAI MOUNTING INTERFACE, WHICH ALLOWS SECURE INTEGRATION OF VARIOUS ACCESSORIES TO THE SCOPE MOUNT

MSM-02

CANTILEVER SCOPE MOUNT
14 MODIFICATIONS
2 COLORS

DIAMETER: / 30 MM / 34 MM / 35 MM / 36 MM

TILT: / 0 MIL 0 MOA / 6 MIL 20.6 MOA

HEIGHT: / 30 MM / 34 MM / 38 MM



UNMATCHED PERFORMANCE

Information about the Product

MSM-03 IS A PREMIUM ONE-PIECE SCOPE MOUNT WITH A QUICK DETACH (QD) MECHANISM, ENGINEERED FOR PROFESSIONAL SHOOTERS. DESIGNED FOR USE WITH HIGH-PRECISION BOLT-ACTION RIFLES, IT COMBINES EASE OF USE WITH EXCEPTIONAL STABILITY, ENSURING PEAK PERFORMANCE IN DIFFERENT SCENARIOS.

BUILT FOR RELIABILITY, THE MSM-03 DELIVERS PERFECT INSTALLATION REPEATABILITY AND A SECURE HOLD ON YOUR OPTICAL SCOPE, EVEN UNDER INTENSE OPERATIONAL CONDITIONS. THE QUICK DETACH FEATURE ENABLES RAPID MOUNTING WITHOUT COMPROMISING ACCURACY, MAKING IT IDEAL FOR SCENARIOS WHERE YOU NEED TO QUICK SWITH BETWVEN DIFFERENT SCOPES WITHOUT LOOSING A ZERO.

A DEFINING FEATURE OF THE MSM-03 IS DAVIKA SMAI MOUNTING INTERFACE, WHICH ALLOWS SECURE INTEGRATION OF VARIOUS ACCESSORIES TO THE SCOPE MOUNT. THIS FEATURE TRANSFORMS THE SCOPE MOUNT INTO A HIGHLY ADAPTABLE PLATFORM, ENABLING USERS TO ATTACH MISSION-CRITICAL ACCESSORIES QUICKLY AND SECURELY. THIS MODULAR CAPABILITY EMPOWERS PROFESSIONALS TO BUILD CUSTOM SYSTEMS ADAPTED TO THEIR NEEDS, WHETHER IN SPORT, HUNTING, OR COMPETITION SETTINGS.

ADDITIONALLY, THE MSM-03 IS AVAILABLE WITH TILT OPTIONS, PROVIDING EXTENDED VERTICAL ADJUSTMENT RANGES FOR SUPERIOR ACCURACY AT EXTREME DISTANCES, MAKING IT THE ULTIMATE CHOICE FOR LONG-RANGE PRECISION SHOOTERS.

WITH ITS ADVANCED ENGINEERING, QUICK-DETACH CAPABILITY, AND ROBUST CONSTRUCTION, THE MSM-03 STANDS AS THE ULTIMATE SOLUTION, THAT PROVIDING OUR CUSTOMERS ONE OF THE BEST SCOPE MOUNTING SYSTEM AT THE MARKET.

Features

- ORIGINAL AND ATTRACTIVE DESIGN
- QUICK DETACH MECHANISM WITH ADJUSTABLE TENSION AND SAFETY BUTTON AGAINST ACCIDENTAL OPENING
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE MSM-03 SCOPE MOUNT IS MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- INTEGRATED RECOIL LUG FOR RELIABLE AND EFFECTIVE RECOIL ABSORPTION
- SCOPE MOUNT PROVIDES IDEAL INSTALLATION REPEATABILITY DUE TO THE SPECIAL GEOMETRY OF THE LOWER PART OF THE MOUNT AND INTEGRATED RECOIL LUG (PATENTED)
- THE INNER SURFACE OF THE RINGS HAS SPECIAL NOTCHES THAT ENSURE RELIABLE RETENTION OF THE SCOPE AND NO DISPLACEMENT DURING SHOOTING
- THE INTERNAL GEOMETRY OF THE RINGS MAKES IT IMPOSSIBLE TO DAMAGE THE SCOPE TUBE
- RELIABLE FIXATION OF THE SCOPE TUBE IN THE RINGS WITH 12 SCREWS
- PREMIUM QUALITY BLACK COATED SCREWS
- SMAI MOUNTING INTERFACE, WHICH ALLOWS SECURE INTEGRATION OF VARIOUS ACCESSORIES TO THE SCOPE MOUNT

MSM-03

QUICK DETACH SCOPE MOUNT
8 MODIFICATIONS
2 COLORS

DIAMETER: / 30 MM / 34 MM / 35 MM / 36 MM

TILT: / 0 MIL 0 MOA / 6 MIL 20.6 MOA

HEIGHT: / 34 MM / 38 MM



ALL PRECISION IN DETAILS

Information about the Product

MSM-04 IS A PREMIUM ONE-PIECE CANTILEVER SCOPE MOUNT WITH A QUICK DETACH (QD) MECHANISM, DESIGNED FOR PROFESSIONAL SHOOTERS. SPECIFICALLY ENGINEERED FOR AR-10 AND AR-15 RIFLES, IT COMBINES RUGGED RELIABILITY WITH LIGHTWEIGHT CONSTRUCTION, ENSURING PERFORMANCE IN THE MOST DYNAMIC AND CHALLENGING ENVIRONMENTS.

THE CANTILEVER DESIGN ENSURES OPTIMAL SCOPE POSITIONING, ACCORDING TO THE SHOOTER'S EYE, FOR MAXIMUM COMFORT AND PRECISION. THE QD FEATURE ENABLES FAST MOUNTING AND REMOVAL OF THE OPTICAL SCOPE WHILE MAINTAINING PERFECT REPEATABILITY AND STABILITY, MAKING THE MSM-04 AN IDEAL CHOICE FOR SCENARIOS REQUIRING MULTIPLE OPTICS ON THE SAME RIFLE.

A DEFINING FEATURE OF THE MSM-04 IS DAVIKA SMAI MOUNTING INTERFACE, WHICH ALLOWS SECURE INTEGRATION OF VARIOUS ACCESSORIES TO THE SCOPE MOUNT. THIS FEATURE TRANSFORMS THE SCOPE MOUNT INTO A HIGHLY ADAPTABLE PLATFORM, ENABLING USERS TO ATTACH MISSION-CRITICAL ACCESSORIES QUICKLY AND SECURELY. THIS MODULAR CAPABILITY EMPOWERS PROFESSIONALS TO BUILD CUSTOM SYSTEMS ADAPTED TO THEIR NEEDS, WHETHER IN SPORT, HUNTING, OR COMPETITION SETTINGS.

LIGHTWEIGHT YET ROBUST, THE MSM-04 IS CRAFTED FOR PRACTICAL USE AND SUPPORTS ADDITIONAL ACCESSORIES WHILE MAINTAINING EXCEPTIONAL DURABILITY. FOR THOSE REQUIRING LONG-RANGE PRECISION, THE MSM-04 IS AVAILABLE WITH TILT OPTIONS, EXTENDING THE VERTICAL ADJUSTMENT RANGE OF THE SCOPE TO ACHIEVE SUPERIOR ACCURACY AT EXTENDED DISTANCES.

WITH ITS ADVANCED ENGINEERING, QUICK-DETACH FUNCTIONALITY, AND PRACTICAL VERSATILITY, THE MSM-04 IS THE ULTIMATE SOLUTION FOR PROFESSIONALS LOOKING FOR A CUTTING-EDGE SCOPE MOUNTS SYSTEMS.

Features

- ORIGINAL AND ATTRACTIVE DESIGN
- QUICK DETACH MECHANISM WITH ADJUSTABLE TENSION AND SAFETY BUTTON AGAINST ACCIDENTAL OPENING
- CANTILEVER DESIGN FOR OPTIMAL SCOPE POSITIONING, ACCORDING TO THE SHOOTER'S EYE, FOR MAXIMUM COMFORT AND ACCURACY ON AR-10 AND AR-15
- ROCK-SOLID FIXATION ON THE PICATINNY RAIL
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE MSM-04 SCOPE MOUNT IS MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- INTEGRATED RECOIL LUG FOR RELIABLE AND EFFECTIVE RECOIL ABSORPTION
- SCOPE MOUNT PROVIDES IDEAL INSTALLATION REPEATABILITY DUE TO THE SPECIAL GEOMETRY OF THE LOWER PART OF THE MOUNT AND INTEGRATED RECOIL LUG (PATENTED)
- THE INNER SURFACE OF THE RINGS HAS SPECIAL NOTCHES THAT ENSURE RELIABLE RETENTION OF THE SCOPE AND NO DISPLACEMENT DURING SHOOTING
- THE INTERNAL GEOMETRY OF THE RINGS MAKES IT IMPOSSIBLE TO DAMAGE THE SCOPE TUBE
- RELIABLE FIXATION OF THE SCOPE TUBE IN THE RINGS WITH 12 SCREWS
- PREMIUM QUALITY BLACK COATED SCREWS
- THE WEIGHT OF THE SCOPE MOUNT IS REDUCED AS MUCH AS POSSIBLE WITHOUT LOSING THE RIGIDITY OF THE STRUCTURE
- SMAI MOUNTING INTERFACE, WHICH ALLOWS SECURE INTEGRATION OF VARIOUS ACCESSORIES TO THE SCOPE MOUNT

MSM-04

CANTILEVER QD SCOPE MOUNT
6 MODIFICATIONS
2 COLORS

DIAMETER: / 30 MM / 34 MM / 35 MM / 36 MM

TILT: / 0 MIL 0 MOA / 6 MIL 20.6 MOA

HEIGHT: / 38 MM



PREMIUM SCOPE RINGS

Information about the Product

RSM-01 IS A PREMIUM SET OF TWO SEPARATE SCOPE RINGS, DESIGNED FOR MOUNTING OPTICAL SCOPES ON BOLT-ACTION RIFLES. COMBINING PRECISION ENGINEERING WITH VERSATILITY, IT ENSURES A SECURE AND RELIABLE HOLD FOR YOUR SCOPE IN THE MOST DEMANDING SHOOTING APPLICATIONS.

A KEY FEATURE OF THE RSM-01 IS THE ABILITY TO ADJUST THE SPACING BETWEEN THE INDIVIDUAL RINGS ALONG THE PICATINNY RAIL. THIS FLEXIBILITY ALLOWS SHOOTERS TO OPTIMIZE THE SETUP FOR THEIR SPECIFIC SCOPE AND RIFLE CONFIGURATION, ENSURING MAXIMUM PERFORMANCE AND COMFORT.

WHAT SETS DAVIKA'S SCOPE RINGS APART IS THE SMAI MOUNTING INTERFACE, ENABLING THE ATTACHMENT OF VARIOUS ACCESSORIES DIRECTLY TO THE SCOPE RINGS. THIS TRANSFORMS THE MSM-05 INTO A MODULAR PLATFORM, ENABLING THE CREATION OF A FULLY ADAPTABLE ACCESSORY SYSTEM THAT CAN BE QUICKLY CONFIGURED TO MEET SPECIFIC OPERATIONAL NEEDS.

THE RSM-01 IS AVAILABLE IN BOTH 30MM AND 34MM RINGS DIAMETERS, WITH OPTICAL AXIS HEIGHTS OF 30MM, 34MM, AND 38MM ABOVE THE PICATINNY RAIL, PROVIDING COMPATIBILITY WITH A WIDE RANGE OF OPTICAL SCOPES.

WITH ITS ADVANCED DESIGN, ROBUST CONSTRUCTION, AND EXEPTIONAL ADAPTABILITY, THE RSM-01 IS THE IDEAL CHOICE FOR PROFESSIONALS LOOKING FOR A CUTTING-EDGE SCOPE MOUNTS SYSTEMS.

Features

- ORIGINAL AND ATTRACTIVE DESIGN
- ROCK-SOLID FIXATION ON THE PICATINNY RAIL
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE RSM-01 SCOPE RINGS ARE MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- INTEGRATED RECOIL LUG FOR RELIABLE AND EFFECTIVE RECOIL ABSORPTION
- THE INNER SURFACE OF THE RINGS HAS SPECIAL NOTCHES THAT ENSURE RELIABLE RETENTION OF THE SCOPE AND NO DISPLACEMENT DURING SHOOTING
- THE INTERNAL GEOMETRY OF THE RINGS MAKES IT IMPOSSIBLE TO DAMAGE THE SCOPE TUBE
- RELIABLE FIXATION OF THE SCOPE TUBE IN THE RINGS WITH 12 SCREWS
- PREMIUM QUALITY BLACK COATED SCREWS
- SMAI MOUNTING INTERFACE, WHICH ALLOWS SECURE INTEGRATION OF VARIOUS ACCESSORIES TO THE SCOPE MOUNT

RSM-01

SCOPE RINGS
7 MODIFICATIONS
2 COLORS

DIAMETER: / 30 MM / 34 MM / 40 MM

TILT: / 0 MIL 0 MOA

HEIGHT: / 30 MM/ 34 MM / 38 MM



KEEP YOUR WEAPONS AIMED

Information about the Product

THE RDSM-01 MICRO IS A RED DOT SIGHT MOUNT THAT SPECIFICALLY DESIGNED FOR AIMPOINT MICRO OPTICS (H1, H2, T1, T2, COMPM5) AND OTHER RED DOT SIGHTS WITH A STANDARD AIMPOINT MICRO MOUNTING INTERFACE.®

THIS RED DOT MOUNT FEATURES A LIGHTWEIGHT DESIGN AND PATENTED TECHNOLOGICAL SOLUTIONS, ENSURING SECURE AND RELIABLE ATTACHMENT TO PICATINNY RAILS. IT OFFERS 4 HEIGHT OPTIONS*: ABSOLUTE, LOWER 1/3, 1.93» AND 2.25».

THE RDSM-01 MICRO IS COMPATIBLE WITH A WIDE RANGE OF RED DOT SIGHTS, INCLUDING MODELS FROM SIG SAUER, HOLOSUN, PRIMARY ARMS, VORTEX OPTICS, AND VECTOR OPTICS.

DAVIKA RED DOT MOUNTS SERIES IS DESIGNED TO DELIVER SUPERIOR ERGONOMICS, COMFORT, AND RELIABILITY IN ANY CONDITIONS. ENGINEERED WITH MILITARY-GRADE FUNCTIONALITY IN MINDE, THESE MOUNTS ENSURE OPTIMAL HEAD POSITIONING AND SEAMLESS INTEGRATION WITH YOUR GEAR - WHETHER IT'S BODY ARMOR, HEARING PROTECTION, NIGHT VISION GOGGLES, OR PROTECTIVE MASKS - ALLOWING FOR A NATURAL AND EFFICIENT SHOOTING POSITION IN EVERY SCENARIO.

*TO OPTICAL CENTERLINE

Features

- THE WEIGHT OF THE RED DOT IS REDUCED AS MUCH AS POSSIBLE WITHOUT LOSING THE RIGIDITY OF THE STRUCTURE
- ROCK-SOLID FIXATION ON THE PICATINNY RAIL
- ORIGINAL AND ATTRACTIVE DESIGN
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE RDSM-01 SCOPE MOUNT IS MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- INTEGRATED RECOIL LUG FOR RELIABLE AND EFFECTIVE RECOIL ABSORPTION
- SCOPE MOUNT PROVIDES IDEAL INSTALLATION REPEATABILITY DUE TO THE SPECIAL GEOMETRY OF THE LOWER PART OF THE MOUNT AND INTEGRATED RECOIL LUG (PATENTED)
- PREMIUM QUALITY BLACK COATED SCREWS

RDSM-01 MICRO

QD RED DOT SCOPE MOUNT
4 HEIGHT OPTIONS
2 COLORS



DESIGNED FOR FAST SHOOTING

Information about the Product

THE RDSM-02 MICRO IS A QUICK DETACH RED DOT SIGHT MOUNT THAT SPECIFICALLY DESIGNED FOR AIMPOINT MICRO OPTICS (H1, H2, T1, T2, COMPM5) AND OTHER RED DOT SIGHTS WITH A STANDARD AIMPOINT MICRO MOUNTING INTERFACE.®

THE QUICK DETACH FEATURE ENABLES FAST MOUNTING OF THE SCOPE WITHOUT COMPROMISING ACCURACY. RDSM-02 MICRO HAS LIGHTWEIGHT DESIGN AND PATENTED TECHNOLOGICAL SOLUTIONS, ENSURING SECURE AND RELIABLE ATTACHMENT TO PICATINNY RAILS. IT OFFERS 2 HEIGHT OPTIONS*: 1.93»/49 MM AND 2.25»/57 MM.®

THE RDSM-02 MICRO IS COMPATIBLE WITH A WIDE RANGE OF RED DOT SIGHTS, INCLUDING MODELS FROM SIG SAUER, HOLOSUN, PRIMARY ARMS, VORTEX OPTICS, AND VECTOR OPTICS. ®

DAVIKA RED DOT MOUNTS SERIES IS DESIGNED TO DELIVER SUPERIOR ERGONOMICS, COMFORT, AND RELIABILITY IN ANY CONDITIONS. ENGINEERED WITH MILITARY-GRADE FUNCTIONALITY IN MIND, THESE MOUNTS ENSURE OPTIMAL HEAD POSITIONING AND SEAMLESS INTEGRATION WITH YOUR GEAR - WHETHER IT'S BODY ARMOR, HEARING PROTECTION, NIGHT VISION GOGGLES, OR PROTECTIVE MASKS - ALLOWING FOR A NATURAL AND EFFICIENT SHOOTING POSITION IN EVERY SCENARIO.

*TO OPTICAL CENTERLINE

Features

- QUICK DETACH MECHANISM WITH ADJUSTABLE TENSION AND SAFETY BUTTON AGAINST ACCIDENTAL OPENING
- THE WEIGHT OF THE RED DOT IS REDUCED AS MUCH AS POSSIBLE WITHOUT LOSING THE RIGIDITY OF THE STRUCTURE
- ROCK-SOLID FIXATION ON THE PICATINNY RAIL
- ORIGINAL AND ATTRACTIVE DESIGN
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE RDSM-01 SCOPE MOUNT IS MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- INTEGRATED RECOIL LUG FOR RELIABLE AND EFFECTIVE RECOIL ABSORPTION
- SCOPE MOUNT PROVIDES IDEAL INSTALLATION REPEATABILITY DUE TO THE SPECIAL GEOMETRY OF THE LOWER PART OF THE MOUNT AND INTEGRATED RECOIL LUG (PATENTED)
- PREMIUM QUALITY BLACK COATED SCREWS

RDSM-02 MICRO

QD RED DOT SCOPE MOUNT
4 HEIGHT OPTIONS
2 COLORS



ENGINEERED FOR BARRETT MRAD

Information about the Product

LV-01 IS A COMPACT AND RELIABLE BUBBLE LEVEL DESIGNED FOR MOUNTING ON A PICATINNY RAIL, ENSURING PRECISE CONTROL OF RIFLE TILT DURING LONG-RANGE SHOOTING.

DEVELOPED IN RESPONSE TO A REQUEST FROM UKRAINIAN SNIPERS, THE LV-01 INITIALLY WAS SPECIFICALLY ENGINEERED FOR USE WITH THE BARRETT MRAD RIFLE. THE REQUIREMENT WAS FOR A CREATE BUBBLE LEVEL THAT COULD MOUNT DIRECTLY TO THE PICATINNY RAIL AND UNDER THE OBJECTIVE LENS OF A SCOPE.

ENGINEERED WITH A LOW-PROFILE DESIGN, THE LV-01 HAS NO PROTRUDING PARTS THAT MAKE IT UNNOTICEABLE AND EXTREMELY PRACTICAL FOR SHOOTERS WORKING IN THE MOST DIFFICULT ENVIRONMENTS.

WITH ITS ROBUST CONSTRUCTION, STREAMLINED FORM, AND MILITARY-GRADE DESIGN, THE LV-01 IS AN ESSENTIAL ACCESSORY FOR ACHIEVING UNPARALLELED ACCURACY IN ANY SHOOTING SCENARIOS.

Features

- ORIGINAL AND ATTRACTIVE DESIGN
- ROCK-SOLID FIXATION ON THE PICATINNY RAIL
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE LV-01 LEVEL FOR IPICATINNY RAIL S MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- PREMIUM QUALITY BLACK COATED SCREWS

LV-01

LEVEL FOR PICATINNY RAIL
2 COLORS



FOR SPORT AND TACTICAL APPLICATIONS

Information about the Product

LV-02 IS A SIDE-OFFSET BUBBLE LEVEL DESIGNED FOR MOUNTING ON A PICATINNY RAIL, ENSURING PRECISE RIFLE TILT CONTROL DURING LONG-RANGE SHOOTING.

THE MAIN FEATURE OF THE LV-02 IS ITS SIDE-OFFSET DESIGN, WHICH PROVIDES IMPROVED VISIBILITY OF THE LEVEL, MAKING IT AN EXCELLENT CHOICE FOR COMPETITIVE SHOOTING. BUILT WITH RUGGED DURABILITY, IT IS ENGINEERED TO WITHSTAND THE TOUGHEST CONDITIONS AND MEET THE DEMANDS OF PROFESSIONAL SHOOTERS.

INSPIRED BY THE NEEDS OF PRECISION SHOOTERS, THE LV-02 COMBINES PRACTICAL FUNCTIONALITY WITH A ROBUST CONSTRUCTION, ENSURING RELIABILITY IN BOTH SPORT AND PRACTICAL APPLICATIONS. ITS DESIGN ALLOWS FOR QUICK VISUAL MONITORING WITHOUT INTERRUPTING YOUR SHOOTING FOCUS, ENHANCING OVERALL ACCURACY AND PERFORMANCE.

Features

- ORIGINAL AND ATTRACTIVE DESIGN
- ROCK-SOLID FIXATION ON THE PICATINNY RAIL
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE LV-02 SIDE LEVEL FOR PICATINNY RAIL IS MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- PREMIUM QUALITY BLACK COATED SCREWS

LV-02

SIDE LEVEL FOR PICATINNY RAIL
2 COLORS



PRECISE CONTROL OF RIFLE TILT

Information about the Product

LV-03 IS A BUBBLE LEVEL DESIGNED FOR MOUNTING DIRECTLY ONTO THE SCOPE TUBE, ENSURING PRECISE CONTROL OF RIFLE TILT DURING LONG-RANGE SHOOTING. ITS PERFECTLY SUITS DAVIKA'S SCOPE MOUNTS, OFFERING SEAMLESS DESIGN COMPATIBILITY AND A SLEEK, UNIFIED APPEARANCE.

ONE OF THE KEY ADVANTAGES OF THE LV-03 IS ITS HIGHER SENSITIVITY COMPARED TO PICATINNY-MOUNTED LEVELS. THIS INCREASED SENSITIVITY IS ACHIEVED BY POSITIONING THE BUBBLE LEVEL CAPSULE HIGHER RELATIVE TO THE RIFLE BARREL'S AXIS – THE GREATER THE HEIGHT, THE MORE RESPONSIVE THE LEVEL. ADDITIONALLY, THE LV-03 DOES NOT REQUIRE CALIBRATION AND FUNCTIONS INDEPENDENTLY OF THE PICATINNY RAIL, OFFERING ENHANCED VERSATILITY. ALSO, IF THE SCOPE IS MOVED TO A DIFFERENT FRIFLE, THE LV-03 CAN BE USED TO REALIGN THE OPTICAL SCOPE WITH PRECISION.

DAVIKA SCOPE TUBE LEVELS ARE AVAILABLE IN DIAMETERS OF 30MM, 34MM, 35MM, AND 36MM, ENSURING COMPATIBILITY WITH A WIDE RANGE OF OPTICAL SCOPES.

WITH ITS SUPERIOR ENGINEERING, INCREASED SENSITIVITY, AND TACTICAL DESIGN, THE LV-03 IS AN INDISPENSABLE ACCESSORY FOR PROFESSIONALS SEEKING MAXIMUM ACCURACY AND ADAPTABILITY.

Features

- ORIGINAL AND ATTRACTIVE DESIGN
- ROCK-SOLID FIXATION ON THE SCOPE TUBE
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE LV-03 SCOPE LEVEL IS MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- THE INNER SURFACE OF THE RING HAS SPECIAL NOTCHES THAT ENSURE RELIABLE RETENTION OF THE SCOPE LEVEL AND NO DISPLACEMENT DURING SHOOTING
- THE INTERNAL GEOMETRY OF THE RINGS MAKES IT IMPOSSIBLE TO DAMAGE THE SCOPE TUBE
- PREMIUM QUALITY BLACK COATED SCREWS

LV-03

SCOPE LEVEL
4 DIAMETERS
2 COLORS

DIAMETER: / 30 MM / 34 MM / 35 MM / 36 MM



BEST ACCESSORY FOR YOUR SCOPE MOUNT

Information about the Product

LV-04 IS A PRECISION-ENGINEERED BUBBLE LEVEL DESIGNED FOR INSTALLATION ON DAVIKA SCOPE MOUNTS, PROVIDING ACCURATE RIFLE TILT CONTROL DURING LONG-RANGE SHOOTING.

LV-04 IS USER-ADJUSTABLE, ALLOWING PRECISE LEVELING AT THE POINT OF INSTALLATION TO ENSURE MAXIMUM ACCURACY AND RELIABILITY IN EVERY ENVIRONMENT.

LV-04 OFFERS MULTIPLE MOUNTING OPTIONS TO SUIT VARIOUS APPLICATIONS, PROVIDING FLEXIBILITY FOR EITHER MAXIMUM COMPACTNESS OR ENHANCED VISUAL MONITORING, DEPENDING ON THE SHOOTER’S NEEDS.

THIS BUBBLE LEVEL IS THE BEST ACCESSORY FOR YOUR OPTICAL SCOPE MOUNT, ENHANCING FUNCTIONALITY AND ENSURING PRECISION IN EVERY SHOT. RUGGED AND ADAPTABLE, THE LV-04 IS AN ESSENTIAL ACCESSORY FOR PROFESSIONAL SHOOTERS, DESIRING FOR UNMATCHED ACCURACY IN DEMANDING CONDITIONS.

Features

- USER-ADJUSTABLE
- ORIGINAL AND ATTRACTIVE DESIGN
- SECURE FIXATION WITH THE SMAI
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE LV-04 LEVEL FOR SCOPE MOUNT IS MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- PREMIUM QUALITY BLACK COATED SCREWS

LV-04

LEVEL FOR SCOPE MOUNT
USER-ADJUSTABLE
2 COLORS



FOR SCOPE INSTALLATION

Information about the Product

LV-05 IS A HIGHLY EFFECTIVE TOOL FOR ENSURING PRECISE ALIGNMENT OF AN OPTICAL SCOPE’S RETICLE DURING INSTALLATION ON A RIFLE.

DESIGNED FOR EASE OF USE, THE LV-05 FEATURES A BUILT-IN MAGNET, ALLOWING FOR QUICK AND SECURE PLACEMENT DURING THE ALIGNMENT PROCESS.

Features

- ORIGINAL AND ATTRACTIVE DESIGN
- FIXATION USING A BUILT-IN MAGNET
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE MLV-05 BUBBLE LEVEL IS MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- PREMIUM QUALITY BLACK COATED SCREWS

LV-05

BUBBLE LEVEL
2 COLORS



GARMIN XERO QD MOUNT

Information about the Product

PRM-01 IS A QUICK-DETACH MOUNT DESIGNED FOR MOUNTING THE GARMIN XERO C1 CHRONOGRAPH TO A PICATINNY RAIL, OFFERING VERSATILITY AND EASE OF USE.

THIS UNIVERSAL MOUNT ALLOWS SHOOTERS TO POSITION THE CHRONOGRAPH IN THE MOST CONVENIENT LOCATION AND IS COMPATIBLE WITH A VARIETY OF ACCESSORIES, INCLUDING GOPRO CAMERAS, KESTREL BALLISTIC CALCULATORS, AND OTHER COMPATIBLE DEVICES TO PICATINNY RAIL.

THE QUICK-DETACH MECHANISM IS IDEAL FOR SITUATIONS WHERE THE CHRONOGRAPH NEEDS TO BE USED ACROSS MULTIPLE RIFLES OR FIREARMS. IT FEATURES ADJUSTABLE CLAMPING FORCE AND A SAFETY BUTTON TO PREVENT ACCIDENTAL RELEASE, ENSURING SECURE ATTACHMENT EVEN IN DYNAMIC CONDITIONS.

DESIGNED SPECIFICALLY TO MOUNT THE GARMIN XERO C1 ON DAVIKA SCOPE MOUNTS, THE PRM-01 SEAMLESSLY INTEGRATES WITH DAVIKA'S ENTIRE PRODUCT LINE, OFFERING A CONSISTENT AND SLEEK DESIGN WHILE DELIVERING EXCEPTIONAL FUNCTIONALITY AND RELIABILITY.

Features

- ORIGINAL AND ATTRACTIVE DESIGN
- QUICK DETACH MECHANISM WITH ADJUSTABLE TENSION AND SAFETY BUTTON AGAINST ACCIDENTAL OPENING
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE MSM-03 SCOPE MOUNT IS MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- PREMIUM QUALITY BLACK COATED SCREWS

PRM-01

GARMIN XERO C1 MOUNT
QUICK DETACH



DESIGNED FOR DAVIKA SCOPE MOUNTS

Information about the Product

PR-01 IS A PICATINNY RAIL DESIGNED FOR DAVIKA SCOPE MOUNTS, PROVIDING A VERSATILE PLATFORM FOR ATTACHING A WIDE RANGE OF ACCESSORIES. MANUFACTURED TO NATO STANDARD (STANAG 4694), THE PR-01 OFFERS A UNIVERSAL INTERFACE THAT ENSURES COMPATIBILITY WITH VARIOUS SHOOTING ACCESSORIES.

SMAI MOUNTING INTERFACE ALLOWS SECURE INTEGRATION OF VARIOUS ACCESSORIES TO THE SCOPE MOUNT. THIS FEATURE TRANSFORMS THE SCOPE MOUNT INTO A HIGHLY ADAPTABLE PLATFORM, ENABLING USERS TO ATTACH MISSION-CRITICAL ACCESSORIES QUICKLY AND SECURELY. THIS MODULAR CAPABILITY EMPOWERS PROFESSIONALS TO BUILD CUSTOM SYSTEMS ADAPTED TO THEIR NEEDS, WHETHER IN SPORT, HUNTING, OR COMPETITION SETTINGS.®

Features

- SECURE FIXATION WITH THE SMAI
- MADE FROM 7075-T6 ALUMINUM, WHICH IS THE STRONGEST ALUMINUM ALLOY IN THE WORLD AND HAS A TENSILE STRENGTH ALMOST 2 TIMES HIGHER THAN CAST ALUMINUM AND MAGNESIUM ALLOYS.
- HARD ANODIZED COATING - THE SCOPE MOUNT SURFACE IS RESISTANT TO SCRATCHES, MECHANICAL DAMAGE AND ENVIRONMENTAL INFLUENCES
- MICRON MANUFACTURING ACCURACY - THE PR-01 PICATINNY RAIL S MANUFACTURED ON A MODERN HIGH-PRECISION CNC MILLING MACHINES AND UNDERGOES STRICT QUALITY CONTROL
- PREMIUM QUALITY BLACK COATED SCREWS

PR-01

PICATINNY RAIL
35 MM / 55 MM / 75 MM
2 COLORS



