



GROUPE SEFMAT

RIPACK®



**PRODUCTS
CATALOG**




YOUR PROTECTION BY EXCELLENCE

For nearly 100 years, our teams have been breaking new ground to improve the performance of our range of products and offer the best possible service.

Sefmat draws its core values of innovation, compliance, agility and international development from this heritage.

Compose your custom-made packaging solution, thanks to our diverse range of products. Ripack offers the widest range of manual shrink tools on the market.

**FIND OUR PRODUCTS
WORLDWIDE THROUGH OUR
NETWORK OF DISTRIBUTORS.**



100 YEARS

OF EXPERIENCE AT THE SERVICE
OF
QUALITY



OUR GUNS ARE EQUIPPED WITH THE
PATENTED « COLD NOZZLE »
SYSTEM WHICH ELIMINATES ANY RISK OF CONTACT
BURNS.

OUR PRODUCTS COMPLY WITH
INTERNATIONAL STANDARDS



BENEFIT THE RIPACK
KNOW-HOW
BY CHOOSING QUALITY



MARIGOT JULIEN

General manager
M: +33(0) 6 99 61 63 34
julien.marigot@sefmat.com



BOREL JACQUES

France & Export manager
M: +33(0) 7 69 84 93 94
jacques.borel@sefmat.com



FARRAY CRISTIAN

Export Sales Manager
M: +33 (0) 7 83 24 84 80
cristian.farray@sefmat.com



CROUSEILLES RAPHAELLA

Sales assistant
M: +33(0) 5 56 34 35 18
adv@sefmat.com



ROUSSEAU HELENE

Sales assistant
M: +33(0) 5 56 34 35 18
sales@sefmat.com



MARKETING AND COMMUNICATION

M: +33(0) 5 56 34 35 18
marketing@sefmat.com

CONTENTS

KIT FOR SHRINKWRAPPING

P.6

HEAT SHRINK GUNS

RIPACK 3000

RIPACK 3000 +

RIPACK 2500

RIPACK 2100

P.9

P.10

P.11

P.12

P.13

ACCESSORIES

P.14

FILM SEALING MACHINES

MULTICOVER 955

MULTICOVER 960

MULTICOVER 935

P.23

P.24

P.25

P.26

MOBILE SHRINKING COLUMN

TURBOPACK

P.27

P.28

AUTOMATIC FLAMING KIT

RIPAFLAM

P.29

P.29

SHRINKAGE CONSUMABLES

GUSSETED HEAT SHRINK TUBING

COMPLEMENTARY ITEMS

P.30

P.31

P.32

INDEX

P.33



3000 RANGE

RIPACK 3000 M

RIPACK 3000 F

RIPACK 3000 + M

RIPACK 3000 + PREMIUM M



2500 RANGE

RIPACK 2500 M

RIPACK 2500 F



2100 RANGE

RIPACK 2100 M

RIPACK 2100 F

THE ATTRACTIVE SOLUTION FOR YOUR **MOBILE PACKING STATION**

RIPACK 3000 M



RIPACK 3000+ M



RIPACK 3000+ PREMIUM M



RIPACK 2100 M



RIPACK 2500 M



THE ATTRACTIVE SOLUTION FOR YOUR **FIXED** PACKING STATION

RIPACK 3000 F



RIPACK 2500 F



RIPACK 2100 F



HEAT SHRINK GUNS








RIPACK 3000

«THE MOST POWERFUL OF ITS CATEGORY»



POWER	45 TO 80 kW
WEIGHT	44,1 oz 1250 g
PRESSURE	1,5 - 3,5 BAR
ENERGY SOURCE	PROPANE OR NATURAL GAS (ON REQUEST)

**VERSATILE AND EVEN FASTER
FOR INTENSIVE NEEDS.**

- 
POWERFUL
 Maximum power of 80kW for intensive and quick work.
- 
UPGRADEABLE
 5 Clic & Go extensions !
- 
ROBUSTE
 Aluminum body and et shock absorbers.
- 
PRACTICAL
 Change piezo in 15 seconds / 1 built-in spare piezo, changeable without tools.
- 
SAFE
 Equipped with the Securipack pressure regulator, which controls the gas cylinder and gun pressure. The detection of a fault will result in the automatic shutdown of the gas.



Each gun is delivered in a carrying case with: 1 SECURIPACK 1.5-3.5 bar gas regulator, 1 8-meter hose with crimped connection, 2 piezos including 1 spare one integrated in the handle, 1 key for tightening/untightening the connections, 1 user manual with CE certificate. Please refer to the regulations applicable in the country of use concerning the conformity and use of the products and accessories offered in our Ripack ® range

* 10 YEARS WARRANTY ON PARTS AND LABOR

RIPACK 3000+

«THE MOST ERGONOMIC OF ITS
CATEGORY»



POWER	45 TO 80 kW
WEIGHT	54,85 OZ 1555 G
PRESSURE	1,5 - 3,5 BAR
ENERGY SOURCE	PROPANE OR NATURAL GAS (ON REQUEST)

**MORE POWERFUL AND ERGONOMIC
FOR INTENSIVE NEEDS.**



ERGONOMIC

Equipped with a short lance to facilitate low and high use / reduction of musculoskeletal disorders (MSD).



ACCURATE

Short and rigid flame, fanned out to cover the largest surface.



ROBUST

Aluminum body and et shock absorbers.



PRACTICAL

Change piezo in 15 seconds / 1 built-in spare piezo, changeable without tools.



SAFE

Equipped with the Securipack pressure regulator, which controls the gas cylinder and gun pressure. The detection of a fault will result in the automatic shutdown of the gas.



Each gun is delivered in a carrying case with: 1 SECURIPACK 1.5-3.5 bar gas regulator, 1 8-meter hose with crimped connection, 2 piezos including 1 spare one integrated in the handle, 1 key for tightening/untightening the connections, 1 user manual with CE certificate. Please refer to the regulations applicable in the country of use concerning the conformity and use of the products and accessories offered in our Ripack ® range

* 10 YEARS WARRANTY ON PARTS AND LABOR





RIPACK 2500

«THE LIGHTEST OF ITS CATEGORY»



POWER	34 TO 60 kW
WEIGHT	33,16 oz 940 G
PRESSURE	1,5 - 3,5 BAR
ENERGY SOURCE	PROPANE OR NATURAL GAS (ON REQUEST)

LIGHT AND COMPACT FOR REGULAR NEEDS.

-  **LIGHT**
Featherweight of 940 g.
-  **ROBUST**
Stainless body and et shock absorbers.
-  **AJUSTABLE POWER**
From 34 to 60 kW.
-  **INNOVATIVE**
Equipped with a soft touch grip handle / piezo switch quick.
-  **SAFE**
Equipped with the Securipack pressure regulator, which controls the gas cylinder and gun pressure. The detection of a fault will result in the automatic shutdown of the gas.



Each gun is delivered in a carrying case with: 1 SECURIPACK 1.5-3.5 bar gas regulator, 1 8-meter hose with crimped connection, 1 piezo quick access, 1 key for tightening/untightening the connections, 1 user manual with CE certificate. Please refer to the regulations applicable in the country of use concerning the conformity and use of the products and accessories offered in our Ripack® range

* 2 YEARS WARRANTY ON PARTS AND LABOR

RIPACK 2100

«THE MOST ECONOMICAL OF ITS
CATEGORY»



POWER	40 kW
WEIGHT	33,69 oz 955 g
PRESSURE	2,5 BAR
ENERGY SOURCE	PROPANE OR NATURAL GAS (ON REQUEST)

ECONOMICAL AND LIGHT FOR OCCASIONAL NEEDS.

E **ECONOMICAL**
Entry-level gun - Ripack quality at a low price

E **EASY**
40 kW.

E **LIGHT**
Featherweight of 955 g.

E **INNOVATIVE**
Equipped with a soft touch grip handle.

E **SAFE**
Equipped with the Securipack pressure regulator, which controls the gas cylinder and gun pressure. The detection of a fault will result in the automatic shutdown of the gas.



Each gun is delivered in a carrying case with: 1 SECURIPACK fixed gas regulator, 1 8-meter hose with crimped connection, 1 piezo quick access, 1 key for tightening/untightening the connections, 1 user manual with CE certificate. Please refer to the regulations applicable in the country of use concerning the conformity and use of the products and accessories offered in our Ripack® range

* 2 YEARS WARRANTY ON PARTS AND LABOR

ACCESSORIES



GAS BOTTLE TROLLEY



GAS HOSE REEL



CALPACK PALLET RAISER



GUN EXTENSION POLES



SAFETY CUTTERS



ARM SUPPORT



EXTENSIONS TRANSPORT SUPPORT

TROLLEY 936

« WORKSTATIONS FOR MOBILE SHRINKAGE
 NEEDS »



The Ripack cylinder trolley is the essential accessory for moving your gas cylinders easily and safely and ensuring the longevity of your equipment.

Thanks to the Ripack cylinder trolley, you can easily move your shrink station. Its design allows for a great hold and the mast assists you in handling and protecting the hose.

The new 936 is designed to be a real workstation. Suitable for 13kg gas cylinders, it can be moved in pull mode. It is equipped with a storage bag for easy transport of your tools, hooks for your shrink gun and tools and a strap for holding the gas cylinder.

A SECURE PACKING AREA AND A TIDY SHRINK STATION.

ELIGIBLE GAS BOTTLE	28,66 LB / 13 KG
------------------------	------------------

OVERALL DIMENSIONS	19,25" x 19,02" x 74,37" 489x483x1889MM
-----------------------	--


NET WEIGHT	25,35 LB / 11,5KG
------------	-------------------

STORAGE BAG	11,18" x 9,13" x 5,71" 284x232x145MM
----------------	---

USE IN MODE	PULLED
----------------	--------

TROLLEY 936+

« WORKSTATIONS FOR MOBILE SHRINKAGE
 NEEDS »



The Ripack cylinder trolley is the essential accessory for moving your gas cylinders easily and safely and ensuring the longevity of your equipment.


The new 936+ trolley can be used in pull mode and will follow you everywhere. It is suitable for 13kg gas cylinders. A strap is used to hold it. In addition to the storage bag, this trolley has a magnet with modular hooks to organise your workstation as you wish, as well as a work shelf with elastic band so that you can place computer, pens, documents without the sheets flying away. In addition to these accessories, it also has a holder to roll up your hose and prevent it from dragging on the ground and wearing out prematurely.

A SIMPLE AND PRACTICAL MOBILE PACKING STATION.

ELIGIBLE GAS BOTTLE	28,66 LB / 13 KG
OVERALL DIMENSIONS	20,51" x 18,27" x 84,25" 521x464x2140MM
NET WEIGHT	28,66 LB / 13KG
STORAGE BAG	11,18" x 9,13" x 5,71" 284x232x145MM
USE IN MODE	PULLED
SHELF	9,06" x 15,75" 230x400MM

TROLLEY 932

« WORKSTATIONS FOR MOBILE SHRINKAGE
 NEEDS »



Thanks to the Ripack cylinder trolley, you can easily move your shrink station. Its design allows for a great hold and the mast assists you in handling and protecting the hose.


The new 932 trolley will follow you to your workplace for all your shrink work. This push trolley offers the possibility to hold 13 or 33kg gas cylinder well maintained with the supplied strap. It offers great stability thanks to its 4 wheels. You can organise your workstation as you wish with its magnet and its modular hooks, its storage bag for your tools and a shelf with its elastic strap to prevent your sheets from flying away or to put down your computer.

A PACKAGING STATION COMBINING ERGONOMICS AND ORGANISATION,
 SUITABLE FOR 13 OR 33 KG BOTTLES.

ELIGIBLE GAS BOTTLE	28,66 LB OR 72,75 LB 13 OR 33 KG
OVERALL DIMENSIONS	39,92" x 28,31" x 82,64" 1014x719x2099MM
NET WEIGHT	39,68 LB / 18KG
STORAGE BAG	11,18" x 9,13" x 5,71" 284x232x145MM
USE IN MODE	PUSHED
SHELF	9,06" x 15,75" 230x400MM

TROLLEY 932+

« WORKSTATIONS FOR MOBILE SHRINKAGE NEEDS »



The Ripack cylinder trolley is the essential accessory for moving your gas cylinders easily and safely and ensuring the longevity of your equipment.

The new 932+ trolley has been designed to be a real workstation. It has been equipped with a bag, magnetic plate with flexible hooks, holders for shrink guns and tools for easy transport. A strap secures 13 or 33 kg gas cylinders and a shelf for pens, documents or computers is also available. Its 4 wheels provide great stability. It also has a 15 m hose reel with a self-locking system. By simply pulling on the hose, it is rolled up. The hose does not drag on the ground: Your work area is safe and your equipment is protected.

A PACKAGING STATION COMBINING ERGONOMICS AND ORGANISATION,
 SUITABLE FOR 13 OR 33 KG BOTTLES.

ELIGIBLE GAS BOTTLE	28,66 LB OR 72,75 LB 13 OR 33 KG
OVERALL DIMENSIONS	39,92" x 28,31" x 82,64" 1014x719x2099MM
NET WEIGHT	39,68 LB / 18KG
STORAGE BAG	11,18" x 9,13" x 5,71" 284x232x145MM
USE IN MODE	PUSHED
SHELF	9,06" x 15,75" 230x400MM
HOSE REEL	49,21 FT / 15M PIPE

Please refer to the regulations applicable in the country of use concerning the conformity and use of the products and accessories offered in our Ripack ® range

GAS HOSE REEL

«FOR A FIXED SHRINKAGE STATION»

The Ripack gas hose reel ensures a long life for your equipment. With its automatic hose return system, don't leave your Ripack retraction gun lying around. A ratchet locks your hose at the desired distance to ensure easy retraction. A simple tension on the hose starts the retraction.



RATCHET UNWIND
AUTOMATIC WIND

WEIGHT 35,27 LB / 16 KG

LENGHT PIPE/
DRUM 49,21 FT / 15 M

LENGHT PIPE/
COUPLING 13,12 FT / 4 M

MATERIAL SHEET STEEL
EPOXY PAINT

OPTIMISATION

After installing the reel in your wrapping area, the pivoting wall mount makes it easy to move around unobstructed. The Ripack reel comes already fitted with a 15 m hose to help you protect your products under shrink-wrap. Its sheet metal drum and reinforced gas hose guarantee the safety and durability required by professionals.

CALPACK PALLET RAISER

«FOR A PERFECT SHRUNK FILM»



WEIGHT 7,30 KG

OVERALL
DIMENSIONS 1060 x 910 x 40 mm

PALLET 80x120 cm - 100x120 cm
COMPATIBILITY 40"x40" - 40"x48"


MATERIAL EPOXY PAINT
AND RUBBER

SECURITY

The Calpack helps you by creating a space under the pallet for the excess shrink film. When shrinking, the film passes under the pallet, ensuring that the load remains stable. Lightweight and foldable, it's the ideal ally for your shrink work.

Please refer to the regulations applicable in the country of use concerning the conformity and use of the products and accessories offered in our Ripack ® range

EXTENSIONS POLES RANGE



5 LENGTHS	FROM 13" TO 73,6" FROM 33 TO 187 CM
MATERIAL	ALUMINUM
WEIGHT	FROM 10,05 TO 38,45 OZ FROM 285 TO 1090 G
WARRANTY	1 YEAR PARTS AND LABOR



ADAPTABILITY

With its range of 3 extensions that can be nested without tools to create 2 Combo extensions, gain up to 187cm in seconds.

The most flexible extension range on the market to help you shrink hard to reach areas.



COMFORT

The modularity of the Ripack extension range allows you to adapt to the area to shrink. Decrease or increase the size to carry just what you need.



ERGONOMY

Each extension is compatible with the Ripack 2200, 3000 and 3000+ heat shrink guns.



SAFETY CUTTERS

THESE SAFETY CUTTERS PREVENT ANY RISK OF INJURY AND HAVE A REVERSIBLE AND INTERCHANGEABLE BLADE.

EASYKNIFE



EASYKNIFE

LENGHT	4,33" / 110 MM
WIDTH	1,3" / 33 MM
WEIGHT	1,13 oz / 32 G
BLADE CHANGE	10 SEC

SOLD BY PACK OF 20

SAFEKNIFE



SAFEKNIFE

LENGHT	8,15" / 207 MM
WIDTH	2,68" / 68 MM
WEIGHT	2,36 oz / 67 G
BLADE CHANGE	10 SEC

SOLD BY PACK OF 10

ARM SUPPORT




The Ripack arm support takes the strain out of intensive gun use with an extension.

The arm support also folds away in seconds to use of the gun without extension.

-  **ERGONOMY**
-  **SAFETY**
-  **CONVENIENCE**

EXTENSIONS TRANSPORT SUPPORT



The Ripack extension transport support allows you to secure your Ripack equipment when travelling on containment and large equipment protection sites.


This support is suitable for the entire range of extensions and can also accommodate the hose.

-  **ERGONOMY**
-  **SAFETY**
-  **CONVENIENCE**


FILM SEALING MACHINES



**MULTICOVER 955
SEALER**



MULTICOVER 960



**MULTICOVER 935
DISPENSER**

MULTICOVER 955 SEALER

« EVEN MORE FLEXIBLE »



SEALING PROCESS	RIPACK GUNS
MANUEL CUTTING PROCESS	EASYKNIFE OR SAFEKNIFE
MAXIMUM REEL CAPACITY	2 OF Ø 500,
MAX. ELIGIBLE WEIGHT	462,97 LB / 210 KG
WEIGHT	187,39 LB / 85 KG
DIMENSIONS	39,37" X 39,37" X 66,93" 1000 X 1000 X 1700 MM
STORAGE BAG	11,18" X 9,13" X 5,71" 284x232x145MM




ADAPTABILITY

With the Multicover sealer you can produce customised covers from a roll of shrink film.



SIMPLICITY

Simple and easy to use, this new Multicover sealer can hold 2 rolls of film, up to 2,2 meters long.



MULTICOVER 960

« THE GEM OF THE WELDING MACHINES »



ELEC. POWER SUPPLY WELDING VOLTAGE/POWER	230V (50/60Hz) - 24V 0,5 KVA (OTHER CURRENT POWER SUPPLY ON REQUEST)
MAXIMUM WELDING CAPACITY	THICKNESS 4 x 200 μ WIDTH 56,69" (1440 MM)
MAX. COIL ALLOWED	Ø 19,69" (500 MM) - WIDTH 59,06" (1500 MM) - 220,46 LB (100 KG)
WEIGHT	209,44 LB / 95 KG
DIMENSIONS	77,56" x 22,83" x 56,3" 1970 x 580x1430 MM

EFFICIENCY

It is essential if the height of the pallets to be filmed often varies. Switching to gusseted heat shrink tubing rather than pre-cut sleeves avoids waste and reduces consumable costs. The electric sealing system heat-seals the sleeve just before the cutting area, thus preventing dust from entering the sleeves and reducing the shrinking quality.



ERGONOMY

The Multicover 960 is supplied with a film holder and can be fitted with an additional film holder as an option. The Multicover 960 is equipped with wheels and a brake system for easy movement. An unwind counter allows you to adjust the cover to the exact length you want, avoiding waste or recutting.



MULTICOVER 935 DISPENSER

« THE REEL FOR LARGE VOLUMES »



MAX. ELIGIBLE WEIGHT	462,97 LB / 210 KG
MAX. REEL LENGHT	80,87" / 180 CM
MAX. REEL CAPACITY	3 OF Ø 500 4 OF Ø 300



OPTIMISATION

The Multicover dispenser facilitates the handling of shrink film as pre-cut covers, film reels or sleeves. With the Multicover Reel, you can store up to 4 reels (3rd and 4th reel optional) on your reel. This way, you can have different sizes of films, pre-cut covers or sleeves at hand.




SIMPLICITY

This film dispenser will allow you to easily unwind your film reels, avoiding any handling operation.



ERGONOMY

4 casters, 2 of which have brakes, make it easy to move. The conical reel centerers make it easy to unwind.



MOBILE SHRINKING COLUMN



TURBOPACK 800



TURBOPACK 1200



TURBOPACK 1600



TURBOPACK 2000



TURBOPACK 2400



TURBOPACK 3200

TURBOPACK

« THE EXPERT FOR LARGE VOLUMES »



The new Turbopack is available in different power ratings or with an adjustable power rating from 75 to 280 kW.

TECHNICAL SPECIFICATIONS

Height	31,5" 800 mm	47,24" 1200 mm	63" 1600 mm	78,74" 2000 mm	94,49" 2400 mm	125,98" 3200 mm
Power	75 kW	110 kW	143 kW	177 kW	210 kW	280 kW
Consumption	5,48 kg/h	8 kg/h	10,35 kg/h	12,79 kg/h	15 kg/h	20 kg/h
Working pressure	1,5 to 2,5 bars					
Min. space around pallet	55,12" / 1400 mm					
Net weight	185,19 lb 84 kg	207,24 lb 94 kg	224,87 lb 102 kg	246,92 lb 112 kg	266,76 lb 121 kg	308,65 lb 140 kg
Visor option	No	No	Yes	Yes	Yes	No

AUTONOMY

The Turbopack mobile shrinking column allows you to move to your pallets and avoids the handling of your unstable loads.

FLEXIBILITY

With your Turbopack, you can shrink your loads of different sizes.

No length or width limitations, and a height up to 3.20 metres.



Please refer to the regulations applicable in the country of use concerning the conformity and use of the products and accessories offered in our Ripack® range

AUTOMATIC FLAMING KIT



POWER	55kW natural gas. or 76kW LPG
TEMP. AT 30 CM	450°C / 840°F
FLAME	Flat, orientable 7,87" (200 mm) maxi
DIMENSIONS BURNER + NOZZLE	14,96" x 5,91" x 2,76" 380 x 150 x 70 mm
MATERIAL	CAST ALUMINIUM STAINLESS STEEL
POWER SUPPLY	220 V (SINGLE PHASE)

ADJUSTABLE

The Ripaflam is used where a high level of immediate and adjustable heat is required, either continuously or alternately.

ADAPTABILITY


The Ripaflam kit can be installed directly on any existing system (fixed structure, robotic line, conveyor...). The different elements can be positioned according to the installation requirements.

SAFE

The device is controlled by an electrical box that manages the ignition, opening and closing of the gas solenoid valve with secure flame presence control.



CONSOMMABLES RETRACTABLES



GUSSETED HEAT SHRINK TUBING



COMPLEMENTARY ITEMS

GUSSETED HEAT SHRINK TUBING

« THE BEST QUALITY »



PALLETS DIMENSIONS	31,5" OR 39,37" x 47,24" 80 OR 100 x 120 CM
LENGHT	43,31" OR 35,83" 110 OR 91 CM
THICKNESS	125 MICRONS



ECONOMICAL

The gusseted heat shrink tubing is the essential consumable for manufacturers producing pallets of different heights.

It avoids cutting, and therefore wastes time and consumables.



PROTECTION

The 125 micron thickness allows the cover, once shaped and shrunk, to provide maximum protection for your loads during transport and storage indoors and outdoors.



FLEXIBILITY

There are two sizes of shrink sleeves, which will cover most of your needs. It will only take you a few seconds to make a cover to suit your load.

COMPLEMENTARY ITEMS

You can find other complementary products to our Ripack range at the products offered by **RipackSupplies®**.

FILMS



WIDTH	13,12 TO 49,21 FT 4 TO 15 M
LENGHT	98,43 TO 164,04 FT 30 TO 50 M
THICKNESS	180 TO 210 MICRONS

TAPE



WIDTH X LENGHT	1,97" X 108,27 FT 50MM X 33 M	3,94" X 108,27 FT 100MM X 33 M
SALES UNIT	Box of 24	Box of 12

INDEX

A		R	
Arm support.....	22	Ripack 2100.....	13
		Ripack 2500.....	12
C		Ripack 3000.....	10
Calpack pallet raiser.....	19	Ripack 3000 +.....	11
		Ripack 2100 F.....	8
G		Ripack 2100 M.....	7
Gas bottle trolley.....	15	Ripack 2500 F.....	8
Gas hose reel.....	19	Ripack 2500 M.....	7
Gusseted heat shrink tubing.....	31	Ripack 3000 F.....	8
		Ripack 3000 M.....	7
		Ripack 3000 + M.....	7
		Ripack gun extension poles.....	20
		Ripaflam.....	29
M		S	
Multicover sealer.....	24	Safety cutters.....	21
Multicover 960.....	25	Shrink tape.....	32
Multicover dispenser.....	26		
		T	
		Transport support.....	22
		Turbopack.....	28
		W	
		Wide shrink films.....	32

FOLLOW US



**FOLLOW RIPACK
AND STAY
INFORMED OF ALL
OUR NEWS**



DISCOVER OUR WEBSITE

WWW.RIPACK.COM

SUBSCRIBE TO OUR NEWSLETTER



FOLLOW US ON SOCIAL NETWORKS



Ripack



@Ripack-official



Ripack



P04

P05

SAFE WORKING LOADS
2591

750	750
MAXIMUM ALLOWABLE LOAD PER PALLET	
1500	
MAXIMUM ALLOWABLE LOAD PER BAY	
7500	
MAXIMUM ALLOWABLE LOAD PER COLUMN	

1448 1448

1448 1448



GROUPE SEFMAT

RIPACK®

RIPACK - SEFMAT

7 RUE DE BETNOMS

33185 LE HAILLAN

FRANCE

T: +33(0) 5 56 34 35 18

INFO@SEFMAT.COM

WWW.RIPACK.COM