

NaturinForm



Creating favourite Places Product Overview 2026

naturinform.com



Contents

About us

- 4 Products
- 8 About us
- 10 Premium WPC products
- 12 Sustainability
- 14 Installation accessories
- 16 Inspiration
- 18 Piazza Family

01 Decking

-  22 Piazza Prima
-  24 Piazza Mondo
-  26 Piazza One
-  28 Piazza Pro
- 30 Natureline
- 32 Exclusive
- 34 Urban *flair*
- 36 Robust
- 38 Popular *massive*
- 40 Smart
- 42 Smart *click*
- 44 Strong
- 46 Compact
- 48 Compact *honeycomb*
- 50 Compact *honeycomb plus*

02 Facades

- 54 Creative
- 56 Creative *exclusive*

03 Bench profile

-  60 Constructive 65

04 Fence systems

- 64 Effective
- 66 Flexible

Information

- 68 Colour overview
- 80 Special colours
- 82 Important information

Co-extruded solid decking

For ultra-low maintenance and max colour durability

Product		Monochrome	Multicoloured	Page
 NEW	Piazza Prima ca. 140 × 19 mm 		 Oak Brown  Royal Elm  Nutmeg  Nordic Ash  Graphite Grey  Streaked Ebony	22
 NEW	Piazza Mondo ca. 140 × 21 mm 	 Cream White	 Ivory  Californian Oak  Oak Brown  Royal Elm  Ipé Nuances  Graphite Grey  Streaked Ebony	24
 NEW	Piazza One ca. 140 × 25 mm 		 Ivory  Californian Oak  Royal Elm  Silver Teak  Streaked Ebony	26
 NEW	Piazza Pro ca. 140 × 25 mm 		 Ivory  Californian Oak  Royal Elm  Silver Teak  Streaked Ebony	28

Mono-extruded solid decking

For the most natural wood look and feel combined with low maintenance

Product		Monochrome	Multicoloured	Page
	Natureline ca. 140 × 21 mm 		 Oak Brown  Amber Brown  Chestnut Brown  Graphite Grey  Basalt Grey	30
	Exclusive ca. 140 / 162 / 200 / 245 × 21 mm 	 Terra Brown  Lava Grey	 Oak Brown  Amber Brown  Chestnut Brown  Graphite Grey  Basalt Grey	32

Mono-extruded solid decking

For the most natural wood look and feel combined with low maintenance

Product		Monochrome	Multicoloured	Page
	Urban flair ca. 162 × 21 mm 	 Linen  Sisal  Clay  Pebble  Lava Grey		34
	Robust ca. 140 × 21 mm 	 Terra Brown  Black Brown  Grey  Anthracite		36
	Popular massive Structurally certified (DIBt) ca. 139 × 26 mm 	 Brown  Black Brown  Grey  Stone Grey  Anthracite		38
	Smart Zero degree deck ca. 139 × 19 mm 	 Terra Brown  Black Brown  Grey  Anthracite	 Oak Brown  Amber Brown  Chestnut Brown  Graphite Grey  Basalt Grey	40
	Smart click Zero degree deck for click system ca. 119 × 22 mm 	 Grey  Anthracite	 Chestnut Brown  Graphite Grey	42
	Strong Bearing deck ca. 140 × 38 mm 	 Black Brown  Grey  Anthracite		44
	Compact ca. 139 × 21 mm 	 Black Brown  Grey  Anthracite		46

Honeycomb profile decks

Reliable performance at a lower price

Product		Monochrome	Multicoloured	Page
	Compact honeycomb ca. 139 × 21 mm 	Black Brown Grey Anthracite		48
	Compact honeycomb plus ca. 140 × 21 mm 		Oak Brown Chestnut Brown Graphite Grey	50



Creative exklusive in xl, Amber Brown

Facade profile

Long lasting colours with minimal maintenance

Product		Monochrome	Multicoloured	Page
	Creative ca. 70 / 103 / 152 × 17 mm 		 Oak Brown  Amber Brown  Chestnut Brown  Graphite Grey	54
	Creative exclusive ca. 70 / 103 / 152 × 17 mm 	 Terra Brown  Lava Grey	 Oak Brown  Amber Brown  Chestnut Brown  Graphite Grey  Basalt Grey	56

Bench profile

Perfect for long lasting outdoor furniture

Product		Monochrome	Multicoloured	Page
	Constructive 65 ca. 65 × 40 mm 	 Amber Brown  Black Brown  Grey		60

Premium fencing system

Long life, low maintenance & enhanced sound insulation

Product		Monochrome	Multicoloured	Page
	Effective ca. 180 × 178 cm 	 Titanium Grey  Anthracite	 Chestnut Brown	64
	Flexible ca. 180 × 180 cm 	 Titanium Grey  Anthracite	 Chestnut Brown	66



Scan
the QR
code now
& find out
more

Over 20 years of expertise.

We are a leading expert for WPC products and a family company with a passion for making outdoor living better. Designed and produced in Germany, our premium WPC decking, facades, sun screens and fencing have been installed across Europe and beyond.

A superior material

Through careful selection and grading of the wood, we are able to produce WPC products with both a higher wood content and better fibre encapsulation. This enables a more natural wood feel, better mechanical performance, and a longer life.

With up to 70% PEFC certified German spruce and pine fibres, encapsulated in and protected by clean polymer, our products are recyclable, conform to the European standard for toy safety, and are pvc free, as well as splinter free.

Commitment to quality

Strict controls and regular testing are implemented to ensure a consistent high quality level. As a member of the Qualitätsgemeinschaft Holzwerkstoffe e. V., the quality association for wood materials, NaturinForm is a leader in controlled quality production.



Slip-resistant

Slip resistance classes 9–13
DIN 51130



Safety of toys

DIN EN 71-3:2019



Very durable

Durability class 1
DIN CEN/TS 15083-1



Fire behaviour

Class E, comparable to wood
DIN EN 13501-1

Designed for living

Our products are not only durable,
weather-proof and sustainable,
but also particularly easy to maintain.

Colours and surfaces

A natural wooden look, elegantly embossed, wide ribs stripes or finely grooved. We have the right design for any taste! Our wide range of colours has been developed with the environment in mind. Our products only contain colourants that are harmless to human and animal health. We use colour pigments to achieve a natural colour. The colouring permeates the deck and therefore cannot leach out or peel off. Unlike externally applied colour or varnish.

Lengths up to 13 metres

In addition to our classic 3-6 metres standard lengths, we offer our waste-optimised special lengths on request. Depending on your project, we can provide you with lengths from 2-13 metres, thereby creating a beautiful, homogenous surface impression – saving time during assembly and preventing ugly joints.

Extremely low-maintenance

Our low-maintenance decking boards give you time to enjoy outdoor living the natural way. Unlike traditional wooden planks, our decking boards do not require oiling or painting. This means your garden remains free from environmentally harmful cleaning and maintenance chemicals. In most cases all you need to clean our decking boards is pure water.

Easy to lay

Installing our material is very quick and easy. Unlike wood, there is no waste from knotholes or bent planks. Our ingenious accessory system provides efficient solutions for every construction situation.



Low-maintenance

Environmentally friendly cleaning,
suitable for high-pressure cleaners



No painting, No oiling



Scan the
QR code
to find dealer
online



Scan the
QR code
to discover
more

High quality and sustainably produced.

The perfect combination: a high performance material that is sustainably produced and fully recyclable.

Sustainable sourcing

At our site in Northern Bavaria, we make sure our product lifecycles are ecologically appropriate from production through processing and even beyond to an ecologically correct product life cycle. Our wood is a bi-product from the German timber sector and the polymer we use is non toxic and fully recyclable. We obtain 100 % green power in the process.

100 % recyclable

We produce with next to no waste. Leftovers from production or old material from our customers are re-fed into the production cycle. Our WPC products can be recycled up to 25 times – creating a product lifecycle of up to 625 years. For this, we offer take-back options, such as, for example, our Re-Form Recycling Box.

Environmentally aware

Be it in production, our choice of raw materials, or the reusability of our products: We make sure that our products can be processed and maintained in an environmentally-friendly way, and keep a close eye on using as little energy as possible on distribution and shipping.

Our products are shipped on optimized routes to avoid detours and unnecessary carbon emissions. In addition, we guarantee that all the sales and transportation packaging we distribute is recyclable.



PEFC-certified

We upcycle waste wood fibres from the domestic wood industry



Recyclable up to 25 times

100% recyclable with our recycling system

Smart installation system

Naturinform's installation system has been designed by professionals for on-time and problem-free projects that stand the test of time. We also offer both personal and online planning support.

Well informed!

To ensure that you can complete your project successfully, we offer comprehensive guides and instructions in printed form, online, and as videos. Full product data, installation instructions, and care and maintenance guides are available.

Designed to last

A deck should last for decades. To ensure this, in addition to premium quality deck boards, the right planning, ground preparation, supporting frame, and accessories are needed. The NaturinForm advanced installation systems and accessories for decking, facades and fences have been designed and approved by professional installers.

Online configurator and personal project support

Most decks can be easily planned with the help of our online deck configurator. You will obtain a clear layout of the deck and substructure, as well as a full specification of the needed materials, and a price quotation from your local retailer.

Order a free sample

See our products for yourself and take advantage of our free sample offer. The Ordering is quick and easy via our website.



Videos

Assembly and installation videos on our YouTube channel



Online configurator

Configure patio free of charge



Scan the
QR code to
discover the
accessories
catalogue

Get inspired!

Learn more about our versatile product range through the real life references on our website.

The durable alternative

When conventional outdoor wooden decking has to be replaced after only 10 years despite time-consuming maintenance, many clients are looking for more durable and low-maintenance alternatives – which they can find with NaturinForm.

Imagine a warm summer day, barefoot in your favourite outdoor place – and with the good feeling of having made the right choice. The deck looks and feels like perfectly maintained wood – and yet has required almost no effort.



> 30 colours

Customised requests possible



Satisfied customers: private & commercial

How outdoor living for a couple was transformed. The bangkirai flooring laid by the property developer, which looked sad and worn, was replaced by NaturinForm's *Smart*. Today, they can happily enjoy their living outdoors instead of having to think about the next maintenance task.

NaturinForm was also chosen for the renovation of the outdoor area of Coubertin Terrassen at the Munich Olympia Centre, which is used as a restaurant. The raised area of approx. 500 square metres was re-covered with NaturinForm's structurally certified *Popular massive* decking boards, which also offer extreme slip resistance, after various materials had been stress-tested.

Find out more about our customer projects online!

Multiple surfaces

Grooved, embossed or brushed



Scan
now &
get
inspired



Scan the
QR code to
discover the
Piazza Family
brochure

Piazza Family

Best in class stain resistance and colour durability: enjoy ultra-low maintenance outdoor living with the Piazza family: Piazza Prima, Piazza Mondo, Piazza One & Pro!



Extremely resilient

The boards feature a hard wearing surface layer and class leading strength properties. The Piazza range is designed to last.



Ultra low maintenance

With long term stain resistance guaranteed, the decking will normally only require a periodic wipe down with water and detergent to keep its looks. High-pressure cleaner can be used.



Colours that last

Enjoy lasting beautiful natural colour shades. Thanks to the UV-resistant coating, the colours of the Piazza Family show long-term stability.



Zero-degree slope possible

The Piazza family of decking can be installed with a 0% slope. (In such cases the joint profile tube should not be used).



Beautiful wood look

All decking boards are manufactured with a wood grain texture which is barefoot-friendly and hard-wearing, and provides safe footing both under wet and dry conditions.



Up to 25-year warranty

We offer a warranty of up to 25 years on the decking boards in the Piazza family that covers colour durability, stain resistance and structural integrity.

A photograph of a modern garden pond. In the foreground, a wooden deck made of dark brown, ribbed planks leads towards the pond. The pond is bordered by a rough, natural stone edge. Inside the pond, there are several clumps of tall, green, grass-like plants. In the background, a house with a grey roof and green foliage are visible. The text "resilient and easy to clean" is overlaid in the top left corner.

resilient and
easy to clean

Boards made from WPC

Whether it's the slip resistance of the boards, resistance to wood-destroying fungi, suitability for toys or fire behaviour – we offer you the highest quality made in Germany.

01

Decking

Piazza Prima




Reference in
Oak Brown.
**Discover more
impressions
here!**

Piazza Prima offers the beauty and ultra-low maintenance benefits of the Piazza family in a profile designed for residential applications.

Piazza quality in a compact format

The *Piazza Prima* offers many of the benefits of the other boards in the Piazza range in a streamlined profile that is ideal for residential decks. The finely embossed surface structure and natural colour shades provide a beautiful wood look. The 360 degree surface coating offers long lasting colours, low maintenance and a hardwearing surface.



Version	Co-extruded solid deck, multicoloured
Dimensions	width ca. 140 mm height ca. 19 mm
Surface	fine embossed wood grain
Slip resistance	R9
Standard lengths	ca. 4 / 5 / 6 m
Special lengths	ca. 2 – 6 m at extra charge, delivery time on request
Colours	s. page 68
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 2,90 kg/m
Guarantee	20 years for private use

Piazza Mondo



Reference in
Graphite Grey.
Discover more
impressions
here!


The class leading combination of colour durability, stain resistance, strength properties and beautiful design. For residential, commercial & public decks.

The perfect all-rounder

The combination of classic Piazza design, high functionality and robust quality makes the *Piazza Mondo* a real all-rounder. It is available in the tried and tested NaturinForm decking board formats of 140 × 21 mm and is intended for private garden areas as well as commercial applications, for example, hotel terraces, restaurant areas or public facilities. Thanks to its high colour stability and UV resistance, it keeps its attractive looks over time. The resistant surface can easily be cleaned and is impervious to stains and dirt.

NEW

Discover the new Design Edition **Ipé Nuances**
– a play of colours in shades of brown (more on p. 71)



Version	Co-extruded solid deck, monochrome and multi-coloured
Dimensions	width ca. 140 mm height ca. 21 mm
Surface	embossed wood grain
Slip resistance	R10
Standard lengths	ca. 4 / 5 / 6 m
Special lengths	ca. 2 – 6 m at extra charge, delivery time on request
Colours	s. page 68
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3,23 kg/m
Guarantee	20 years for private use 10 years for public use

Piazza One



Reference in
Silver Teak.
**Discover more
impressions
here!**

Proven over time, Europe's original best in class decking has been upgraded for 2026 and can be used for residential, commercial and public decks.

The perfect all-rounder

Piazza One has been successfully installed across Europe since 2019. Its excellent colour durability, stain resistance and hard-wearing surface has been at the heart of its success. For 2026, thanks to the renewed core recipe, it can now be used for commercial and public decks, as well as private homes.



Version	Co-extruded solid deck, multicoloured
Dimensions	width ca. 140 mm height ca. 25 mm
Surface	embossed wood grain
Slip resistance	R10
Standard lengths	ca. 4 / 5 / 6 m
Special lengths	none
Colours	s. page 70
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3,35 kg/m
Guarantee	25 years for private use 10 years for public use

Piazza Pro




Reference in
Silver Teak.
**Discover more
impressions
here!**

By professionals for professionals. The high performance decking board for commercial large-scale projects.

The ultimate Piazza board

With its robust 360 degree coating and its 25 mm thick full profile, the *Piazza Pro* is the strongest decking board of the Piazza Family. Its surface texture is resistant to UV radiation so that its colour remains stable also in the long run. The innovative advanced coating offers enhanced resistance to moisture, stains and scratches – for lasting beautiful surfaces with very low maintenance efforts. The *Piazza Pro* is the perfect decking board for exceptionally high loads in public and heavily frequented areas such as recreational facilities. Its superior strength properties enable the board to be installed with up to 50 cm spacing between the substructure joists.



Version	Co-extruded solid deck, multicoloured
Dimensions	width ca. 140 mm height ca. 25 mm
Surface	embossed wood grain
Slip resistance	R10
Standard lengths	ca. 4 / 5 / 6 m
Special lengths	none
Colours	s. page 70
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3,90 kg/m
Guarantee	25 years for private use 10 years for public use

Natureline



Reference in
Basalt Grey.
Discover more
impressions
here!

Inspired by nature, the decking board with individual, natural wood grain for a beautiful barefoot feeling.

Naturally better by design

Natureline translates all the beauty of wood into solid decking with a natural look and feel. An innovative process gives the wood composite decking an individual, natural and multicoloured wood grain and a pleasant surface structure. Its three warm wood tones – Oak Brown, Amber Brown, Chestnut Brown – and the two grey tones – Graphite Grey and Basalt Grey – are inspired by natural colours. And each decking is unique. NaturinForm is the first German manufacturer to offer a solid extruded and fully dyed multi-coloured decking of this premium quality.



Version	Solid deck, multicoloured
Dimensions	width ca. 140 mm height ca. 21 mm
Surface	wood grain
Slip resistance	R12, wood grain
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 70
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3,24 kg/m

Exclusive



Reference in
Oak Brown.
Discover more
impressions
here!

The exclusively embossed deck in narrow to extra-wide. Combine different decking formats.

Exclusive embossing

Elegance with a modern look and feel available in four widths which can be combined. With its exclusive surface and narrow 5 mm joints, this patio deck is equally suitable for any kind of favourite spot. The matt embossed surface is characterised by a fine, lightly scalloped structure, which creates a particularly beautiful and barefoot friendly surface. The colour range offers monochrome and multicoloured shades. From light grey to dark brown, there is a suitable colour shade for every style and taste.



Version	Solid deck, monochrome and multicoloured
Dimensions	width ca. 140 / 162 / 200 / 245 mm height ca. 21 mm
Surface	embossed, matt
Slip resistance	R11
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. pages 71
Special colours	s. pages 80–81
Requirement for 1 m²	ca. 7 / 6 / 5 / 4 m patio decks
Weight 1 m	ca. 3.26 / 3.85 / 4.70 / 5.80 kg

Urban *flair*



Reference in
Gravel.
Discover more
impressions
here!

Finely embossed deck for modern living in soft, light colours such as Linen and Pebble.


Beauty: pure and simple

In the best traditions of Scandinavian design, *Urban flair* brings a more simple and natural look. Perfect for a clean and modern style and extending your living area outdoors. The new version with an unbrushed, finely grained surface is available in four soft, light natural colours - Linen, Sisal, Clay and Pebble and dark Lava Grey - with a finely grained, unbrushed surface. Thanks to the innovative deck cross section and our innovative laying aid, it is possible to achieve a joint gap of only 5 millimetres.

Please note: Light colours such as Linen, Sisal and Pebble may require more cleaning.



Version	Solid deck, monochrome
Dimensions	width ca. 162 mm height ca. 21 mm
Surface	embossed
Slip resistance	–
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 72
Special colours	s. pages 80–81
Requirement for 1 m²	ca. 6 m patio decks
Weight	ca. 4.10 kg



Robust




Reference in
Brown.
Discover more
impressions
here!

Natural wood grain or finely grooved, a classic premium deck for your favourite place.

Intensive wood grain

Rustic look, yet elegant: The *Robust* has a noble, wood-like appearance thanks to its particularly intensive grain. It is ideal for lively celebrations, but also for quiet moments of relaxation. A favourite spot to enjoy. If you are planning an unusually shaped terrace with curves, this solid deck is perfect for this. Harmonious transitions to the garden can also be realised perfectly with it. Thanks to the high-quality wood composite material, you don't have to worry about splinters and cracks - as with all our decks.



Version	Solid deck, monochrome
Dimensions	width ca. 140 mm height ca. 21 mm
Surface	wood grain / finely grooved
Slip resistance	R12, wood grain R11, finely striated
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 72
Special colours	s. pages 80–81
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3.24 kg/m



Popular *massive*



Reference in
Stone Grey.
Discover more
impressions
here!

Planning security thanks to general building inspectorate approval for roof terraces and balconies. Also featuring enhanced slip resistance.

General building inspectorate approval

Popular massive has been creating a relaxed leisure atmosphere on numerous terraces and balconies for many years. In 2017, as a specialist in wood composite materials made in Germany, we received the general building inspectorate approval (no. Z-10.9-484) for this. The German Institute for Building Technology in Berlin (DIBt) is thus granting approval for the first time for patio decking made of a wood composite material without it being related to a surface laid in combination. This means that the decking can be laid as a load-bearing floor outdoors – even in public buildings – without the need for additional measures for fall-through protection are required.

Please note: Laying must be done according to the approval regulations!



Version	Solid deck, monochrome
Dimensions	width ca. 139 mm height ca. 26 mm
Surface	finely grooved, brushed / wide ribs, brushed
Slip resistance	R13, finely striated R13, widely striated
Standard lengths	ca. 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 74
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3.62 kg/m

Smart



Reference in
Oak Brown.
Discover more
impressions
here!

The “all-round carefree deck” for all areas where low installation height is important.

Pure relaxation

Smart is particularly easy to maintain and ideal for projects where no slope can be installed, for example in the area of renovation. Its slight curvature allows water to drain away automatically. The surface supports this effect and prevents the accumulation of weather or cleaning-related water on the outside surface. Thanks to the stone embossing on its surface, the zero-degree deck, like all our decks, is slip-resistant and barefoot-friendly. Despite its low weight, *Smart* has the advantages of a classic solid deck.



Version	Massive zero degree deck, monochrome and multi-coloured (matt)
Dimensions	width ca. 139 mm height ca. 19 mm
Surface	embossed
Slip resistance	R10
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 74
Special colours	s. pages 80–81
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 2.77 kg/m

Smart *click*



Reference in
Grey.
Discover more
impressions
here!

Our tried and tested zero-degree deck as click-in decking board for standard click systems.

Zero-degree click deck

Smart click has a specially profiled bottom in addition to its concave surface. It can be attached to the substructure of standard click systems. In terms of maintenance and cleaning, the click deck has all the advantages of the classic version: water caused by weathering or cleaning can also drain away automatically here, preventing it from building up on the terrace. The deck can be laid without a slope. The surface is slip-resistant and barefoot-friendly.

Please follow the installation instructions provided by the manufacturer of the substructure and accessories.



Version	Solid zero degree deck, monochrome
Dimensions	width ca. 119 mm height ca. 22 mm
Surface	embossed, matt
Slip resistance	R10
Standard lengths	ca. 4 m
Special lengths	–
Colours	s. page 75
Special colours	s. pages 80–81
Requirement for 1 m²	ca. 8 m patio decks
Weight	ca. 2.80 kg/m



Strong



Reference in
Brown.
Discover more
impressions
here!

Our 38-mm-high load-bearing decking is particularly stable and load-bearing, making it highly versatile.

Stability and naturalness

Our *Strong* load-bearing decking board is used as flooring for stairs, jetties, walkways, terraces or as seating. Thanks to its stability, it also offers solutions for spanning larger distances without the need for a complex load-bearing substructure. Visually, this deck is characterised by its natural wood grain. Thanks to the wood composite material used, the load-bearing decking boards are not only splinter-free, but also extremely easy to maintain, making them ideal for your favourite outdoor space.



Version	Solid bearing deck, monochrome
Dimensions	width ca. 140 mm height ca. 38 mm
Surface	wood grain / finest striated
Slip resistance	R12, wood grain R12, finest striated
Standard lengths	ca. 4 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 76
Special colours	s. pages 80–81
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 6.31 kg/m

Compact




Reference in
Grey.
Discover more
impressions
here!

The perfect choice when enhanced slip resistance and a hard wearing surface is needed.

A classic solid decking board

Compact as a solid decking board combines functionality, a natural look and a good price-performance ratio. Thanks to its brushed surfaces, finely grooved or with wide ribs, it not only has a special natural look, but also high slip resistance and is particularly hard wearing.. Like all NaturinForm decking boards, it is also barefoot-friendly and splinter-free, making it ideal for private and public leisure facilities with pool areas and close proximity to water.



Version	Solid deck, monochrome
Dimensions	width ca. 139 mm height ca. 21 mm
Surface	finely grooved, brushed / blockstripes, brushed
Slip resistance	R12, finely grooved R13, wide ribs
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 76
Special colours	s. pages 80–81
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 3.10 kg/m



Compact *honeycomb*




Reference in
Grey.
Discover more
impressions
here!

Compact *honeycomb*, lighter in weight, but still high in performance.

The price-conscious honeycomb profile

Like the solid decking board of the same name, *Compact honeycomb* combines the properties of high slip resistance, a natural look and an excellent price-performance ratio - all at a weight of just 2 kg/m. The low weight of the decking board is also noticeable during installation, but special attention must be paid here to the correct substructure and the right accessories. Cover caps must be fitted at the end of all honeycomb profile decking boards to prevent dirt and water from penetrating into the interior of the decking boards.



Version	Honeycomb profile deck, monochrome
Dimensions	width ca. 139 mm height ca. 21 mm
Surface	finely grooved, brushed / blockstripes, brushed
Slip resistance	R12, finely grooved R13, wide ribs
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 76
Special colours	s. pages 80–81
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 2.00 kg/m



Compact *honeycomb* *plus*



Reference in
Graphite Grey.
Discover more
impressions
here!

A decking board with individual character perfect for relaxing moments outdoors.

Style and individuality

Compact honeycomb plus impresses with its functionality paired with an finely embossed, stylish wooden decking look. It is finely grooved on one side and has embossed wide ribs on the other. Choose between the multicoloured shades of Oak Brown and Chestnut Brown to create a cosy and warm atmosphere, or elegant Graphite Grey for a modern look. As with all NaturinForm decking boards that have an edge groove, *Compact honeycomb plus* is installed with a hidden clip system.



Version	Honeycomb profile deck, multicoloured
Dimensions	width ca. 140 mm height ca. 21 mm
Surface	blockstripes embossed / finely grooved
Slip resistance	R10, wide ribs R10, finely grooved
Standard lengths	ca. 3 / 4 / 5 / 6 m
Special lengths	ca. 2 – 13 m at extra charge, delivery time on request
Colours	s. page 77
Special colours	s. pages 80–81
Requirement for 1 m²	ca. 7 m patio decks
Weight	ca. 2.00 kg/m



durable colour
 low maintenance



Facade cladding made from premium WPC

Combining ultra-low maintenance and long lasting colours that gently weather instead of turning grey. The perfect alternative to wood cladding for both new buildings and renovations. In combination with appropriate thermal insulation, it is used as a curtain-type, rear-ventilated system.

02

Facade profiles

Creative



Reference in
Amber Brown.
Discover more
impressions
here!

Long lasting colour combined with low maintenance for new buildings and renovations.



Natural facade profile

The weather-resistant solid shiplap profile made of our premium wood composite material is used as a facade system for new and existing buildings. In combination with appropriate thermal insulation, the facade profile is used as a curtain-type, rear-ventilated system. The NaturinForm facade profile *Creative*, which is available in three different sizes, can be installed both horizontally and vertically. The hidden clip system makes installation both fast and durable. For designing the corners, you can cut the facade profile flexibly to mitre at any angle or use the modern facade corner made of stainless steel, which is quick and easy to install and forms an impact resistant protection to the corner.

Version	Solid profile, multicoloured
Total height	small: ca. 70 mm xl: ca. 103 mm xxl: ca. 152 mm
Area covered	small: ca. 66 mm xl: ca. 99 mm xxl: ca. 148 mm
Thickness	small, xl, xxl: 17 mm
Surface	wood grain
Standard lengths	ca. 4 m / ca. 6 m, special lengths at extra charge
Colours	s. page 77
Special colours	s. pages 80–81
Requirement for 1 m²	small: ca. 15 m xl: ca. 10 m xxl: ca. 6.8 m
Weight 1 m	small: ca. 1.08 kg xl: ca. 1.76 kg xxl: ca. 2.66 kg

Creative *exclusive*



Reference in
Lava Grey.
Discover more
impressions
here!

Elegant and refined, the perfect facade for new buildings and renovations.



Exclusive embossed facade profile

The weather-resistant solid shiplap profile made of our premium wood composite material is used as a facade system for new and existing buildings. In combination with appropriate thermal insulation, the facade profile is used as a curtain-type, rear-ventilated system. The NaturinForm facade profile *Creative exclusive*, which is available in three different sizes, can be installed both horizontally and vertically. For designing the corners, you can cut the facade profile flexibly to mitre at any angle or use the modern facade corner made of stainless steel, which is quick and easy to install and forms an impact resistant protection to the corner.

Version	Solid profile, multicoloured
Total height	small: ca. 70 mm xl: ca. 103 mm xxl: ca. 152 mm
Area covered	small: ca. 66 mm xl: ca. 99 mm xxl: ca. 148 mm
Thickness	small, xl, xxl: 17 mm
Surface	one-sided embossed, matt
Standard lengths	ca. 4 m / ca. 6 m, special lengths at extra charge
Colours	s. page 78
Special colours	s. pages 80–81
Requirement for 1 m²	small: ca. 15 m xl: ca. 10 m xxl: ca. 6.8 m
Weight 1 m	small: ca. 1.08 kg xl: ca. 1.76 kg xxl: ca. 2.66 kg



universal and
low-maintenance



The premium WPC bench profile

Ideal for designing durable outdoor furniture. Whether for seating, park benches, canopies, pergolas, enclosures or privacy and sun protection. The low-maintenance profile is ideal for a wide range of applications in public spaces.

03

Bench profile

Constructive 65



Reference in
Special Colour
Light Brown.
Discover more
impressions
here!

Perfectly designed for outdoor furniture: benches, tables, canopies, enclosures, etc.

For low-maintenance outdoor furniture

With its modern, linear design and slim profile, *Constructive 65* is ideal for designing durable outdoor furniture in public spaces. Whether seating, park benches, canopies, pergolas, enclosures or privacy screens – the solid profile enables flexible and architecturally appealing solutions that blend in well with the cityscape.

The construction profile weighs 3 kg/lfm and impresses with its smooth, unembossed surface. With total colour and fibre encapsulation throughout, the profile can be cut and profiled as needed. It is particularly easy to clean, including with a high-pressure water spray.



Version	Massive profile, monochrome
Dimensions	width ca. 65 mm height ca. 40 mm
Surface	smooth with rounded corners
Standard lengths	ca. 4 m
Special lengths	ca. 2 – 6 m
Colours	s. page 79
Special colours	s. pages 80–81
Requirement for 1 m²	varies according to the distance between the profiles
Laying direction	horizontal and vertical
Weight	ca. 3 kg/m
Delivery time	varies according to purchase quantity



engineered to last and
modular

Engineered WPC fence system

Our privacy and sound insulation solutions combine functionality with design. Thanks to a modular structure, decorative inserts and flexible corner designs, the fences can be customised to suit your personal requirements.

04

Fence systems



Effective



Reference in
Anthracite.
Discover more
impressions
here!

More privacy for your favourite place. With our modular privacy fence system.

High performance without a high price

Effective is our privacy fence that enables a wide variety of designs. Due to the modular design, heights and widths can be individually designed. The aluminium post as a ground anchor or with a base plate for bolting offers design freedom for all applicable designs. Corner constructions can be combined with the corner post of the *Flexible* sound insulation fence.

The premium WPC profiles offer long lasting colour and ultra-low maintenance. They use tongue and groove profiles that are simply stacked on top of each other. With the stainless steel or acrylic decorative inserts, it can be customised to suit your personal requirements.



Version	Privacy fence, monochrome and multicoloured
Fence dimensions	height ca. 180 cm (from the ground), width ca. 178 cm (dimension centre distance of post)
Profile dimensions	height ca. 180 mm width ca. 175 mm
Surface	unbrushed
Posts	for embedding in concrete or for bolting
Posts colours	brown, anthracite
Material	aluminium post, WPC slats
Colours	s. page 79

Flexible




Reference in
Chestnut Brown.
Discover more
impressions
here!

Bringing peace and quiet to outdoor living: the high quality total fence system.


Sound-insulating fence

The privacy and sound insulation fence brings peace and quite so that you can completely relax and unwind. A special seal and special slats ensure improved sound insulation, significantly reduce unwanted sounds and noise. The premium WPC profiles offer long lasting colour and ultra-low maintenance. They use tongue and groove profiles that are simply stacked on top of each other. With the stainless steel or acrylic decorative inserts, it can be customised to suit your personal requirements.



Version	Privacy fence and noise protection, monochrome and multicoloured
Final dimensions	height ca. 180 cm (from the ground), width ca. 175 cm (dimension centre distance of post)
Inner elements	height ca. 180 mm width ca. 180 mm
Surface	unbrushed
Posts	for embedding in concrete or for bolting
Posts colours	brown, anthracite
Material	aluminium post, WPC slats
Colours	s. page 79
Noise protection	corresponds to category B3 of noise protection

Piazza Prima, p. 22




Oak Brown (multicoloured)

Piazza Prima, p. 22




Streaked Ebony (multicoloured)



Royal Elm (multicoloured)

Piazza Mondo, p. 24



Nutmeg (multicoloured)



Cream White (monochrome)



Nordic Ash (multicoloured)



Ivory (multicoloured)



Graphite Grey (multicoloured)



Californian Oak (multicoloured)

Exotic. Nuanced. Ipé.


Ipé Nuances –
the natural warm
colour play of exotic
wood on your deck.

New Colour
Ipé Nuances
from 2026


Ipé colour play

The surfaces of NaturinForm inspire with their particularly natural wood appearance. Piazza Mondo with its Ipé Nuances reflects the diverse color play of natural exotic woods and corresponds to nature. Thanks to the mixture of different shades and color gradients, every terrace in Ipé Nuances is unique.

Piazza Mondo, p. 24




Oak Brown (multicoloured)




Royal Elm (multicoloured)



Ipé Nuances (multicoloured)



Graphit Grey (multicoloured)



Streaked Ebony (multicoloured)


Piazza One/Pro, p. 26–28



Ivory (multicoloured)




Californian Oak (multicoloured)



Royal Elm (multicoloured)



Silver Teak (multicoloured)




Streaked Ebony (multicoloured)


Natureline, p. 30




Oak Brown (multicoloured)



Amber Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)




Basalt Grey (multicoloured)

Exclusive, p. 32



Terra Brown (monochrome)




Lava Grey (monochrome)


Exclusive, p. 32




Oak Brown (multicoloured)




Amber Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)



Basalt Grey (multicoloured)

Urban *flair*, p. 34



Linen (monochrome)

Robust, p. 36




Terra Brown (monochrome)




Sisal (monochrome)



Black Brown (monochrome)




Clay (monochrome)



Grey (monochrome)



Pebble (monochrome)



Anthracite (monochrome)



Lava Grey (monochrome)



Including
AR-visualisation
for the home

Deck configuration made easy


With the deck configurator, you can design your decking including substructure, free-form shapes and slopes. 3D and AR views, detailed layout plans, and optimised material and accessory lists are created. Start planning now: from the comfort of your computer or smartphone.

- + Europe's widest range of premium WPC decking
- + Over 30 colours
- + Free sample service
- + Specialist dealer in your area
- + Fast delivery in exact project amounts




Scan now &
configure
terrace

Popular *massive*, p. 38




Brown (monochrome)




Black Brown (monochrome)



Grey (monochrome)



Stone Grey (monochrome)



Anthracite (monochrome)

Smart, p. 40




Terra Brown (monochrome)



Black Brown (monochrome)



Grey (monochrome)




Anthracite (monochrome)


Smart (matt), p. 40




Oak Brown (multicoloured)




Amber Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)




Basalt Grey (multicoloured)

Smart *click*, p. 42




Grey (monochrome)



Anthracite (monochrome)




Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)


Strong, p. 44



Black Brown (monochrome)



Grey (monochrome)



Anthracite (monochrome)


Compact / Compact honeycomb, p. 46–49



Black Brown (monochrome)




Grey (monochrome)




Anthracite (monochrome)


Compact *honeycomb plus*, p. 50



Oak Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)

Creative, p. 54



Oak Brown (multicoloured)



Amber Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)

Creative exclusive, p. 56



Terra Brown (monochrome)



Lava Grey (monochrome)

Creative exclusive, p. 56



Oak Brown (multicoloured)



Amber Brown (multicoloured)



Chestnut Brown (multicoloured)



Graphite Grey (multicoloured)



Basalt Grey (multicoloured)

Constructive 65, p. 60

NEW



Amber Brown (monochrome)

NEW



Black Brown (monochrome)

NEW



Grey (monochrome)

Effective / Flexible, p. 64–67



Titanium Grey (monochrome)



Anthracite (monochrome)



Chestnut Brown (multicoloured)

Special colours on request

	Monochrome tones										
	Linen	Sisal	Clay	Terra Brown	Brown	Black Brown	Pebble	Grey	Stone Grey	Lava Grey	Anthracite
delivery time on request											
Solid decks from 50 m²											
Exclusive	●	●	●		●	●	●	●	●		●
Urban <i>flair</i>				●	●			●	●		
Natureline											
Robust	●	●	●		●		●		●	●	
Strong	●	●	●	●	●				●	●	
Smart	●	●	●		●		●		●	●	
Smart <i>click</i>	●	●	●	●	●	●	●		●	●	
Popular <i>massive</i>											
Compact (unbrushed)	●	●	●	●	●		●		●	●	
Honeycomb profile decks from 50 m²											
Compact <i>honeycomb</i> (unbrushed)	●	●	●	●	●		●		●	●	
Compact <i>honeycomb plus</i>											
Facade profile from 30 m² *											
Creative	●	●	●	●	●	●	●	●	●	●	●
Creative <i>exklusive</i>	●	●	●		●	●	●	●	●		●
Construction profiles **											
Constructive 65	●	●	●	●	●		●		●	●	●

* at least 10 pieces per individual length ** at least 800 running meters per color (at least 40 pieces per individual length)

delivery time
on request

Material characteristics

The premium wood plastic made by NaturinForm is a material combination consisting of 70 % wooden fibres of pine and spruce, ca. 30 % food-safe HDPE, UV stabilizers and colour pigments. The material is highly durable and requires minimal maintenance. The mono-extruded profiles feature the same material throughout, have a particularly natural wood look and feel, and can be cut and profiled. The co-extruded profiles have an additional 100% polymer surface layer that provides enhanced colour durability and stain resistance.

Advantages

All our deck boards are barefoot friendly, free from splinters, will not crack or deform, and are slip resistant. The boards with a brushed surface offer the maximum slip resistance. With minimal maintenance required, the decks are designed to be enjoyed, not to be an additional chore. Time, labour, materials and money are saved, as annual oiling or painting is avoided. Special lengths from 2 m to 13 m are possible.

Colour development

The co-extruded Piazza family sees almost no colour change over the years. All the mono-extruded profiles, (decking, facade, fence & sun screens) undergo a natural maturing process that is affected by light, air, sun, location and humidity. The exact rate of weathering depends on the climate and location of the deck. The alternation of sunlight, shade, and humidity will lead to a gradual and slight change in the colour. Initial exposure of the boards to light and humidity produces a more matte surface. The slightly yellowish shade of the wood fibres recedes fairly quickly, and the boards settle down to a slow natural weathering. Even if the boards become a little lighter over the years, the colour remains strong throughout the lifetime of the deck. If part of the deck is sheltered, eg by a roof overhang, then the weathering will be at a slower pace than that of the fully exposed boards. Although we optimise our processes as far as possible, the high wood content in the premium WPC material can result in slight variation in colour between different batches. Often these will equal out during the natural weathering process. Weathering and slight variation in colour shades are not to be regarded as product defects, but rather as a feature of a product with a high content of natural materials. The colour development of each of our products can be seen on our website:

www.naturinform.com

Curvature in privacy and noise protection fences

The hollow profiles used as panels in the Effective and Flexible fencing range are made from the same premium WPC material as NaturinForm's other products. Although the profile design has been engineered for stiffness and strength, subject to location and climate, a light curvature of the panels may arise. This is usually due to uneven elements on the different sides of the fence: eg sun, humidity or wind load. The slight bending of the panels will not affect the performance of the fence, and is not regarded as a product defect.

Impact of chlorine or salt water

Chlorine and salt water have no negative effect on the characteristics of NaturinForm's premium WPC decks, facades, and privacy shields: tested according to DIN EN ISO 9227:2017-07. When installing a deck in close proximity to chlorine water or sea spray / water, stainless steel V4A installation clips must be used, instead of standard stainless steel clips.

Temperature induced board expansion & shrinkage

NaturinForm premium WPC profiles react to temperature changes significantly less than most other WPC products. None the less, the appropriate expansion gaps must be created between the ends of boards and where boards are adjacent to walls or other fixed elements. Details can be found in the installation instructions. The hidden installation clips are designed to allow for temperature change induced expansion and contraction across both the width and lengths of the boards.

Board temperature in the sun

In warmer climates and south facing sheltered areas, the deck boards may become too hot for comfortable barefoot contact. Lighter colours will typically become less hot than darker colours.

Water stains

The natural wood feel surface of the mono-extruded decking boards may be affected by water stains, if subject to frequent dripping from eg an overhanging roof or gutter, or splashes from a hot tub or pool. The stains do not affect the performance of the boards and can usually be easily cleaned off. The Piazza family of co-extruded boards are less likely to be affected.

Wood Pockets

NaturinForm products consists of approx. 70% wood fibres, which are specially treated, dried and fed into the manufacturing process. Rarely small particles of other natural fibres may be present such as phloem (the transition layer from bark to wood), for example. As a result of weathering and humidity, these particles can become visible on the surface.

Electrostatic charge

An electrostatic charge can occur when the relative humidity is low. Co-extruded decks are more likely to experience this phenomenon, especially on roof terraces or other decks which are insulated from ground contact. The avoidance of metal railing and door handles can reduce the effect. NaturinForm's joint profile tube also helps to reduce electrostatic charge, but sufficient ventilation points must be created when the surface of the deck is closed.

Durability

To ensure decades' long performance of your deck, a properly prepared ground and substructure in which water can drain away is vital. The deck must be kept free from a build up of leaves or other debris which will restrict ventilation of the deck and substructure.

Maintenance and care

Maintaining a NaturinForm deck is normally very easy. Slight dirt can easily be cleaned with water from a hose pipe and gentle brushing. If there is more dirt it is possible to use a high pressure cleaner (not a steam cleaner) with a maximum of 80 bar, and keeping a distance of at least 20 cm from the deck surface. Painting or oiling to extend the decking life is unnecessary. With difficult stains, such as fat or soot, please use our specially developed biologically degradable cleaning agent. Over time, sediments such as sand from the Sahara, soot particles, or pollen can collect on the surface of any WPC product. These deposits will not permeate into the surface and can be normally be cleaned off with water. Deposits left after melting snow or winter fogs also require water and gentle brushing to clean. Metal particles from eg cutting steel handrail components or from fertilisers containing iron may cause discolouration.

Laying / Requirements per square metre

For 140 mm wide decking boards, approx. 7 linear metres of boards and 16 installation clips are needed for each square metre of deck. For 162mm wide boards, approx 6 linear metres and 14 clips. For 200 mm wide boards, 5 linear metres and 12 clips. For 245 mm wide boards, 4 linear metres and 11 clips. Depending on the design of the deck, between 2.5 and 3.0 linear metres of joists (base profile) are needed. The amount of feet needed depends on the load-bearing requirements of the deck: normally no more than 4 to 5 feet per square metre. Please see our installation instructions or use the online deck configurator for accurate calculation of material needs.

Installation direction

In the manufacturing process, some of our premium WPC products are brushed, which creates a fibre direction. Failure to observe the deck fibre direction during installation may lead to the appearance of some boards having different colour shades. The edge grooves of the boards are marked with arrows for orientation to facilitate visually uniform laying.

Installation Instructions

Comprehensive and up to date installation/assembly instructions for all NaturinForm products can read on or downloaded at www.naturinform.com/downloads Adherence to the installation / assembly instructions is the basis for the guarantee that we provide.

We offer you the highest quality. That is why we subject our products to continuous quality controls and stress tests.



Evaluation of resistance to wood-destroying fungi – Durability Class 1 (very durable)

In the department of process engineering wood materials at the Fraunhofer-Institut für Holzforschung Wilhelm-Klauditz-Institut WKI, Braunschweig, in February 2012 the resistance of our wood composite decks was tested in accordance to DIN/TS 15534-1 (2007) and DIN ENV 12038 (2002) respectively. The evaluation was made according to the test standard (DIN CEN/TS 15083-1) with the result - Durability Class 1 - very durable.



“Safety of Toys – Part 3: Migration of specific elements” test – DIN EN 71-3:2019

In June 2025, Fraunhofer-Institut für Holzforschung Wilhelm-Klauditz-Institut WKI, Brunswick, tested various decking boards from the NaturinForm range for the “safety of toys”. The test report confirms that the material tested satisfies the thresholds according to DIN EN 71-3:2019 “Safety of Toys – Part 3: Migration of specific elements”.



PEFC-certified: HW-PEFC-CoC-0286-23

HW-Zert GmbH, notified by PEFC Deutschland e.V., has confirmed that NaturinForm GmbH uses a company monitoring system that conforms with the Chain-of-Custody-Requirements for PEFC programmes for the Endorsement of Forest Certification according to the standard PEFC ST 2002:2020 in the currently valid version (see also www.pefc.org).



Environmental product declaration according to ISO 14025 and EN 15804 EPD from the Institut Bauern und Umwelt e.V. (IBU)

“Together with the VHI we are committed to sustainable building from EPDs for WPC patio decks and WPC facade elements at the IBU”. (Verband der Deutschen Holzwerkstoffindustrie e.V.)



Member of DGNB – German Sustainable Building Council

The DGNB is Europe's largest network for sustainable building and has been working since 2007 for demonstrably climate-friendly buildings, liveable neighbourhoods, in short for a sustainable built environment.



Evaluation fire behaviour - Class E

The ift Rosenheim GmbH tested *Popular* for its fire behaviour according to DIN EN 13501-1 with the result Class E. This is very comparable to wood.



Slip resistance evaluation - DIN 51130 and DIN 51097

Our brushed deck surfaces have a very high slip resistance level - even when wet - and therefore are very suitable for public areas (swimming pools, kindergartens, hotel patios, etc.). The individual product tests were conducted by the TÜV Rheinland / LGA, according to DIN 51130. The test results can be found on the respective product pages.



Qualitätsgemeinschaft Holzwerkstoffe e.V. Berlin

As a member of the Qualitätsgemeinschaft Holzwerkstoffe e.V. Berlin, NaturinForm GmbH is committed to strict quality management processes. Quality parameters are tested internally on a daily basis, as well as periodically at external testing institutes. Our wood composite material quality consists to 100 % of German wood fibres with the PEFC-certification and the pure polymer used is freshly produced PE.

Disposal

It is recommended to dispose of WPC-Leftovers in bulk rubbish collectors or waste facilities. This may be chargeable. Alternatively, NaturinForm's customers can return their products (sustainable return policy.)

Return option


We are proud to be able to present you a quality product that is both sustainably produced and recyclable. In our production process we only use wooden fibres from suppliers that have been awarded the PEFC certification. This means that the wood has been sourced from sustainably managed forests which have been independently certified. NaturinForm WPC off-cuts and boards which have come to the end of their life, can be recycled into new products. Therefore we are happy to take back our original (for Germany only) NaturinForm WPC products if you deliver them to our factory in Redwitz an der Rodach, Flurstrasse 7, after we have checked that the product is clean, free of charge. As there is no legal liability for us to do so, and this is a voluntary and non-binding take-back option, we recommend you get in touch with us before returning your used WPC products to guarantee a smooth procedure.

Recyclingbox (Germany only)

Collect all the leftovers from your projects, and we will feed them 100 % directly back into our production process. Simply fill the box with NaturinForm products and register online for the recycling box to be picked up. Please note that you may only collect WPC from NaturinForm in the Re-Form-Box. Should there be products from other companies in the box, disposal will be billed according to effort, but of a minimum at 50 Euros. Unfortunately, due to EU cross border waste disposal regulations, this service is only offered in Germany for the time being. Find more information at: www.naturinform.de/recyclingbox.



Space for notes





Scan
now &
get
inspired

Natur inForm

NaturinForm GmbH
Flurstraße 7, 96257 Redwitz a. d. Rodach
Tel +49 (0) 9574 65473-0
Fax +49 (0) 9574 65473-20
info@naturinform.com
www.naturinform.com

This document has been carefully prepared
and is constantly being updated. The print
colours may vary. Please find the current and
valid version at: www.naturinform.com

Status: 05.06.2026