

ROCKO

Tiles by Kronospan



WATERPROOF TILES








ROCKO

Tiles by Kronospan

04	product range
06	characteristics
07	surface textures
08	tiles collection
08	stones
42	wood
48	metal
56	organic
66	color
75	accessories
78	installation

Decor overview

Collection	Thickenss	Waterproof	SKU's Total	
Stones	1230 x 2800 x 4 mm		18	 K551 PT  R101 PT  R102 PT  R155 PT  R154 PT  K349 PT
Metal	1230 x 2800 x 4 mm		3	 K104 PT  R120 PT  R105 PT
Wood	1230 x 2800 x 4 mm		2	 K365 FN  R122 FN
Organic	1230 x 2800 x 4 mm		6	 R160 PT  R161 A PT  R162 B PT  R163 PT  R164 A PT  R165 B PT
Color	1230 x 2800 x 4 mm		5	 0110 PT  0564 PT  5981 PT  R166 PT  0190 PT

Decors



Waterproof wall system

Innovative waterproof SPC tiles

Waterproof Rocko Tiles, made of over 70% of mineral core, finished with high-quality UV coating, is an outstanding material for domestic and commercial use, both in new projects and renovations.

Versatility of Rocko Tiles allows for many application possibilities – wall coverings in wet & dry areas, decorative finishes, doors and entrance portals or even waterproof furniture.

Extraordinary format

Rocko Tiles is a range of slim and lightweight slabs. Large format (2.800 x 1.230mm) allows to cover full height of walls in most apartments and houses.

Easy handling & installation

Designed with utmost care of easy handling and installation; can be cut, shaped, drilled and most of all, installed on different subsurfaces: ceramic tiles, gipsum plaster, concrete, plywood or osb.

Apperance of natural wood and stone

Rocko Tiles designs are digitally printed, reflecting down to the smallest detail the rich grain of wood and roughness of stones and concrete.

Cooridates solution

Our Rocko Tiles range comes with complementary accessories: adhesive, finishing profiles, silicones and cleaning liquid, for coordinated solution. All materials are produced and shipped from Europe, available in express program.



Characteristics



Waterproof

Rocko Tiles is suitable for indoor use in dry and humid conditions, such as bathroom, laundry room, kitchen or vestibule.



Stain proof and easy to clean

Rocko Tiles meets stain resistance requirements, which might be caused by most common substances used in your living space: coffee, tea, wine and other beverages, cleaning agents used in kitchen, laundry, and care products used in bathroom.



Digital Design

Authentic appearance of wood, stones and metals thanks to digital print technology finished.



Dimensionally stable

Rocko Tiles does not change its dimensions under the influence of temperature and humidity changes, so it can be used indor in sunny areas as well as in dry and humid ones.



Scratch resistant

Rocko Tiles are well-protected against fine scratches and everyday wear and tear thanks to durable top surface layer




Soft touch

Rocko Tiles have a soft, pleasant surface with comfortable and warm tactile sensation.



Fire resistant



FLANDERS OAK - FN texture



PEETAH - PT texture





Collection

STONES

2800 x 1230 x 4 mm





K551

Calacatta Olympus

Peetah texture,
2800 x 1230 x 4 mm

3 faces per design








R101

Statuario

Peetah texture,
2800 x 1230 x 4 mm

3 faces per design





R102

Venato Nature

Peetah texture,
2800 x 1230 x 4 mm

3 faces per design






R155

Elphain

Peetah texture,
2800 x 1230 x 4 mm

3 faces per design





R154

Marble Gold

Peetah texture,
2800 x 1230 x 4 mm

3 faces per design





K349

Silk Flow

Peetah texture,
2800 x 1230 x 4 mm





R119

Crema Valpolicella

Peetah texture,
2800 x 1230 x 4 mm





R109

Concrete

Peetah texture,
2800 x 1230 x 4 mm





R115

Brooklyn Grey

Peetah texture,
2800 x 1230 x 4 mm





R158

Soulstone A

Peetah texture,
2800 x 1230 x 4 mm

R159

Soulstone B

Peetah texture,
2800 x 1230 x 4 mm



R158 A



R159 B



K024

Beige Pietra Marble

Peetah texture,
2800 x 1230 x 4 mm

3 faces per design





R130

Greige Babylon

Peetah texture,
2800 x 1230 x 4 mm





R156

Atacama Fields A

Peetah texture,
2800 x 1230 x 4 mm

R157

Atacama Fields B

Peetah texture,
2800 x 1230 x 4 mm

R156 A

R157 B





R104

Rainforest Brown

Peetah texture,
2800 x 1230 x 4 mm

3 faces per design





K026

Grey Pietra Marble

Peetah texture,
2800 x 1230 x 4 mm

3 faces per design






R106

Marquina

Peetah texture,
2800 x 1230 x 4 mm

3 faces per design





Collection

WOOD

2800 x 1230 x 4 mm





K365

Coast Evoke Oak

Flanders Oak texture,
2800 x 1230 x 4 mm






R122

Yacht Wood

Flanders Oak texture,
2800 x 1230 x 4 mm





Collection

METAL

2800 x 1230 x 4 mm





K104

Rusty Copper

Peetah texture,
2800 x 1230 x 4 mm





R120

Native Steel

Peetah texture,
2800 x 1230 x 4 mm





R105

Copper Lamiera

Peetah texture,
2800 x 1230 x 4 mm

3 faces per design





Collection

ORGANIC

2800 x 1230 x 4 mm





R160

Skali

Peetah texture,
2800 x 1230 x 4 mm





R161

Golden Cane A


Peetah texture,
2800 x 1230 x 4 mm

R162

Golden Cane B

Peetah texture,
2800 x 1230 x 4 mm





R163

Silver Sage

Peetah texture,
2800 x 1230 x 4 mm





R164

Mink Plant A

Peetah texture,
2800 x 1230 x 4 mm

R165

Mink Plant B


Peetah texture,
2800 x 1230 x 4 mm



R164 A



R165 B



Collection

COLOR


2800 x 1230 x 4 mm



0110

White


Peetah texture,
2800 x 1230 x 4 mm



0564

Almond

Peetah texture,
2800 x 1230 x 4 mm



5981

Cashmere

Peetah texture,
2800 x 1230 x 4 mm



R166

Greige

Peetah texture,
2800 x 1230 x 4 mm





0190

Black





Peetah texture,
2800 x 1230 x 4 mm





ACCESSORIES INSTALLATION



Article	Illustration	Item No.	Description	Packing Unit	Option
Internal corner		PROFSPC-INT-BLACK PROFSPC-INT-SILVER PROFSPC-INT-WHITE PROFSPC-INT-BROWN	2800 mm	Box of 10 pieces	black silver white brown
External corner		PROFSPC-EXT-BLACK PROFSPC-EXT-SILVER PROFSPC-EXT-WHITE PROFSPC-EXT-BROWN	2800 mm	Box of 10 pieces	black silver white brown
External corner - arrow 45°		PROFSPC-EXT-A-BLACK PROFSPC-EXT-A-SILVER PROFSPC-EXT-A-WHITE PROFSPC-EXT-A-BROWN	2800 mm	Box of 10 pieces	black silver white brown
C - profile		PROFSPC-C-BLACK PROFSPC-C-SILVER PROFSPC-C-WHITE PROFSPC-C-BROWN	2800 mm	Box of 10 pieces	black silver white brown
T - profile		PROFSPC-T-BLACK PROFSPC-T-SILVER PROFSPC-T-WHITE PROFSPC-T-BROWN	2800 mm	Box of 10 pieces	black silver white brown
Matt Silicone		SILI-01	White	300 ml cartridge	
Matt Silicone		SILI-02	Light Beige	300 ml cartridge	

Article	Illustration	Item No.	Description	Packing Unit	Option
Matt Silicone		SILI-03	Grey	300 ml cartridge	
Matt Silicone		SILI-04	Chocolate	300 ml cartridge	
Matt Silicone		SILI-05	Black	300 ml cartridge	
Sealant		KLEJ-ROCKO-ADH_600	One-component, flexible, solvent-free assembly adhesive and sealant with a neutral curing system. Ready to use; has very good adhesion to most materials and substrates used in construction.	600ml foil packages	
Adhesive		KLEJ-ROCKO-ADHESIVE	One-component, flexible, solvent-free assembly adhesive and sealant with a neutral curing system. Ready to use; has very good adhesion to most materials and substrates used in construction.	290ml cartridges	
Rocko Tiles cleaning agent		PLYN-ROCKO-TILES	Rocko Tiles cleaning agent – removes dirt and limescale; does not leave grey film and greasy residue. It does not damage the surface.	500 ml	
Tile leveling system		ROCKOlevelingsystem		200 pieces	

Installation Rocko Tiles

Wet area installation

1

48h

15-30°C

59-86°F

2

3.1.A

PLYWOOD / OSB

3.1.B

CONCRETE / BRICK

3.1.C

OLD TILES

3.2

3.3

WATERPROOFING

3.4

4

5

6

6.A

10 cm

ADHESIVE APPLICATION

<10 min

6.A

7

ADHESIVE

7.A

ADHESIVE APPLICATION

<40 min

7.A

8

9

LEVELING

2-3 mm

10.A

10.B


11.A

11.B

PROFILE

12

More information:



www.rocko-tiles.com

Installation Rocko Tiles

Dry area installation

1

48h

15-30°C

59-86°F

2

3.1.A

PLYWOOD / OSB

3.1.B

CONCRETE / BRICK

3.1.C

OLD TILES

3.2

3.3

CLEAN & DEGRASE & DRY

3.4

4

5

6

6.A

10 cm

ADHESIVE APPLICATION

<10 min

6.A

7

ADHESIVE

7.A

ADHESIVE APPLICATION

<40 min

7.A

8

9

LEVELING

2-3 mm

10.A

10.B


11.A

11.B

PROFILE

12

More information:



www.rocko-tiles.com

ROCKO

Tiles by Kronospan



www.rocko-tiles.com

02/2023/EN

Product information in this brochure is correct at time of publication. The company has a policy of continuous product development and reserves the right to change any product specifications given in this brochure. Due to the variations in the printing process, colours in this brochure may be subject to deviation from the actual products.



Distributor:

Kronoflooring Sp. z o.o.

39-300 Mielec

ul. Wojska Polskiego 3

T +48 17 58 22 200

F +48 17 58 22 300

sales.jaslo@kronospan.pl

Producer:

Kronoflooring Sp. z o.o.

38-200 Jasło

ul. Przemysłowa 10

T +48 13 44 24 901