

Aim Of Valuables



Aim Of Valuables

PROTECT YOUR VALUABLE ASSETS!

Aovx assets tracker solutions is committed to protecting the assets in warehouse and in-Transit process , rather than location service , assets condition is also under monitored - vibration, shock , temperature logger comply with NIST compliance, embedded with multiple sensors and wireless technology , 4G LTE , NB-IOT and Cat.M1 , WIFI and BLE .

Know where your valuable shipments are, what condition they are in and take real time action to reduce the risk of shipments .







01 AOVX Profile

02 AOVX Culture

03 AOVX Product

04 AOVX Application





assets tracker solutions corp. is committed to protecting the assets in warehouse

and in-Transit process, rather than location service, assets condition is also under monitored - vibration status, temperature alert embedded with multiple sensors and wireless technology, 4G LTE, NB-IOT and Cat.M1, WIFI and BLE.

Founded in 2019. Team has 12 years knowledge of cellular modules ,worldwide network and regulatory in tracker field.

With rapid growth in worldwide, Aovx has established branches in Spain and Argentina to provide local support and closely service. Supported by "service consciousness, customer experience, executive action" business philosophy, continue to provide customers with stable and reliable product and technology sales services, grow together with customers success.

Reliable Professional Global









Avinguda Diagonal, 54, ENT 3a. 08019, Barcelona, Spain





Room 501, Floor 5, ZhongAn Valley, 900 WangJiangXi Road, High-tech Zone, Hefei, Anhui China, 230088

ARGENTINA



Pte. Perón 8725 Torre 3 Of. 23 (B1715EKE) - Parque Leloir Buenos Aires - Argentina



2019-22

- Founded in Hefei China;
 Started with ODM service
 for Car insurance
 Company
- Vehicle tracking VG300 mass production for insurance company

2022-23

- Temperature sensor tracker device GL100、 GM100 released for US foods market
- First 100K devices shipped
- Expand RD resources
- CE FCC Anatel Airlines
 Certificates



2023-24

- Extend product roadmap to 4 series "GAVE"
- Coperate with US cold chain lead companies to explore more bussiness
- Expanded the office
- Shipped 300K+ devices
- Recognized as "China Hightech Enterprise"







01 R&D

Strong knowledge of asset management solution , global network regulatory and tracker design . $Manufactures \ in \ China \ and \ Malaysia \ .$



03 FAE

Sufficient technical support resource regarding the quick start guide and professional technical support to be fast setup .

02 QA

Strict QA process in R&D and manufactures. Traceability always throughout the procedures from product development to manufacture and delivery .

04 CPM

CPM customer project manager is in response to customer project progress to ensure the delivery . In charge of quality control process and delivery management



Product Selection

Evaluate customers' requirement to have right product selection.

Delivery

Flexible production , pilot production and mass production.

Certification

Knowledge of wireless certification process and global network regulatory .

Product Design

Evaluate and customized design and development to meet the application . Chipset and module level development regarding firmware and hardware .

Technical Support


Quick setup and technical support during the concept phase to mass production and after sales service .

Test

Temperature chamber Test
Power consumption
RF chamber test
Aging test.







Laboratory Environment







Every unit must be tested














AOVX Factory Environment



*The factory has passed the 16949 ISO9001:2000 quality system certification;

*The product has passed CE, FCC, 3C certification and ROHS standard.

























TOP Tracker Solutions Provider







Reliable Assets Guard





AOVX located in an innovative city Hefei where full with technology atmosphere , Tencent ,MI company , Zoom and Quectel office around here .

More than 70% are engineering teams in Aovx, focus and committing to RD development . Full support from RD, CPM, Test and FAE, production engineers.

Pictures on the right is the day Aovxers move to new office to expand RD resources .

Innovation


Focus

Service





- China high-tech enterprise
- Software patent
- Invention Patent
- CE FCC ANATEL UKCA RTCA 160G TELEC ATEX









G Series
Goods Tracking

Temperature Humidity
NIST Tracebility
Indoor Positioning



Assets Tracking

Magnet install-free 7 years battery life IP68 Rugged



V Series
Vehicle Tracking

Remote control Multiple GPIOs ACC Detect



E Series
Environment
Monitoring

Temperature Humidity
Compact size
BLE

GOODS ASSETS

VEHICLES

ENVIRONMENT

Product Introduction



Goods Tracker

- Real Time Insight into Shipment on Road , Air and Sea
- NIST Traceability And Calibrated High Accuracy Temperature Sensor
- External PT100 Probe
- Non-lithium battery (no IATA dangerous goods declaration)



Assets Tracker

- 7 Years Battery Life
- IP68 Rugged
- Magnet Install-Free
- Global Connectivity
- ATEX Certified



Vehicle Tracker

- Vehicle Status (Igition ON/OFF, TOW, Idle)
- Driver ID and Behavior
- Data Telematics from Wired and BlueTooth
 Sensors
- LoRa Transmit as BackUp
- Dual-Band (L1&L5)High Precession GNSS



Environmental

- BLE Sensor (Temperature and Motion)
- Data Logger / Beacon Mode
- 3 Years Battery Life
- Paring To G A V Series Via BLE



G SERIES We track and protect your valuable assets!



GL100

GM100



NFTWORK

Global 4G with 2G fallbackwider coverage and lowerlatency. Reuse.

BANDS

4G: B1 B2 B3 B4 B5 B7 B8B12 B13 B20 B28 B39 B40

2G: B2 B3 B5 B8

BATTERY TYPE BATTERY LIFE

DIMENSION

2500mAh Li-lon

30 Days @ Every 15 min GNSS ON 45 Days @ Every 15 min Cell ID and

WIFI

121mm × 61mm × 8mm

CERTIFICATI ON

CE FCC

Global CatM1 with 2G fallback wider coverage

CatM1:B1/B2/B3/B4/B5/B8/B12/B13/B14/B18/B19/B20/B

/B26*/B27/B28/B66/B71/B85 2G: 850/900/1800/1900MHz

2500mAh Li-lon

30 Days @ Every 15 min GNSS ON 45 Days @ Every 15 min Cell ID and WIFI

121mm × 61mm × 8mm

CE FCC DOS-160G

GLOBAL CONNECTIVITY

Global network supported

MULTIPLE POSITIONING CELL ID WIFI SCAN and GNSS

BLUETOOTH EXTENDIION PAIR with up to 100 Bluetooth sensors

BATTERY TYPES Rechargeable LI-Ion

MULTIPLE SENSORS light, motion

Temperature, Humidity,

ULTRA THIN 8mm Thickness

GOODS TRACKER SOLUTIONS



G SERIES We track and protect your valuable assets!

GL600

GL610



NFTWORK

Global 4G with 2G

Global 4G ONLY

Operation **Temperature**

TYPE

LIFE

-30°C to 70°C

-20°C to 60°C

BATTERY BATTERY

2000mAh NI-MH

20 Days @ Every 15 min GNSS ON

30 Days @ Every 15 min Cell ID and WIFI

110mm × 65mm × 23mm

3400mAh AA Alkaline

60 Days @ Every 15 min GNSS ON 90 Days @ Every 15 min Cell ID and WIFI

110mm × 65mm × 23mm

CERTIFICATI

DIMENSION

CE* FCC*

CE* FCC*

GLOBAL CONNECTIVITY

Global network

MULTIPLE POSITIONING CELL ID WIFI SCAN and GNSS

BLUETOOTH EXTENDION Bluetooth sensors

BATTERY TYPES Non-Li Alkaline and NI-MH Replaceable

MULTIPLE SENSORS

Temperature, Humidity, light, motion, Air Pressure

Temperature Spec

NIST Traceability High Accuracy External Probe Option

GOODS TRACKER SOLUTIONS



AL300

AM300



NETWORK

BANDS

Global 4G with 2G fallbackwider coverage and lower latency.

4G: B1 B2 B3 B4 B5 B7 B8 B12 B13 B20 B28 B39 B40

2G: B2 B3 B5 B8

BATTERY TYPE BATTERY LIFE

7000+ mAh Li-SOCI2

5 Years @ 1 ping per day

DIMENSION

138mm × 72mm × 22mm

CERTIFICATI On CE FCC ATEX

Global CatM1 with 2G fallback wider coverage

CatM1:B1/B2/B3/B4/B5/B8/B12/B13/B14/B18/B19/ B20/B25 /B26*/R27/R28/B66/R71/R85

/B26*/B27/B28/B66/B71/B85 GSM: 850/900/1800/1900MHz

7000+ mAh Li-SOCl2

5 years @ 1 ping per day

138mm × 72mm × 22mm

GLOBAL CONNECTIVITY
Global network

supported

A SERIES

We track and protect your valuable assets!

MULTIPLE POSITIONING
CELL ID WIFI SCAN and
GNSS

BLUETOOTH EXTENDION PAIR with up to 100 Bluetooth sensors

BATTERY TYPES Non-chargeable Battery MULTIPLE SENSORS light, motion

ROBUST

ASSETS TRACKER SOLUTIONS



VL300

VM300

VG300

V SERIES We track and protect your valuable assets

BLUETOOTH EXTENDION

NFTWORK

BANDS

Global 4G with 2G

Global CatM1 with 2G

2G GSM

4G: B1 B2 B3 B4 B5 B7 B8 B20 B28

CatM1:B1/B2/B3/B4/B5/B8/B12/B13/B14/B18/B19/ B20/B25

2G: B2 B3 B5 B8

/B26*/B27/B28/B66/B71/B85 GSM: 850/900/1800/1900MHz GSM: 850/900/1800/1900MHz

POWER SUPPLY

9V-90V

9V-90V

SLEEP $< 0.5 \, \text{mA}$

 $< 0.5 \, \text{mA}$

<3mA

9V-30V

DIMENSION

82mm x 40mm × 18mm

82mm x 40mm × 18mm

82mm x 40mm × 18mm

INTERFACE

VCC GND IGN RELAY DI DO TX RX RS232

VCC GND IGN RELAY DI DO TX RX RS232

VCC GND IGN RELAY

GLOBAL CONNECTIVITY Global network supported

GNSS

PAIR with external BLE Sensors (Panic Button, Door 2G .4G and CatM1 Sensor)

MULTIPLE POSITIONING DATA MEMORY CELL ID WIFI SCAN and 30,000 Message **MULTIPLE INTERFACES**

TX RX 1 WIRE DI DO

HIGH GAIN ANTENNA

VEHICLE TRACKER SOLUTIONS



V SERIES We track and protect your valuable assets!



GLOBAL CONNECTIVITY

Global network 2G .4G and CatM1

MULTIPLE POSITIONING CELL ID WIFI SCAN and GNSS

BLUETOOTH EXTENDION Sensors (Panic Button<u>, Door</u> Sensor)

DATA MEMORY 30,000 Message **MULTIPLE INTERFACES** TX RX 1 WIRE DI DO

Dual Bands L1&L5 GNSS

LoRa BackUp

VL350

VL360*

NETWORK

LTE Cat.1 4G with 2G.

LTE 4G Cat1 with 2G

/B26*/B27/B28/B66/B71/B85

GSM: 850/900/1800/1900MHz

BANDS

4G: B1 B2 B3 B4 B5 B7 B8 B20 B28

B66

2G: B2 B3 B5 B8

POWER SUPPLY

9V-90V

SLFFP

< 1 mA

DIMENSION

67mm x 60mm × 21mm

LoRa as BackUp transmit

HIGH-LIGHTS

< 1 mA

9V-90V

B20/B25

67mm x 60mm × 21mm

LoRa as BackUp transmit

High Accuracy Dual Bands GNSS . <1 meter Compatible with FMC130*

CatM1:B1/B2/B3/B4/B5/B8/B12/B13/B14/B18/B19/

VEHICLE TRACKER SOLUTIONS



E SERIES We track and protect your valuable assets !





GLOBAL CERTIFICATION FCC/CE/RoHS/REACH/

LONG BATTERY LIFE

BLUETOOTH EXTENDITON PAIR with G A V series tracker devices

DATA MEMORY

MULTIPLE SENSORS
Temperature Humidify Motion

EH4 EM2

NETWORK BLE 5.0. BLE 5.0 Motion / Door Sensor Temperature Logger **SCENARIOS** BATTERY 3 Years 3 Years LIFE RANGE -30°C / +80°C -20°C / +60°C DIMENSION 82mm x 40mm × 70mm x 46mm × 21mm 18mm SENSORS Temperature Humidity Accelerometer Hall

BLE SENSORS



SDK VERSION

HARDWARE

DESIGN



FIRMWARE SDK

MANUFACTURE

NETWORK Global network , 2G 3G 4G NB-IoT and CatM1

SCENARIOS Assets , Personal and Vehicle

POSITIONINIG GNSS LBS WIFI and BLE

SENSORS Motion , Temperature , Humidity , Ambient light , pressure

INTERFACE DI DO AI CAN RS232 485

CERTIFICATION

BUILD YOUR OWN TRACKER



Industry Application



On-board Transportation

- Vehicle tracking
- Cargo Tracking
- Ship tracking
- Fleet management



Cold Chain Transportation

- Fresh
- medicine
- · Community delivery
- Cold storage monitoring



Smart Agriculture

- Food traceability
- Farmland monitoring
- Agricultural Machinery Management
- · Wildlife protection



Smart Warehouse

- Flooding alarm
- Intrusion detector
- Motion sensor
- Asset security



Smart City

- Advertising board monitoring
- Trash can remote monitoring
- · Manhole cover monitoring
- Shop recruitment monitoring



Smart Warehouse

- Personal tracking
- Pet tracking
- wearable
- Elderly monitoring



Smart Industry

- Light monitoring
- · Pipeline monitoring
- Water valve/pump control
- Indoor temperature humidity monitoring



Lease Sharing

- Equipment Leasing
- Shared bicycle
- Car rental
- Machine leasing



Auto Finance

- Finance lease
- Mortgage
- P2P car loan company
- New automotive retail platform



Thank You

Info@aovx.com www.aovx.com