

NEW IN THE OFFER

FLEXIBLE PACKAGING IN THE LABEL EXPRESS





Printed plastic doypack[®] packaging, sachets, laminate on a roll.

In response to changing market needs, we have expanded our range to include the flexible packaging segment. Our state-of-the-art production infrastructure, dedicated to the new product line, guarantees unparalleled print quality, ensuring vivid colours and clear printing of even the finest graphic design elements.

Thanks to the use of materials that offer effective protection against the damaging effects of moisture, oxygen and other external factors, our packaging not only stands out with an attractive design on the shop shelves, but also ensures the durability and freshness of the products inside.

We are aware of the growing importance of ecology and the need to develop business in a sustainable and responsible manner. That is why we offer packaging designed to minimise environmental impact by facilitating the recycling process. The pursuit of green solutions in the context of packaging emphasises care for the planet, which is increasingly valued by conscious consumers.

Packaging offer at Label Express



Laminate in roll form

Versatile packaging suitable for a variety of products. High-quality materials and a variety of finishes offer protection and personalisation. The ability to customise the size and add display windows the product makes film on a roll ideal for companies packaging their products on their own production line, ensuring efficient and attractive presentation.



Doypack® packaging

Its characteristics are exceptional functionality and aesthetics, enabling products to stand out on the shelves. Fitted with string closures and available in a variety of sizes, they are perfect for loose, liquid and solid products. The high quality of the materials and printing, combined with finishing options and content display windows, make them ideal for a wide range of products, providing both functionality and appeal.

Sachets

Popular for single-use applications, they are made from high quality film providing an excellent barrier against moisture, oxygen and odours. Their various finishes (glossy, matt, metallized) and functionalities, such as an easy-open notch or a zipper closure, make them an ideal choice for food and cosmetics. The possibility of using a transparent window further exposes the contents, increasing the attractiveness of the packaging.

Why Label Express?



Orders from as little as 50 items

We offer the option to place orders starting from 50 units. Such a low threshold ensures flexibility, enabling production of even the smallest series, addressing the individual needs and market strategies of our clients.



Any number of patterns

The technological solutions available at Label Express enable our clients to incorporate an unlimited number of designs in a single batch. Clients have the opportunity to experiment with a variety of graphic designs, which is crucial for testing new products in the market or customising their offer.



5-day fulfilment

Our advanced production processes and modern machinery park enable us to quickly complete orders - within just 5 working days. It addresses the needs of clients operating in competitive markets and ensures on-time delivery of the product to the end consumer.



Top print quality

Applying the latest printing technologies ensures that the packaging stands out on the store shelf with vibrant colours, sharp details, and durable printing. This is essential for maintaining the product's aesthetics throughout its entire period of use. High print quality is also a hallmark that translates into the sales success of our clients.



Doypack[®] packaging

Standard packaging dimensions (mm)

35 ml	85 ml	100 ml	250 ml	500 ml	750 ml	1000 ml	1500 ml	2000 ml	3000 ml
85x50x100	85x50x145	90x50x160	130x76x200	150x76x225	150x80x270	175x90x290	175x100x300	210x110x310	260x100x300

Laminate structures

Laminate structures	High barrier	Finishing gloss/matte/soft touch	Metallic shimmer effect	"Window"	Recycling
PET/PE	✓	✓/✓/-		✓	
PP/PET/PE	✓	✓/✓/✓		✓	
PP/PET met/PE	✓	✓/✓/✓	✓		
Monomaterial PE/PE	✓	✓/-/-		✓	✓
Monomaterial PE/PE	✓	✓/✓/✓		✓	✓
PP/PP met/PP	✓	✓/✓/✓	✓		✓
Heat-sealable paper		-/-/-			✓



Sachets

Standard packaging dimensions (mm)

45x130 60x240 80x110 150x170 190x270 300x350

Laminate structures

Laminate structures	High barrier	Finishing gloss/matte/soft touch	Metallic shimmer effect	"Window"	Recycling
PET/PE	✓	✓/✓/-		✓	
PP/PET/PE	✓	✓/✓/✓		✓	
PP/PET met/PE	✓	✓/✓/✓	✓		
Monomaterial PE/PE	✓	✓/-/-		✓	✓
Monomaterial PE/PE	✓	✓/✓/✓		✓	✓
PP/PP met/PP	✓	✓/✓/✓	✓		✓
Heat-sealable paper		-/-/-			✓



Laminate in roll form

Package width

From **50 mm** to **740 mm***

Laminate structures

Laminate structures	High barrier	Finishing gloss/matte/soft touch	Metallic shimmer effect	"Window"	Recycling
PET/PE	✓	✓/✓/-		✓	
PP/PET/PE	✓	✓/✓/✓		✓	
PP/PET met/PE	✓	✓/✓/✓	✓		
Monomaterial PE/PE	✓	✓/-/-		✓	✓
Monomaterial PE/PE	✓	✓/✓/✓		✓	✓
PP/PP met/PP	✓	✓/✓/✓	✓		✓
Heat-sealable paper		-/-/-			✓

Innovations in packaging technology



HP Indigo 25 Print Technology

Innovation without Compromise: We use HP INDIGO 25K technology, the pinnacle of innovation in digital printing. As a result, we are able to offer a wide ribbon of high quality printing, eliminating the inconveniences associated with conventional methods such as flexography and rotogravure.

Karlville thermal lamination technology

Glueless connection: A unique thermal lamination process using films with a thermoactive layer, which eliminates the need for adhesives. This ecological approach guarantees the durability and quality of our packaging.

Precision Packaging Forming

Forming process: Using KARLVILLE dedicated line, we achieve sensational speed and precision in packaging formation, minimising waste. Welding: The welding process is based on the heating of two laminates, which makes it possible to create permanent joints even for different types of plastic. Our doypack® packaging often uses PE as a sealable layer, adapting the film thickness to the pack size.

The entire technological process of packaging production is specially prepared and designed to enable the fast processing of low and medium-volume orders, taking into account the compatibility of all equipment within the process.



FEEL FREE
TO CONTACT US:



ZUZANNA SZYGENDA

Mobile: +48 786 957 615
E-mail: z.szygenda@laboprint.eu