

IP67 HINGED ENCLOSURES



Color
Light gray (ref. RAL 7035)

Protection Class
IP67

Material

- Body : ABS
- Lid : ABS / PC
- Seal : TPE

Features:

- IP67 waterproof design
- Stainless steel lid latch
- Ear for padlock
- ASA material option for the resistance in the outdoor usage

Accessories:

- 1 mm galvanized sheet mounting plate
- EC-20 Aluminum mounting ear
- EC-22 Plastic mounting ear
- Pole mounting kit options
- Hinged anodized aluminum inner door



Special Stainless Steel Screws



Stainless Steel Lid Latch



Galvanized sheet mounting plate



Plastic Ventilation



IP67 Waterproof Design



Ear for Padlock



Clear PC Lid Option



Outdoor Resistant White - Colored ASA Material Option



Hinged Inner Door Option






Pole Mounting Kit Option



Aluminum Mounting Ears




Plastic Mounting Ears



Code	Sizes	E1	E2	E3	E4	B1	B2	B3	D1	D2	D3	D4	P1	P2	
EC - 912-7	90 x 120 x 70	90	68	48	50	120	78	80	70	56	49	20	68	98	NEW
EC - 912-9	90 x 120 x 90	90	68	48	50	120	78	80	90	77	70	20	68	98	
EC - 1015-8	100 x 150 x 85	100	78,5	61,5	60	150	111,5	60	85	72	65	20	75	125	
EC - 1515-9	150 x 150 x 89	150	128	108	108	150	108	108	89	76	69	20	124	124	
EC - 1318-10	130 x 180 x 100	130	112	95	90	180	145	100	100	87	80	20	102	152	
EC - 1624-5	160 x 240 x 53	160	138	117	116	240	197	160	53	39	38	15	128	208	
EC - 1624-11	160 x 240 x 112	160	136	117	116	240	197	160	112	98	97	15	128	208	
EC - 1722-13	170 x 220 x 127	170	146	127	110	220	177	80	127	112	97	30	134	184	
EC - 2030-8	200 x 300 x 80	200	170	150	120	300	250	220	80	66	50	30	150	250	NEW
EC - 2030-13	200 x 300 x 130	200	170	150	120	300	250	220	130	115,9	99,4	30	150	250	
EC - 2030-18	200 x 300 x 187	200	169	150	120	300	250	220	187	173	157	30	150	250	
EC - 2121-10	210 x 210 x 100	210	187	167	160	210	167	120	100	86	70	30	190	190	
EC - 2121-13	210 x 210 x 130	210	186	167	160	210	167	120	130	116	100	30	190	190	
EC - 2121-18	210 x 210 x 178	210	186	167	160	210	167	120	178	164	148,2	30	190	190	NEW
EC - 2535-13	250 x 350 x 127	250	226	207	180	350	307	280	127	113	97	30	210	310	
EC - 2535-15	250 x 350 x 150	250	226	207	180	350	307	280	150	137	120	30	210	310	
EC - 2818-7	170 x 280 x 70	180	156	137	120	280	237	200	67	53	37	30	133	238	NEW
EC - 2818-13	180 x 280 x 127	180	156	137	120	280	237	200	127	112	97	30	133	238	
EC - 2828-13	280 x 280 x 127	280	256	237	200	280	237	200	127	112	97	30	238	238	
EC - 3040-16	300 x 400 x 159	300	264	250	220	400	350	320	159	142	129	30	242	343	
EC - 3040-20	300 x 400 x 200	300	268	250	220	400	350	320	200	183	170	30	242	343	
EC - 3535-18	350 x 350 x 180	350	352	307	280	350	307	280	180	165	150	30	320	320	
EC - 4050-20	400 x 500 x 200	400	368	348,5	300	500	448,5	400	200	186	170	30	350	450	

IP67 HEAVY DUTY ENCLOSURES



Color

Dark Grey

Protection Class

IP67

Material

- Body : ABS
- Lid : ABS / PC
- Seal : TPE

Features:

- IP67 waterproof design
- Waterproof design keeping wall mounting ears and lid screws outside the seal
- Regardless of thousands of opens and closes, damage-free lid thanks to brass inserts
- ROHS Compliance




Card Rails



Customization Option



Clear Lid Option



IP67 Seal





Mounting Bosses



Inserts



Outdoor Resistant White -
Colored ASA Material Option


BASE

COVER + BASE

Code	Sizes	E1	E2	E3	E4	B1	B2	B3	B4	D1	D2	D3	D4
SE-035	115 x 65 x 55	115	108	95	85	65	57	28,4	53	55	45	40	15
SE-050	170 x 120 x 55	170	162	120	157,5	120	112	100	91,5	55	43	40	15
SE-056	175 x 90 x 100	175	167	121,5	163	90	82	58	57	100	88	75	25
SE-202	52 x 50 x 35	52	46	16,4	40	50	44	-	38	35	25	25	10
SH-203	48 x 57 x 41	48	42	-	37	57	51	34	46	41	29,5	28,5	12
SE-204	64 x 58 x 35	64	57	20	34	58	51	-	46	35	25	25	10
SE-205	64 x 68 x 35	64	57	38,5	34	68	61	-	56	35	25	25	10
SE-206	82 x 80 x 55	82	75	43,5	70	80	73	57	50	55	42	40	15
SE-208	185 x 37 x 35	185	160	150	173	37	30	25	7,5	35	25,5	25	10
SE-210	115 x 65 x 40	115	108	95	83,5	65	58	28	53	40	30,5	25	15
SE-212	115 x 65 x 55	115	107	95	85	65	57	28	53	55	45	40	15
SE-214	120 x 80 x 55	120	113	81,5	108	80	73	60	50	55	43	40	15
SE-215	120 x 80 x 65	120	113	81,5	108	80	73	60	50	65	53	40	25
SE-216	120 x 80 x 85	120	112	81,5	108	80	72	60	50	85	60,5	70	15
SE-217	120 x 80 x 95	120	112	81,5	108	80	72	60	50	95	70,5	70	25
SE-218	100 x 100 x 55	100	93	36	68	100	93	78	80	55	44	40	15
SE-220	100 x 100 x 90	100	92	36	68	100	92	78	80	90	78,5	75	15
SE-222	115 x 90 x 55	115	107	77	103	90	82	68	59	55	44,5	40	15
SE-224	115 x 90 x 80	115	107	86	103	90	82	40,5	59,5	80	70	65	15
SE-225	160 x 80 x 40	160	152	121,5	148	80	73	58	50	40	30	25	15
SE-226	160 x 80 x 55	160	152	121,5	148	80	72	58	50	55	44,5	40	15
SE-228	160 x 80 x 85	160	152	121,5	148	80	72	58	50	85	74	70	15
SE-229	160 x 80 x 95	160	152	121,5	148	80	72	58	50	95	84	70	25
SE-230	120 x 120 x 60	120	112	56	86	120	112	98	106	60	48,5	45	15
SE-232	120 x 120 x 90	120	112	56	86	120	112	98	106	90	78,5	45	45
SE-234	195 x 80 x 55	195	187	160	183	80	72	45	48	55	45	45	10
SE-235	195 x 80 x 65	195	187	160	183	80	72	45	48	65	54,5	45	20
SE-236	171 x 121 x 55	171	163	132	159	121	113	91,5	91	55	44,5	40	15
SE-238	171 x 121 x 80	171	163	132	159	121	113	91,5	91	80	69,5	40	40
SE-240	200 x 120 x 75	200	191	160,5	188	120	111	90	90,5	75	63	60	15
SE-242	200 x 120 x 90	200	191	160,5	188	120	111	90	90,5	90	77	60	30
SE-244	160 x 160 x 60	160	152	138	146	160	152	96	126	60	49	30	30
SE-246	160 x 160 x 90	160	152	138	146	160	152	96	126	90	79	60	30
SE-248	240 x 120 x 100	240	233	202,5	228	120	113	98,6	89	100	48	35	25
SE-249	190 x 190 x 55	190	183	100	159	190	183	168	178	55	40	40	15
SE-250	240 x 120 x 100	240	231	202,5	227,5	120	111	98,6	89,5	100	87	75	25
SE-252	200 x 150 x 55	200	192	160	188,5	150	142	118	118,5	55	43	40	15
SE-254	200 x 150 x 75	200	192	160	188,5	150	142	118	118,5	75	62	60	15
SE-256	222 x 146 x 55	222	215	182,4	210	146	139	116,2	116	55	44,5	40	15
SE-258	222 x 146 x 75	222	215	182,4	210	146	139	116,2	116	75	64	40	35
SE-259	215 x 175 x 55	215	208	169,2	202	175	168	142	142	55	42	35	20
SE-260	240 x 160 x 90	240	231	201,5	228	160	151	136	130	90	78,5	75	15
SE-262	240 x 160 x 120	240	231	201,5	228	160	151	136	130	120	108	75	45
SE-264	265 x 185 x 95	265	256	240	252	185	176	75	153	95	84	75	20
SE-266	353 x 140 x 120,5	353	347	336,5	344,5	140	134	62	112	120,5	106,5	79,5	41
SE-268	300 x 230 x 86	300	292	255	288	230	222	198,5	200	86	72,5	56	30
SE-269	250 x 250 x 120	250	242	200	220	250	242	200	238	120	105,5	90	30
SE-270	300 x 230 x 111	300	292	255	288	230	222	198,5	200	111	97	56	55
SE-272	360 x 200 x 150	360	352	301	340	200	192	172	156	150	132,5	100	50
SE-2260	313 x 228 x 95	313	293	260,5	286	228	207	50	176	95	78	69	25

NEW
NEW

IP67 FLANGED HEAVY DUTY ENCLOSURES

**Color**

Dark Grey

Protection Class

IP67

Material

- Body : ABS
- Lid : ABS / PC
- Seal : TPE

Features:

- IP67 water resistant design
- Waterproof design keeping wall mounting ears and lid screws outside the seal
- Regardless of thousands of opens and closes, damage-free lid thanks to brass inserts
- ROHS compliance



Mounting Flanges



Customization Option



Clear Lid Option




Inside the enclosure inserts




IP67 Seal



Sticker Pool




BASE



COVER + BASE

Code	Sizes	E1	E2	E3	E4	B1	B2	B3	B4	D1	D2	D3	D4	
SF-202	84 x 50 x 39	84	46	16,4	67,5	50	44	-	-	39	25,5	29	10	
SF-204	100 x 58 x 38,5	100	57	20	80	58	51	-	-	38,5	25	28,5	10	
SF-205	100 x 69 x 38,5	100	57	38,5	80	69	61	-	-	38,5	25	28,5	10	NEW
SF-206	118 x 82 x 66	118	73	64,3	97,3	82	75	44,2	50	66	51,5	50,5	15	
SF-207	118 x 82 x 55	118	74	64,6	97,4	82	76	44,5	50	55	40,5	40	15	
SF-209	140 x 70,5 x 43	140	98	71	120	70,5	63	50	45	43	28	28	15	NEW
SF-210	154 x 65 x 45	154	108	95	133,5	65	58	28	42	45	31,5	30	15	NEW
SF-212	154 x 65 x 59	154	107	95	133,5	65	57	28	42	59	45	43,5	15	
SF-214	158,5 x 80 x 59	158,5	113	81,5	138,5	80	73	60	50	59	43,5	43,5	15	
SF-215	158,5 x 80 x 69	158,5	113	81,5	138,5	80	73	60	50	69	43,5	43,5	15	
SF-220	142 x 100 x 93	142	92	36	122,5	100	92	78	69,5	93	77,5	77,7	15	
SF-222	157,5 x 90 x 58,5	157,5	108	77	138	90	83	68	58	58,5	44	43	15	
SF-226	202,5 x 80 x 58,5	202,5	153	121,5	183,5	80	73	58	48	58,5	44,5	43	15	
SF-230	160 x 120 x 65	160	112	56	137,5	120	112	98	80	65	51,5	50,5	15	
SF-231	150 x 120 x 65	150	113	98	135	120	113	83,5	85	65	50	50	15	
SF-232	160 x 120 x 95	160	112	56	137,5	120	112	98	80	95	81,5	50,5	45	
SF-234	237 x 82 x 60	237	188	160	215	82	73	45	50	60	46	50	10	NEW
SF-235	237 x 82 x 70	237	188	160	215	82	73	45	50	70	55	50	20	NEW
SF-236	212 x 123 x 60	212	164	120	191	123	114	90	89,5	60	46	45	15	
SF-238	212 x 123 x 85	212	164	120	191	123	114	90	89,5	85	71	45	40	
SF-240	242 x 122 x 77	242	192	160,7	220	122	112	90	85	77	62	61,7	15	NEW
SF-242	200 x 160 x 92	200	192	160,7	220	160	112	90	85	92	76	61,7	30	NEW
SF-246	200 x 160 x 90	200	152	96,5	177,5	160	152	138,7	100,5	90	75	59,7	30	
SF-249	230 x 190 x 58	230	183	168	210	190	183	100	140	58	40	43	15	NEW
SF-256	262 x 146 x 66	262	214	152	240	146	138	100	90	66	51	51	15	
SF-258	262 x 146 x 86	262	214	152	240	146	138	100	90	86	70,5	51	35	
SF-269	300 x 250 x 120	300	242	200	275	250	242	200	180	120	102,5	90	30	
SF-5075-19	50 x 75 x 19	50	69	42,5	85	75	44	33,5	-	19	9	10	7	
SF-5075-24	50 x 75 x 24	50	69	42,5	85	75	44	33,5	-	24	14	10	12	NEW
SF-2350	520 x 80 x 58	520	473	460	500	80	71	45	50	58	43	43	15	
S-2530	250 x 350 x 110	250	291	250	325	350	241	200	104	110	93,5	77,5	32	NEW

IP67 ENCLOSURES WITH CABLE GLANDS



Color : Light gray similar to RAL 7035
Protection Class : IP67

Material
 • Body : ABS UL94-V0
 • Lid : ABS UL94-V0
 • Seal : TPE

Features:
 • IP67 waterproof design
 • Terminal Option



IP67 Seal



Terminal Option

Code	Width (A)	Length (B)	Height (C)
TB-1065	100	65	40
TB-1712	169	118,5	55
TB-1865	180	65	45
TB-204	80	50	25
TB-240	100	40	30
TB-242	100	40	30
TB-520	82,5	65	45




Customization Option



Cable Glands


IP65 HEAVY DUTY DIECAST ENCLOSURES



Color : Natural Aluminum
Protection Class : IP65

Material
 • Body : ADC-12
 • Lid : ADC-12
 • Seal : Neopren


Features:
 • IP65 water resistant design
 • Waterproof design that leaves wall mounting and cap screws outside the seal
 • Compliant with RoHS directive
 • Natural aluminum color, can be painted upon request



IP67 Seal



Card Rail




Mounting Bosses



Stainless Steel Screws

Code	Width (A)	Length (B)	Height (C)
SE-301	50	45	30
SE-303	90	36	30
SE-305	64	58	35
SE-307	94	64	34
SE-309	115	65	30
SE-311	115	65	55
SE-313	150	63	36,5
SE-315	125	80	40
SE-317	125	80	57
SE-319	115	90	55
SE-321	121	121	102
SE-323	148	108	75
SE-325	160	100	60
SE-327	160	100	81
SE-329	171	121	55
SE-331	159	159	102
SE-333	222	146	55
SE-335	222	146	82

LIGHTWEIGHT DIECAST ENCLOSURES



Color : Natural Aluminum
Protection Class : IP65 with optional seal

Material
 • Body : ADC-12
 • Lid : ADC-12
 • Optional Seal : TPE


- Features:**
- Provides IP65 protection class with optional TPE gasket.
 - Natural aluminum color, can be painted upon request.
 - Comes with 4 M3.5 stainless screws.
 - Compliant with RoHS directive.



Stainless Steel Screws

Code	Width (A)	Length (B)	Height (C)	IP
SE-401	89	35	30	
SE-401-C	89	35	30	IP65
SE-402	60	55	30	
SE-402-C	60	55	30	IP65
SE-403	80	55	25	
SE-403-C	80	55	25	IP65
SE-404	114	64	30	
SE-404-C	114	64	30	IP65
SE-405	114	64	55	
SE-405-C	114	64	55	IP65
SE-406	114	89	55	
SE-406-C	114	89	55	IP65
SE-407	120	100	35	
SE-407-C	120	100	35	IP65
SE-408	140	100	75	
SE-408-C	140	100	75	IP65
SE-409	171	121	55	
SE-409-C	171	121	55	IP65
SE-410	171	121	106	
SE-410-C	171	121	106	IP65
SE-411	165	127	75	
SE-411-C	165	127	75	IP65
SE-412	222	146	55	
SE-412-C	222	146	55	IP65
SE-413	222	146	106	
SE-413-C	222	146	106	IP65
SE-414	275	175	65	
SE-414-C	275	175	65	IP65
SE-415	250	250	100	
SE-415-C	250	250	100	IP65

IP67 EMI SHIELDED DIECAST ENCLOSURES




Color : Natural Aluminum
Protection Class : IP67

Material
 • Body : ADC-12
 • Lid : ADC-12
 • Seal : Silicon

Features:
 • Optional conductive EMI/RFI knitted gasket for EMC
 • Natural aluminum color, can be painted upon request.
 • Stainless cover connection screws
 • Compliant with RoHS directive.



EMI Gasket (Optional)



EMI Gasket

Silicone Gasket



Stainless Steel Screws

Code	Width (A)	Length (B)	Height (C)	Mounting Bosses
SE-510	96	96	45	Available
SE-514	152	112	30	Available
SE-518	96	96	67	Available
SE-522	150	100	50	Available
SE-526	192	96	45	Available
SE-530	200	150	28	Available
SE-534	152	112	55	Available
SE-538	150	100	75	Available
SE-542	192	96	67	Available
SE-546	162	162	55	Available
SE-550	200	150	50	Available
SE-554	202	142	55	Available
SE-558	162	162	80	Available
SE-562	200	150	75	Available
SE-566	202	142	80	Available
SE-570	262	182	55	Available
SE-574	274	173	66	Available
SE-578	262	182	90	Available
SE-582	274	173	100	Available



IP67 Mini Cases

Color : Transparent

Protection Class : IP67

Material

- Body : PC
- Lid : PC
- Seal : TPE

Features:

- IP67 water resistant design
- Suitable for portable memory



Durable PC Material



Internal Protection and Support



Latch Clip



Industrial Remote Control Enclosures

Color : RAL 1003 Yellow

Protection Class : IP67

Material

- Body : ABS
- Lid : ABS
- Seal : TPE

Features:

- Concrete pumps, mining, cranes and construction equipment Suitable for control box
- Suitable neck hanger for hanging around the neck

Accessories:

- VK-24 Neck strap



IP67 Seal



Durable ABS Material



Neck Hanger

