

# AWNINGS & pergolas 29-MDA-2025



designed by MOL





NEW



Available structure colours:



ATTENTION! Repainting the construction is impossible




Cassette with LED lighting  
Light colour temperature: 4000 K




Arms with LED lighting  
Light colour temperature: 4500 K

System patented by LLAZA - the only arms on the market with fully shielded arm joint (elbows)

PATENT



Wall installation




Ceiling installation

Width (cm)	Projection (cm)		
	250	300	350
300-420	2 770	-	-
421-480	3 160	3 260	3 430
481-515	3 240	3 310	3 530
516-600	3 660	3 810	3 980
wind resistance	3rd class	2nd class	

Tolerance in overall width is  $\pm 2$  cm

Price [Euro]	
LED	
<b>in cassette</b>	
250	
<b>in arms(pc)</b>	
Projection	Price
250	180
300	200
350	280

LED in the cassette and arms only with SOMFY iO motor



In standard:

- Wall / ceiling installation (only on two end brackets)
- Fabrics (bronze collection) p. 30
- Inclination angle 15°


Extra charges:

- Electric drive (required) (possible only with motor SOMFY without NHK) p. 28
- Solar drive: SOLARMOL p. 28
- LED lighting (in the cassette and in arms)
- Fabrics (gold collection) p. 30



# QUADRA

## full-cassette



Wall installation



Standard RAL colours:



white matt



anthracite  
in structure



any RAL  
in structure

Extra charge for colour 235 €:

Net price [Euro]


Width (cm)	Projection (cm)				Dimension (cm)	
	150	200	250	300	fabric	overall
300	1 240	1 290	1 330	-	289	310
360	1 350	1 400	1 430	-	349	370
420	1 620	1 690	1 790	1 850	406	428
480					466	488
540	1 880	1 950	2 070	2 150	524	545

LED

in arms(pc)

Projection	Price
250	140
300	180

LED arms only with  
Somfy iO motor



In standard:

- Wall installation
- Fabrics (bronze collection) p. 30
- Inclination angle 15°


Extra charges:

- Electric drive (required) p. 28
- Solar drive: SOLARMOL p. 28
- Rafter bracket p. 26
- Fabrics (gold collection) p. 30



Ceiling installation

Standard RAL colours:



Extra charge for colour 235 €:




Net price [Euro]

Width (cm)	Projection (cm)				Dimension (cm)	
	150	200	250	300	fabric	overall
240	950	-	-	-	231	253
300	1060	1110	1230	-	289	310
360	1140	1180	1300	-	349	370
480*	-	1390	1520	1580	466	488
540*	-	1510	1660	1770	524	545

Tolerance in overall width is  $\pm 2$  cm

**Distance between brackets axes is 10 cm smaller than the overall width of the awning.**

\* A small gap between the cassette and the front bar may occur



In standard:


- Manual operation (crank)
- Ceiling installation (only on two end brackets)
- Fabrics (bronze collection) p. 30
- Inclination angle 15°

Extra charges:

- Electric drive p. 28
- Solar drive: SOLARMOL p. 28
- Fabrics (gold collection) p. 30



# PRESTO+ wall installation



Standard RAL colours:



white matt



anthracite  
in structure



silver in  
structure



black in  
structure

Extra charge for colour 235 €:



brown in  
structure



any RAL  
in structure



A new casted, compact wall bracket has significantly improved the aesthetic and the compactness of the awning inline with global industrial design trends.




Net price [Euro]

Width (cm)	Projection (cm)				Dimension (cm)	
	150	200	250	300	fabric	overall
240	1 050	-	-	-	231	249
300	1 180	1 230	1 360	-	289	307
360	1 260	1 320	1 450	-	349	367
480*	-	1 540	1 690	1 750	467	485
540*	-	1 680	1 850	1 960	524	542

\* A small gap between the cassette and the front bar may occur

Tolerance in overall width is  $\pm 2$  cm



\*Not all combinations are available




In standard:

- Wall installation (only on two end brackets)
- Fabrics (bronze collection) p. 30
- Inclination angle 10°

Extra charges:


- Electric drive (required) p. 28
- Solar drive: SOLARMOL p. 28
- Rafter bracket p. 26
- Fabrics (gold collection) p. 30



Ceiling installation



Standard RAL colours:



Extra charge for colour 235 €:



LED only in standard structure colours



Net price [Euro]

Width (cm)	Projection of arms (cm) on brackets					
	PIANO		MEZZO			FORTE
	150	200	250	300	350	400
240	840	-	-	-	-	-
310	950	1000	1040	-	-	-
360	1030	1070	1110	-	-	-
420	1230	1280	1340	1460	1570	-
480						2010
540	1490	1550	1500	1630	1750	2220
600	1670	1630	1710	1880	1820	2310
710	1870	1970	2000	2110	2280	2970




Price [Euro]

Dimension (cm)	
fabric	overall
231	253
293	321
349	371
406	428
466	488
524	546
581	603
701	723

LED in arms (pc)	
Projection	Price
250	140
300	180
350	240

LED arms only with Somfy iO motor

Tolerance in overall width is ± 2 cm



In standard:

- Manual operation (crank)
- Ceiling brackets p. 26
- Valances p. 29
- Fabrics (bronze collection) p. 30
- Inclination angle 15°

Extra charges:

- LED lights in arms
- Electric drive p. 28
- Solar drive: SOLARMOL p. 28
- Rafter bracket p. 26
- Fabrics (gold collection) p. 30
- Front bar supports p. 13




# treMOLO

## wall installation




Wall installation

Standard RAL colours:



Extra charge for colour 235 €:



Net price [Euro]

Width (cm)	Projection of arms (cm) on brackets				
	PIANO		MEZZO		
	150	200	250	300	350
240	840	-	-	-	-
<b>310</b>	950	1000	<b>1040</b>	-	-
360	1030	1070	1110	-	-
420	1230	1280	1340	1460	1570
480					
540	1490	1550	1500	1630	1750
600	1670	1630	1710	1880	1820
710	1870	1970	2000	2110	2280

4 arms
3 arms

Price [Euro]


Dimension (cm)	
fabric	overall
231	253
293	321
349	371
406	428
466	488
524	546
581	603
701	723

LED	
in arms(pc)	
Projection	Price
250	140
300	180
350	240

LED arms only with Somfy iO motor

Tolerance in overall width is ± 2 cm

Tolerance in overall width is ± 2 cm



In standard:

- Manual operation (crank)
- Wall / ceiling brackets p. 26
- Valances p. 29
- Fabrics (bronze collection) p. 30
- Inclination angle 15°

Extra charges:

- Electric drive p. 28
- Solar drive: SOLARMOL p. 28
- Rafter bracket p. 26
- Fabrics (golden collection) p. 30
- Front bar supports p. 13

# PIANO/MEZZO/FORTE

## on square bar



Standard RAL colours:



white matt



anthracite  
in structure



silver  
in structure

Extra charge for colour 185 €:



brown  
in structure



any RAL  
in structure

LED only in standard structure colours  
(Ceiling installation)



Net price [Euro]

Fully assembled awning

Width [cm]	Projection [cm]					
	150	200	250	300	350	400
240	640	-	-	-	-	-
360	710	760	800	-	-	-
480	830	880	930	1 100	1 190	1 710
540	1 160	1 230	1 150	1 210	1 300	1 820
600	1 340	1 300	1 450	1 520	1 480	-
710	1 470	1 550	1 610	1 700	1 830	2 380

Dimension [cm]	
fabric	overall
231	246
349	364
466	481
524	539
584	600
701	717

LED	
in arms (pc)	
Projection	Price
250	140
300	180
350	240

LED arms only with Somfy iO motor


electric drive required

Awning in 2 halves

840	-	-	2 120	2 190	2 210	2 710
960	-	-	2 290	2 380	2 560	3 250
1 080	-	-	2 560	2 640	2 730	3 390
1 200	-	-	2 750	2 940	3 080	3 640

817	830	Awning in two halves with fabric rolled alongside the projection (without extra charge)	300 € Surcharge for awning in one piece
937	950		
1 052	1 064		
1 171	1 185		

Tolerance in overall width is ± 2 cm



In standard:

- Manual operation (crank)
- Wall / ceiling brackets p. 26
- Valances p. 29
- Fabrics (bronze collection) p. 30
- Inclination angle 15°

Extra charges:

- LED in arms (Ceiling installation only)
- Awning hood p. 9
- Electric drive p. 28
- Solar drive: SOLARMOL p. 28
- Fabrics (gold collection) p. 30
- Rafter bracket p. 26
- Front bar supports p. 13
- Express 3 days (requires confirmation) +15%

# Awning HOOD



- RAL  
9016 M

white matt
- RAL  
7016 S

anthracite  
in structure
- RAL  
9006 S


silver  
in structure
- RAL  
8019 S

+120€


brown  
in structure
- RAL  
9005 S

+120€


black  
in structure



Full 3-part hood LUX – full side cap




Full 3-part hood LUX – cut out side cap




Hood LUX Piano/Mezzo

For awnings	Width [cm]	Price [EUR]
MEZZO PIANO	up to 300 cm	150
	up to 400 cm	180
	up to 500 cm	220
	up to 600 cm	260
	up to 720 cm	290
	up to 840 cm	340
	up to 960 cm	380
	up to 1 080 cm	410
	up to 1 200 cm	470



Hood MAX Forte


For awnings	Width [cm]	Price [EUR]
FORTE	up to 500 cm	300
	up to 600 cm	350
	up to 720 cm	400
	up to 840 cm	470
	up to 960 cm	530
	up to 1 080 cm	580
	up to 1 200 cm	650




CROSS system



Arm joint



Standard RAL colours:



Extra charge for colour 185 €:




ADAGIO cassette (optional)

Net price [Euro]

Width [cm]	Projection [cm]				+ADAGIO cassette (surcharge)
	200	250	300	350	
180	1 000	1 070	-	-	150
240			1 100	1 200	180
300	-	-	1 290	1 380	210
360	-	-	1 290	1 380	240

Tolerance in overall awning width is  $\pm 2$  cm



In standard:

- Manual operation (crank)
- Wall/ceiling brackets p. 26
- Valance p. 29
- Fabrics (brown collection) p. 30
- Inclination angle 15°

Extra charges:

- Awning hood p. 9
- Electric drive p. 28
- Solar drive: SOLARMOL p. 28
- Rafter brackets p. 26
- Fabrics (gold collection) p. 30
- Front bar support p. 13
- Adagio cassette



# ALLEGRO

## ideal for rain



projection measured along the fabric line



Standard colour RAL : Extra charge for colour 185 €:





silver  
in structure



anthracite  
in structure




any RAL  
in structure



inclination angle of the awning between 5-30°  
open arms angle 170-140° invariable




View from below



Net price [Euro]

Width [cm]	Projection [cm]			Width [cm]	
	250	300	350	fabric	overall
310	1 130	-	-	289	312
360	1 170	-	-	349	362
420	1 340	1 370	1 480	406	419
480				466	479
540	1 440	1 470	1 620	524	537
600	1 590	1 610	1 760	584	598
angle	140°	140/170°	170°		

Tolerance in overall awning width is ± 2 cm




In standard:


- Manual operation (crank)
- Wall/ceiling brackets p. 26
- Valance p. 29
- Fabrics (brown collection) p. 30

Extra charges:

- Awning hood p. 9
- Electric drive p. 28
- Solar drive: SOLARMOL p. 28
- Rafter brackets p. 26
- Fabrics (gold collection) p. 30
- Front bar support p. 13



Wall installation




Ceiling installation



Angle adjustment

1. Loosen screws 1 & 2
2. Turn screw 3 and adjust the angle
3. Tighten screws 1 & 2

Standard colour RAL :




Extra charge for colour 185 €:



Net price [Euro]

Width (cm)	Projection (cm)			Width (cm)	
	150	200	250	fabric	overall
240	560	-	-	231	241
360	620	650	700	349	359
480	730	760	800	466	476

Tolerance in overall awning width is  $\pm 2$  cm



In standard:

- Minimum width 196 cm
- Manual operation (crank)
- Wall/ceiling brackets p. 26
- Valance p. 29
- Fabrics (brown collection) p. 30
- Inclination angle 15°

Extra charge:

- Electric drive (only without NHK) p. 28
- Solar drive: SOLARMOL p. 28
- Rafter brackets p. 26
- Fabrics (gold collection) p. 30
- Front bar support p. 13


# TECHNICAL/FRONT BAR SUPPORT information



## BRACKETS

Awning type	Width [cm]	Brackets (pc.)		Fabric pcs.
		Wall/ceiling	Central	
CROSS	240-299	2	0	3
	300-360	2	0	3
PIANO	361-480	3	0	4
ALLEGRO	481-540	4	0	5
treMOLo	541-600	4	1	5
ADAGIO	601-660	5	1	6
MEZZO	661-720	5	1	6
FORTE	721-780	5	1	7
	781-840	5	1	7
	841-960	6	1	8
	961-1020	6	2	9
	1021-1080	6	2	9
	1081-1200	7	2	10

Available standard colour :



**250 €/pair**

- Easy to assemble and disassemble!
- Adjustable height from 135 to 250 cm
- Allows the awning to be used during light wind

## ARMS

Awning type	Width [cm]	Arms (pc.)					
		Projection [cm]					
		150	200	250	300	350	400
CROSS	240-299	2	2	2	-	-	-
	300-360	2	2	2	-	-	-
PIANO	361-480	2	2	2	2	2	-
ALLEGRO	481-540	2	2	2	2	2	2
treMOLo	541-600	3	3	2	2	2	2
ADAGIO	601-660	4	3	3	3	2	2
MEZZO	661-720	4	3	3	3	3	3
FORTE	721-780	-	-	3	3	3	3
	781-840	-	-	4	3	3	3
	841-960	-	-	4	3	3	3
	961-1020	-	-	4	4	4	3
	1021-1080	-	-	5	4	4	3
	1081-1200	-	-	5	4	4	4


2 arms   3 arms   4 arms   5 arms



Front bar bracket



Terrace holder




Not recommended for awnings with motors.  
Not to be used for awnings with wind sensor.



CAPRI=cassette



COMO = without cassette



side bracket  
(mounting in the recess)



Innovative mounting bracket  
(reduces costs, increases stability)  
ASSEMBLY CHEAPER BY HALF



Standard colours RAL :



Arms opening up to 90°  
Optymal angle of  
inclination is 45°




Net price [Euro]

Width [cm]	Projection [cm]				+CAPRI cassette (surcharge)	Width [cm]	
	80	100	140	160		fabric	overall
120	400	420	430	450	70	115	125
180	490	510	540	550	110	173	183
240					140	231	243
300	580	600	640	660	180	289	301
360					210	349	361
420	660	690	720	780		406	419
480						466	479

Possible CAPRI cassette

Tolerance in overall awning width is ± 2 cm



Additional technical information p. 31



In standard:

- Manual operation (crank)
- Wall/ceiling mounting
- Valance p. 29
- Fabrics (brown collection) p. 30
- Oval brackets

For a surcharge:

- Electric drive (only without NHK) p. 28
- Solar drive: SOLARMOL p. 28
- CAPRI cassette
- Side arm brackets
- COMO / CAPRI 9 €/pc p. 26
- Fabrics (gold collection) p. 30
- Repainting of structure (RAL in structure) 155 €



# GARDA

## bannister awning



Net price [Euro]

Fabric length [cm]	Width [cm]						
	120	180	240	300	360	420	480
200							
250	290	390	400	480	500	600	610
300	310	410	430	520	550	650	660

Tolerance in overall awning width is  $\pm 2$  cm

**Arm projection 60 cm**


**Manual change of fabric position**

In standard:

- Minimum width 80 cm
- Manual operation (crank)
- Wall/ceiling mounting
- Valances p. 29
- Fabric (brown collection) p. 30
- Pair of arms 60 cm



Standard colours RAL:



**NOTICE!** Repainting the structure is not possible



# VERTICA – vertical awning

Net price [Euro]


Fabric length [cm]	Width [cm]						
	120	180	240	300	360	420	480
200							
250	250	320	350	440	460	540	580
300	270	360	380	470	500	580	620

+CAPRI cassette (surcharge)	70	110	150	180	210

Possible CAPRI cassette

Tolerance in overall awning width is  $\pm 2$  cm

Standard colours RAL:



In standard:

- Manual operation (crank)
- Wall/ceiling brackets
- Fabrics (brown collection) p. 30

For a surcharge:

- Repainting of structure (RAL in structure) 155 €





Structure colours:

 anthracite in structure  
DB 703

 anthracite in structure  
RAL 7016 S

 **+10%** silver in structure  
RAL 9006 S

 **+10%** white matt  
RAL 9016 M



**In MOL standard:**


- Hood
- Drainage gutter
- Electric drive: Radio motor **toro** + 5-channel remote
- Fabric: DK, OX, LIN, CUB
- Construction: Anthracite in structure DB 703, RAL 7016 S
- Inclination angle: 8-14°
- Side seals
- Wind resistance: 3rd class (≤49 km/h)

**Extra charge:**

- Electric drive: Radio motor **somfy**. iO (width ≤ 500cm) + 5-channel remote 140 €
- **somfy**. iO (width > 500cm) + 5-channel remote 225 €
- Solar drive: **SOLARMOL** (22 p.) 890 €
- Construction: RAL 9016 M, RAL 9006 S 10%
- Fabric SOLTIS W96 25 €/m<sup>2</sup>
- LED lights: 1 LED spot 40 €
- Ceiling mounting (set) 115 €
- Column above 2,4 m 105 €/pc.
- SKY Panel 20 €/m.

Net price [EUR]

toro Radio + remote TP5-RO										
projection [cm]	width [cm]									
	250	300	400	500	550	600	600	700	800	900
250	3 910	3 980	4 530	5 050	6 380	6 450	6 630	6 950	7 780	8 650
300	4 210	4 290	4 870	5 430	6 900	6 970	7 150	7 490	8 390	9 310
350	4 270	4 360	4 970	5 540	7 020	7 110	7 290	7 630	8 560	9 510
400	4 610	4 700	5 350	5 970	7 600	7 690	7 870	8 230	9 230	10 240
450	4 870	4 980	5 660	6 320	8 120	8 220	8 400	8 770	9 850	10 910
500	5 220	5 340	6 070	6 770	8 720	8 830	9 010	9 400	10 560	11 690
550	5 380	5 510	6 280	7 020	-	-	9 330	9 750	10 960	12 140
600	5 820	5 950	6 760	7 540	-	-	10 050	10 470	11 770	13 020
650	5 880	6 030	6 850	7 650	-	-	10 190	10 620	11 950	13 210
700	6 040	6 190	7 060	7 900	-	-	10 500	10 960	12 350	13 670
module:	2 columns with 2 guides			2 columns with 3 guides			3 columns with 3 guides			
extra charge:	<b>somfy</b> . SUNEa iO 25			<b>somfy</b> . SUNEa iO 40						





# SQUARE - FREE



Available structure colours:



anthracite in structure  
DB 703



**+10%** anthracite in structure  
RAL 7016 S



**+10%** silver in structure  
RAL 9006 S



**+10%** white matt  
RAL 9016 M



**In standard:**

- Electric drive: Radio motor **toro** (1 module) + 5-channel remote
- Fabric: DK, OX, LIN, CUB (p. 7)
- Construction colour: Anthracite in structure DB 703
- Inclination angle: 8-14°
- Hood
- Water drainage: gutter
- Side seals
- Wind resistance: 3rd class (≤49 [km/h])

**Extra charge:**

- Electric drive: Radio motor **somfy**. iO (1 module) + 5-channel remote 140 €
- **somfy**. iO (2 modules) + 5-channel remote 225 €
- Solar drive: **SOLARMOL** 890 €
- Construction colour: RAL 9016, RAL 9006 10%
- Fabric SOLTIS W96 25 €/m<sup>2</sup>
- LED lights: 1 LED 40 €
- Column above 2,4 m 105 €/pc
- **SKY Panel** 20 €/m

**toro Radio + remote TP5-RO**

projection [cm]	width [cm]							
	250	300	400	500	600	700	800	900
250	5 080	5 280	5 970	6 560	8 840	9 810	10 280	11 150
300	5 510	5 720	6 440	7 070	9 550	10 590	11 080	12 000
350	5 570	5 790	6 540	7 190	9 690	10 750	11 250	12 200
400	6 050	6 270	7 070	7 760	10 490	11 620	12 140	13 150
450	6 320	6 550	7 380	8 110	11 020	12 220	12 760	13 820
500	6 660	6 910	7 790	8 560	11 630	12 900	13 470	14 600
550	7 080	7 340	8 250	9 060	12 330	13 660	14 250	15 430
module	4 x column with 2 guiderails				6 x column with 3 guiderails			
extra charge	<b>somfy</b> . SUNEa iO 25				<b>somfy</b> . SUNEa iO 40			

Net price [EUR]




4 x column with 2 guiderails



6 x column with 3 guiderails



Available structure colours:




anthracite  
in structure



white  
matt



black  
in structure



**In standard:**

- Manual operation - Geiger
- Fabric: DK 9010, OX
- Construction colour - DB 703
- Inclination angle: 8-14°
- Water drainage - gutter
- Hood
- Side seals


**Net price [EUR]**

projection [cm]	width [cm]			
	220	300	380	450
200	2 170	2 590	2 710	2 950
250	2 450	2 910	3 040	3 300
300	2 580	3 070	3 220	3 500
350	2 700	3 230	3 390	3 700
375	2 800	3 350	3 520	3 840
400	2 890	3 460	3 630	3 960
450	3 040	3 640	3 830	4 190


**Extra charge:**

- Electric drive: Radio motor  
**somfy.io**  
**toiro RTS**
- Solar drive: **SOLARMOL**
- Fabric SOLTIS W96
- Fabric CUB, LIN
- LED lights: 1 LED spot


450 €  
350 €  
890 €  
25 €/m<sup>2</sup>  
10 €/m<sup>2</sup>  
40 €




1. Guiderail



2. Column + foot (2a)




3. Gutter




## Optional – extra charge

A Triangle enclosure*	B Reinforcing crossbar for side cover	C Extra column + foot	D SKY panel
up to 4 m = 195 €/pc up to 5 m = 240 €/pc up to 6 m = 300 €/pc	up to 4 m = 145 €/pc up to 5 m = 175 €/pc up to 6 m = 200 €/pc (necessary for ZIP and triangle enclosure installation)	up to 2.4 m = 135 €/pc above 2.4 m = 240 €/pc	20 €/m Transparent panel made of crystal PVC material (suggested as a second surface from the hood)
			corner installation bracket
			225 €/pc used to install a pergola on a wall corner with thermal insulation



4. Tensioning crossbar



5. Fabric crossbar





6. Reinforcing crossbar



\*May reduce wind resistance to 2nd class.



### Frameless system



### Net price [EUR]

height [cm]	Glass ESG 10 mm					
	width of development [cm]					
	200	300	400	500	600	800
220	1 120	1 470	1 820	2 180	2 560	3 270
230	1 140	1 500	1 860	2 230	2 620	3 340
240	1 160	1 540	1 910	2 270	2 680	3 420
250	1 190	1 570	1 950	2 320	2 740	3 490
260	1 210	1 600	1 990	2 370	2 790	3 570
panel quantity	2	3	4	5	6	8

Sticker marking the glass (bird symbol) 7,50 €/6 pcs.

### Available structure colours :




anthracite in structure



anthracite in structure



silver in structure



white matt





Available structure colours:



anthracite in structure  
DB 703



anthracite in structure  
RAL 7016 S



**+10%** silver in structure  
RAL 9006 S



**+10%** white matt  
RAL 9016 M



**In MOL standard:**

- Electric drive: **toiro** Radio (remote control included with pergola)
- Fabric: SERGE
- min. width 80 cm
- ZIP cassette with LED lighting adaptation

**Extra charge:**


- Electric drive: **somfy.** 190 €
- Motor: **SOLARMOL** 680 € **NEW**
- Led lighting\*: **somfy.** 265 €
- toiro** 120 €

**Net price [EUR]**

projection [cm]	toiro Radio								
	width [cm]								
	100	150	200	250	300	350	400	450	500
150	440	520	600	680	760	840	1020	1100	1180
175	470	560	640	730	810	900	1080	1170	1250
200	490	590	680	770	870	960	1150	1240	1330
225	520	620	720	820	920	1020	1210	1310	1410
250	550	650	760	860	970	1080	1280	1380	1490
275	570	680	800	910	1020	1130	-	-	-
300	600	720	840	950	1070	1190	-	-	-
extra charge:	<b>somfy. io</b>								



Side guide cross-section [mm]



\*LED lighting in the cassette recommended for the front of the pergola under the gutter




Cassette cross-section [mm]



**Net price [EUR]**

	projection [cm]	number of slats	width [cm]					number of LED slats*
			200	250	300	350	400	
2 columns	197	9	4 060	4 430	4 740	5 040	5 350	2
	215	10	4 180	4 620	4 950	5 260	5 570	
	233	11	4 300	4 770	5 210	5 500	5 790	
	251	12	4 570	4 990	5 430	5 720	6 140	3
	269	13	4 750	5 180	5 560	5 890	6 360	
	287	14	4 870	5 250	5 780	6 110	6 580	
	305	15	5 000	5 470	5 900	6 350	6 790	4
	323	16	5 190	5 590	6 110	6 630	7 010	
	341	17	5 310	5 670	6 240	6 800	7 230	
	359	18	5 450	5 900	6 540	7 040	7 530	5
	377	19	5 740	6 120	6 830	7 300	7 920	
	395	20	5 860	6 330	7 040	7 590	8 410	
	413	21	5 910	6 650	7 170	7 760	8 630	6
	431	22	6 110	6 670	7 380	8 250	9 120	
	449	23	6 370	6 750	7 850	8 490	9 400	
467	24	6 490	6 970	8 070	8 990	9 620	3 columns	
485	25	6 620	7 090	8 190	9 160	9 840		
503	26	6 740	7 510	8 410	9 370	10 600		
521	27	7 320	8 180	9 270	10 000	10 740		
539	28	7 450	8 310	9 490	10 220	10 960		
557	29	7 770	8 380	9 610	10 400	11 170		
575	30	7 900	8 600	9 830	10 610	11 390		
593	31	8 020	8 730	9 960	10 780	11 610		
611	32	8 140	9 080	10 170	11 000	11 830		
629	33	8 400	9 440	10 430	11 310	12 190		
647	34	8 530	9 560	10 650	11 530	12 400		
665	35	8 650	9 640	10 770	11 700	12 620		
683	36	8 790	9 870	11 010	11 930	12 850		

\* Number of LED slats depends on the projection (optional)






Available structure colours:

DB  
703

RAL  
9016 M

anthracite  
in structure

white  
matt



Available color variants  
(for both pergolas):

type	frame	column	slats
A	DB 703		RAL 9016
B	RAL 9016		
C	DB 703		

**In standard**  
(for both pergolas):

- Electric drive (motor)
- TELECO radio control
- 64-channel remote
- 5 years of warranty


**Extra charge**  
(for both pergolas):

- LED lights (strip)  
in slats or in pergola frame **50 €/m**
- ZIP-78 roller blind or glass enclosure  
(check pricelist Pergola Square p. 8-10)

### Net price [EUR]

projection [cm]	number of slats	width [cm]					number of LED slats*
		200	250	300	350	400	
197	9	4 180	4 560	4 860	5 170	5 470	2
215	10	4 310	4 740	5 080	5 380	5 690	
233	11	4 430	4 890	5 330	5 620	5 910	
251	12	4 690	5 110	5 560	5 840	6 270	3
269	13	4 880	5 300	5 680	6 010	6 480	
287	14	5 000	5 380	5 900	6 230	6 700	
305	15	5 120	5 590	6 020	6 470	6 920	4
323	16	5 310	5 720	6 240	6 760	7 130	
341	17	5 430	5 790	6 360	6 950	7 360	
359	18	5 580	6 030	6 660	7 160	7 660	5
377	19	5 860	6 240	6 950	7 420	8 040	
395	20	5 990	6 460	7 170	7 710	8 540	
413	21	6 100	6 670	7 290	7 880	8 750	6
431	22	6 230	6 800	7 510	8 380	9 250	
449	23	6 490	6 870	7 970	8 610	9 530	
467	24	6 620	7 090	8 190	9 110	9 750	7
485	25	6 740	7 210	8 320	9 280	9 970	
503	26	6 860	7 630	8 530	9 500	10 190	
521	27	7 440	8 310	9 400	10 130	10 860	8
539	28	7 570	8 430	9 610	10 350	11 080	
557	29	7 900	8 510	9 730	10 520	11 300	
575	30	8 020	8 730	9 950	10 740	11 510	9
593	31	8 140	8 850	10 080	10 900	11 730	
611	32	8 260	9 210	10 300	11 120	11 950	
629	33	8 530	9 570	10 560	11 430	12 300	10
647	34	8 650	9 690	10 770	11 650	12 530	
665	35	8 770	9 770	10 900	11 820	12 740	
683	36	8 910	10 000	11 130	12 050	12 980	10

\* Number of LED slats depends on the projection (optional)



Available structure colours:




anthracite structured



white matt



any RAL structured +250€



**In standard:**

- Control: Crank gear
- Fabric: Ekran

**Extra charges:**

- Additional crossbar 205 €
- Fabrics:
  - Soltis 86 30 €/m<sup>2</sup>
  - Soltis 92 40 €/m<sup>2</sup>
- LED light:
  - SOMFY iO 265 €
  - TORRO 120 €

**Nett price [EUR]**

projection (cm)	width (cm)					
	200	250	300	350	400	450
100	2080	2210	2340	2470	2610	2740
150	2170	2300	2440	2580	2710	2850
200	2260	2400	2540	2680	2820	2960
250	2350	2490	2640	2780	2930	3070
300	2430	2580	2730	2890	3040	3180
350	2520	2680	2830	2990	3140	3300
400	2620	2770	2930	3090	3250	-
450	-	2870	3030	3190	-	-
500	-	2960	3130	-	-	-

**Extra charge for motor controller [EUR]**

name	somfy		torro	
	code	price	code	price
Radio motor IO	S40-SU-IO	395	MA-T50-RO	240
Remote	1-kanal	SP1-IO	TP1-RO	35
	5-kanal	SP5-IO	TP5-RO	65
Wired motor	S30-SO-WO	230	MA-T50-WO	175
Solar motor	SOLARMOL	890	<b>NEW</b>	

**Surcharge for sensors**

Wind sensor	SCW-WIR-IO	140	TCN-SW	115
-------------	------------	-----	--------	-----



NEW

# VERANDA

internal / external



designed by MOL



Standard construction colours:



anthracite in structure



white matt



any RAL



In standard:

- Fabric:
  - Ekran (max. width 350 cm, max. height 300 cm)
  - Soltis 86/92
- Construction colour: RAL 7016 S / 9016 M

- Interior and exterior installation
- Wind resistance: 3rd class ( $\leq 49$  [km/h])
- Modular expansion possible (two guides - F bracket)
- Min. width 150 cm, min. height 100 cm
- Max. width 450 cm, max. height 500 cm
- Max. 16 m<sup>2</sup> per module

Nett price [EUR]

height [cm]	width [cm]					
	200	250	290	350	400	450
100	1 630	1 750	1 850	1 990	2 220	2 360
150	1 730	1 850	1 950	2 100	2 390	2 540
200	1 830	1 950	2 050	2 210	2 560	2 720
250	1 920	2 050	2 160	2 310	2 730	2 900
300	2 020	2 150	2 260	2 420	2 900	3 080
350	2 320	2 510	2 660	2 880	3 070	3 260
400	2 440	2 640	2 800	3 040	3 240	-
450	-	2 780	2 950	3 200	-	-
500	-	2 920	3 090	-	-	-

Ekran in standard  
 Surcharge for Soltis 86/92: 45 €/m<sup>2</sup>

Extra charge for motor operation [EUR]

description	somy.		
	code	price	
Wired motor Solus with wall switch	S30-SO-WO	95	
Radio motor RTS	S40-AL-RO	320	
Remote	1-channel	SP1-RO	45
	5-channel	SP5-RO	75
Motor Maestria iO	S40-SU-IO	340	
Remote	1-channel	SP1-IO	45
	5-channel	SP5-IO	75
Wind sensor Eolis WireFree IO	SCW-WIR-IO	140	
Remote 5-channel	TP5-RO	65	
Sun-wind sensor	TCN-SW	115	
Solar motor	SOLARMOL	890	

NEW

## FABRIC PRICE

Service description	Price for fabric collection [€/m <sup>2</sup> ]*		
	copper	bronze	gold
Sewing of the cover (without replacment service)	25	30	45

\*The price is charged for each started m<sup>2</sup> of awning's overall dimmentions. When ordering a single valance the minimum is 3 m<sup>2</sup>

### Extra charge:

- Awning visualization **35 €**
- Printing on the cover or valance **individual pricing**

### Standard dimmentons of crank [cm]:



**100, 150, 180, 200, 250** - in the price of the awning

**WARNING!** we do not perform replacement of covers in exploited canopy awnings of other manufactures

## SPARE PARTS

Awning type	Wall bracket [pc]		Ceiling bracket [pc]		Rafter bracket [pc]		Side bracket COMO, CAPRI [pc]	
	Code	Price	Code	Price	Code	Price	Code	Price
		MW-W02...	19,00	ME-S01...	21,00	MR-S03...	31,00	MN-W08...

PIANO				
MEZZO				
FORTE				
CROSS				
ADAGIO				
ALLEGRO				

Code / projection / price	Arms [pc] MEZZO, ADAGIO, FORTE	Code / projection / price	Arms [pc] MEZZO, ADAGIO, FORTE	Arms brackets [pc] MEZZO, ADAGIO, PIANO
ME-M25L... ME-M25P... 2,5 m - 115 €		ME-P15L... ME-P15P... 1,5 m - 90 €		MM-WRD... MM-WRH... 55 €
ME-M30L... ME-M30P... 3,0 m - 130 €		ME-P20L... ME-P20P... 2,0 m - 100 €		
ME-M35L... ME-M35P... 3,5 m - 150 €		ME-P25L... ME-P25P... 2,5 m - 100 €		
ME-F40L... ME-F40P... 4,0 m - 300 €		ME-M30L... ME-M30P... 3,0 m - 130 €		FORTE ME-F01L... ME-F01P... 130 €

MW-W02...(colour)... Colours description: s - silver RAL-9006 r - brown RAL-8019 u - 7016 in structure

## FASTENING PRODUCTS

Type	Name	Description	Code	Price	Unit	Required for one bracket	Application
	Spacer tubes + washers	Ø 50 x 110 mm	MU-T11-a	7,00	pair	1	Insulation 5 - 11 cm
		Ø 50 x 160 mm	MU-T16-a	8,00			Insulation 12 - 16 cm
		Ø 50 x 210 mm	MU-T21-a	10,00			Insulation 17 - 21 cm
	1 mb + 9 washers	Ø 50 x 1000 mm	MU-T00-a	29,00	set	-	Individual solutions

# EXAMPLES



## WITHOUT CASSETTE

Net price [euro]

## SEMI-CASSETTE

Net price [euro]

## FULL-CASSETTE

Net price [euro]

somfy			
	Width [cm]	Catalogue No.	Price
MOTOR + SWITCH	< 480	S30-SO-WO	245
	< 600	S40-SO-WO	270
	≥ 840	S100-TI-WO	335
	≥ 840	S100-TI-WK	380
MOTOR IO + REMOTE	< 480	S40-SU-iO	400
	< 600	S70-SU-iO	410
	≥ 800	S100-SU-iO	455
	> 840	S120-SU-iO	475
MOTOR + REMOTE	< 480	S30-SU-RK-iO	390
	≥ 480	S50-SU-RK-iO	415

somfy			
	Width [cm]	Catalogue No.	Price
MOTOR + SWITCH	< 480	S30-SO-WO	245
	< 600	S40-SO-WO	270
	≥ 840	S100-TI-WO	335
MOTOR IO + REMOTE	< 480	S40-SU-iO	400
	< 600	S70-SU-iO	410
	≥ 600	S100-SU-iO	455
MOTOR + REMOTE	< 480	S30-SU-RK-iO	390
	≥ 480	S50-SU-RK-iO	415

somfy			
	Width [cm]	Catalogue No.	Price
MOTOR + REMOTE	< 480	S40-SU-iO	400
	≥ 480	S70-SU-iO	410
	< 480	S30-SU-RK-iO	390
	≥ 480	S50-SU-RK-iO	415

torro			
	Width [cm]	Catalogue No.	Price
MOTOR + SWITCH	< 720	T50-12-WO	170
	< 480	T30-17-WK	195
	< 720	T50-17-WK	205
MOTOR + REMOTE	< 480	T30-12-RO	215
	< 720	T50-12-RO	235
	< 480	T30-12-RK	240
	< 720	T50-12-RK	260


torro			
	Width [cm]	Catalogue No.	Price
MOTOR + SWITCH	< 720	T50-12-WO	170
	< 480	T30-17-WK	195
	< 720	T50-17-WK	205
MOTOR + REMOTE	< 480	T30-12-RO	215
	< 720	T50-12-RO	235
	< 480	T30-12-RK	240
	< 720	T50-12-RK	260

torro			
	Width [cm]	Catalogue No.	Price
MOTOR + SWITCH	< 720	T50-12-WO	170
	< 480	T30-17-WK	195
	< 720	T50-17-WK	205
MOTOR + REMOTE	< 480	T30-12-RO	215
	< 720	T50-12-RO	235
	< 480	T30-12-RK	240
	< 720	T50-12-RK	260

## AWNINGS & PERGOLAS **NEW**

Net price [EUR]

SOLARMOL		
	Width [cm]	Price
SOLAR	< 480	890 €



without emergency crank

NHK (with emergency crank)

Optional equipment		Catalogue No.	Price				
somfy	Wind sensor Eolis WireFree iO	Only for iO motors	SCW-WIR-iO	130	Connectivity Kit	235	
	Schock sensitive sensor Eolis 3D WireFree iO		SCW-iO	130			
	Sun sensor Sunis WireFree iO		SCS-iO	120	TaHoma® switch	400	
	1-channel remote control Situo 1 iO		SP1-iO	40			
	5-channel remote control Situo 5 iO		SP5-iO	70			
	5-channel remote control Situo Variation iO		SP5-VA-iO	95	1-channel remote control SP1-iO (SOMFY) or TP1-RO (TORRO) included in price.		
	Wall switch Smoove OriginiO		SPI-iO	45			
Wall switch	Only for wired motors	SWI-WO	20				
torro	Wind and sun sensor Torro	Only for RTS motors	TCN-SW	not available			
	1-channel remote control Torro		TP1-RO	30			
	5-channel remote control Torro		TP5-RO	60			
	Wall switch		Only for wired motors	TWI-WO	20		




Wind sensor Eolis WireFree iO



Shock sensitive sensor Eolis 3D WireFree iO



Recommended for cassettes and semi-cassettes



Recommended for cassettes and semi-cassettes



## SMALL SAMPLES

Awning cross-section - **65 euro**

width: 20 cm

colour: RAL 7016 structure

treMOLO



PRESTO+



ADAGIO



**ATTENTION! Awnings for exhibition with a preferential -50% discount, we make only in the width 240 cm**

EXTRA CHARGE FOR GOLD COLLECTION OF FABRICS ACCORDING TO THE SURFACE COVERED BY THE AWNING [eur/m<sup>2</sup>]

COPPER	BRONZE		GOLD
Discounts	Discounts		Extra charge
-5 euro/m <sup>2</sup>	0 euro		+10 euro/m <sup>2</sup>
Pattern	Plain	Pattern	Plain
<p>Available while supplies last stock, see: <a href="http://www.mol.net.pl">www.mol.net.pl</a></p> <p>AIR-U327 CIT-140 CIT-271 CIT-303 CIT-407 EAR-J111 EAR-J113 EAR-J116 ORC-0549 ORC-5120 ORC-D245 ORC-6689 ORC-8219 ORC-8429 ORC-8620 ORC-8686 ORC-8690 ORC-8959 REC-014 REC-094 REC-149 REC-158 REC-417 REC-701 REC-724 RIS-961 SAT-513 SAT-718 SUN-5384 SUN-5396 SUN-F048 SWE-456 SWE-672 SWE-710 SWE-817 T-5354/52 T-407/7 T-1330/504 UNI-5003 UNI-925 UNI-935</p> <p><b>POLYESTER</b> SWE-995 P</p>	<p><b>New code (Old code)</b></p> <p>REC-116 - T-5406/107 REC-152 REC-318 - T-986/727 SAL-1069 (REC-099) SAL-2013 (REC-554) SAL-2018 (REC-173) SAL-2101 (REC-177) SAL-2119 (CIT-270) SAL-2143 (REC-117) SAL-2145 (REC-170) SAL-2146 (REC-195) SAL-2170 (REC-103) SAL-2209 (REC-182) SAL-2211 (T-56) SAL-2242 (REC-142) SAL-2245 (REC-102) SAL-2250 (REC-143) SAL-2296 (REC-126) SAL-2316 (REC-181) SAL-2327 (REC-198) SAL-2596 (REC-115) SAL-2687 (REC-148) SAL-2821 (REC-114) SAL-2828 (REC-169) SAL-2831 (REC-224) SAL-2838 (REC-139) SAL-2926 (REC-122) SAL-2979 (REC-138) SAL-3580 (REC-775) SAL-3582 (REC-770) SAL-3583 (T-407/11) SAL-3602 (REC-194) SAL-3603 (REC-779) SAL-3605 (REC-196) SAL-8488 (REC-164) T-1300 T-5406/15 T-5406/52 T-5407/15 T-5407/52 T-5407/107 T-6236/190 T-6248/190 T-986/15 T-986/106</p>	<p>REC-060 REC-085 REC-086 REC-089 REC-097 REC-098 REC-231 REC-253 REC-321 REC-322 REC-323 REC-352 REC-362 REC-425 REC-445 REC-465 REC-720 REC-798 REC-812 RES-2005 RES-2636 RES-2930 ORC-D100 ORC-D108 T-5348/79 T-5355/106 T-5371/106 T-5398/97 T-5399/107 T-5399/15 T-5399/52 T-5404/97 T-939/58 T-966/426 T-944/926 CIT-165 CIT-170 CIT-171 CIT-228 CIT-274 CIT-276 CIT-277 CIT-361 CIT-433 CIT-448 CIT-502 CIT-504 CIT-643 VAS-573</p> <p>T-1400/701* T-1400/702* T-1400/704* T-6015/502* T-6258/502* T-6259/502* REC-415*</p> <p>Pattern onstriped fabrics is always arranged after the projection</p>	<p><b>WATERPROOF</b></p> <p>SAL-2211W (RWD-176) SAL-2209W (RWD-182) SAL-2101W (RWD-177) SAL-2119W (RWD-165) SAL-2242W SAL-2245W (RWD-102) SAL-2146W (RWD-195) SAL-2316W (RWD-181) SAL-2018W (RWD-173) SAL-2145W (RWD-170) SAL-2013W (RWD-554) SAL-1069W (RWD-099) SAL-2143W (RWD-117) SAL-2838W (RWD-139) SAL-3580W (RWD-775) SAL-2979W (RWD-138) SAL-8488W (RWD-164) SAL-2170W (RWD-103)</p> <p>Production time +1 week</p>

\*New

# ACRYLIC FABRICS

## specification



Specification			Characteristics			
Our reference	Origin		Weight [g/m <sup>2</sup> ]	UV resistance	Tensile strength [N/5 cm]	
	Country	Supplier	UNE-EN ISO 2286 - 2	UNE-EN ISO 105 B04	Along the warp	Along the thread
CIT	Spain	Citel	295	7-8 / 8°	1 300	750
REC	Spain	Recasens	290	7-8 / 8°	1 300	780
T	Italy	Para	300	7-8 / 8°	1 600	860
SAL	Spain	Sauleda	295	7-8 / 8°	1 300	780

UV resistance				
Fabrics	Energetic: % of heat			Optical: % of visible light
	T <sub>s</sub> Solar (transmission)	R <sub>s</sub> Solar (reflection)	A <sub>s</sub> Solar (absorption)	T <sub>v</sub> Solar (transmission)
Dark	0,33 - 16,9	6,95 - 48,48	35,33 - 92,72	0,33 - 7,08
Light	11,7 - 26,98	40,87 - 64,82	8,20 - 47,43	5,16 - 27,09

### Specification of awning fabrics:

Despite the highest quality, there may be some imperfections along the fabric caused by the nature and properties of the material itself and the necessity of sewing it or folding the edges.



#### 1 Ripples:

Might appear at the joining of fabric due to rolling or winding of the material. That can cause wrinkles that resemble delicate herringbone.



#### 2 Ruffles:

May occur in the consequence of winding the fabric around the tube, which creates pressing forces alongside the fabric that might result in wrinkles, mainly in full cassette and semi-cassette. This does not cause permanent deformation and damage to fabrics. It is only the result of a technological process.

3



#### 3 Fabric exposed to water:

Do not open the awning during precipitation and do not expose it to accidental moisture. Closing the awning with wet fabric can lead to fabric damage, mold growth and permanent deformation, which are not subject to any claims. If the fabric comes into contact with water, the awning should be immediately opened and left to dry completely.

**ATTENTION!** All above imperfections are a result of natural characteristics of the fabric and should always be disclosed to the potential customer. It cannot be a cause of claim.

Awnings without cassette													
Projection [cm]	Type	Width [cm]											
		240	300	360	420	480	540	600	720	840	960	1080	1200
150	VIVO p. 12	560	620	620	730	730	-	-	-	-	-	-	-
	MEZZO/PIANO p. 8	640	710	710	830	830	1160	1340	1470	-	-	-	-
200	VIVO p. 12	-	650	650	760	760	-	-	-	-	-	-	-
	MEZZO/PIANO p. 8	-	760	760	880	880	1230	1300	1550	-	-	-	-
250	VIVO p. 12	-	700	700	800	800	-	-	-	-	-	-	-
	MEZZO/PIANO p. 8	-	800	800	930	930	1150	1450	1610	2120	2290	2560	2750
300	MEZZO/PIANO p. 8	-	-	-	1100	1100	1210	1520	1700	2190	2380	2640	2940
350	MEZZO/PIANO p. 8	-	-	-	1190	1190	1300	1480	1820	2210	2560	2730	3080
400	FORTE p. 8	-	-	-	-	1710	1820	1820	2380	2710	3250	3390	3640
Awnings with cassette													
150	QUADRA p. 3	-	1240	1350	1620	1620	1880	-	-	-	-	-	-
	treMOLO p. 7	840	950	1030	1230	1230	1490	1670	1870	-	-	-	-
	PRESTO+ p. 5	1050	1180	1260	-	-	-	-	-	-	-	-	-
200	QUADRA p. 3	-	1290	1400	1680	1680	1950	-	-	-	-	-	-
	treMOLO p. 7	-	1000	1070	1280	1280	1550	1630	1970	-	-	-	-
	PRESTO+ p. 5	-	1230	1320	1540	1540	1680	-	-	-	-	-	-
250	QUADRA p. 3	-	1330	1430	1790	1790	2070	-	-	-	-	-	-
	treMOLO p. 7	-	1040	1110	1340	1340	1500	1710	1760	-	-	-	-
	PRESTO+ p. 5	-	1360	1450	1690	1690	1850	-	-	-	-	-	-
	MODERNO p. 2	-	2770	2770	3160	3240	3660	3660	-	-	-	-	-
300	QUADRA p. 3	-	-	-	1850	1850	2150	-	-	-	-	-	-
	treMOLO p. 7	-	-	-	1460	1460	1630	1880	2110	-	-	-	-
	PRESTO+ p. 5	-	-	-	1750	1750	1960	-	-	-	-	-	-
	MODERNO p. 2	-	-	-	3260	3310	3810	3810	-	-	-	-	-
350	treMOLO p. 7	-	-	-	1570	1570	1750	1820	2300	-	-	-	-
	MODERNO p. 2	-	-	-	3430	3530	3980	3980	-	-	-	-	-
400	ADAGIO p. 6	-	-	-	-	2010	2220	2310	2970	-	-	-	-



The best value for money