



**Born in Germany**  
produced for the World



# INNOVATIVE PACKAGING

## CATALOG 2024

# HISTORY

**activaTec®**  
PACKAGING INNOVATIONS



**1987**

Company founded by Torsten Maak based in Rahlstedt/Hamburg.

**1990**

Due to increasing demand, the company is moving to a larger warehouse.

**1996**

Thanks to the new building in Bad Oldesloe, goods can be delivered quickly in the area.

**2005**

New building in Stapelfeld with 850 pallet spaces. Sales will be expanded throughout Germany.

**2012**

The activTec® team is growing. Two juniors actively support the company.

**2014**

Two more juniors strengthen activaTec®. We are intensively starting to export our products.

**2017**

Globalization is in full swing. A new company headquarter with a storage area of approx. 4000m<sup>2</sup> is being built on a 6500m<sup>2</sup> plot.

**2018**

activaTec® is really taking off! The company building with 4000 m<sup>2</sup> of storage space near Hamburg is completed. A second location is also being built in Marienheide.

**2021**

Marienheide now supplies everything at home and abroad. The construction of another company building in Reichshof finally begins.





# CONTENTS

**activaTape®**

**6-11**

**activaAir®**

**12-17**

**activaSystems®**

**18-19**

**activaStretch®**

**20-23**

**activaPaper®**

**24-29**

**activaWrap®**

**30-31**

**activaBand®**

**32**



# activaTec®

## A BRAND DISTRIBUTED TO THE WORLD

### DEVELOPMENT | PRODUCTION | SERVICE

As a manufacturer and developer of innovative packaging materials, we have always guaranteed the highest quality since 1987. In the product areas of packaging tape, stretch film, filling material and other packaging materials, we are constantly striving to: simplify and optimize your packaging process, rationalize your packaging and storage costs, increase the sustainability and environmental impact of adhesive tape, filling material and packaging, your supply chain to support management and complement it efficiently.

Our motto is "Quality pays off" – as a direct seller of packaging material, we have already used this slogan to tell many of our B2B major customers about our products can convince. As a manufacturer, all of our products and packaging materials are preceded by an intensive examination of the requirements for efficient and modern warehouse logistics and intralogistics. This is the basis of our research and our range of specially produced packaging materials such as stretch film, packing tape, packaging machines and accessories.

#### Our demands on our packaging material:

1. Increase packaging speed in shipping & warehouse
2. Secure goods through stability and efficiency
3. Effectively reduce material costs & consumption
4. Reduce transportation costs & shipping costs
5. Easy processing of the packaging material by you Employees.
6. Your customers receive the package quickly & easily Enable unzipping.







*"We are constantly reinventing ourselves and thus manage to continually dominate the market with our innovative ones to inspire packaging solutions."*

*Torsten Maak*

Torsten Maak  
Owner & Managing Director







# activaTape®

## STRONG AND RELIABLE ADHESIVE TAPE

### STRONG AND RELIABLE DUCT TAPE

Hand-held adhesive tapes are still the most important and most frequently used packaging materials in logistics. With us you can choose from a clear selection of four high quality levels. Our PP adhesive tapes offer high tear resistance and are also available in a low-noise version, which guarantees quiet unwinding.

#### What makes our adhesive tapes unique?

It doesn't always make sense to go for the most expensive and strongest use adhesive tape. With us you get exactly what you need. No more and no less.



**LIGHT**  
40 KG

**BASIC**  
60 KG

**POWER**  
80 KG

**PCV**  
100 KG

### YOUR BENEFITS

- 4 quality levels
- Length up to 2500 m
- Width 18mm – 72mm
- 150 m roll for Hand use
- 3 standard colors (transparent, brown, white)
- Other bright colors (red, blue, yellow)
- Can be individually printed (up to 6 colors!)
- Cold-resistant down to -30 °C

### INNOVATIVE PK6 ADHESIVE

Natureally strong water-based glue

Industry, mail order and online retail have previously preferred more expensive adhesive tapes. But our new hand tape uses a special adhesive formula that makes the most of conventional adhesives combined. This is how ours came about advanced PK6 glue. This means we can offer affordable and high-quality adhesive tapes. The PK6 glue is environmentally friendly, water-based and also meets demanding requirements. Depending on the quality, our adhesive tapes hold packages up to 100 kg securely together at Temperatures from -30°C to +60°C. Hence they are suitable for cold storage and storage rooms. The PK6 adhesive retains its strength and adhesive power even during long storage and deliveries.

# 150 LINEAR METER ON A ROLL

127% more tape with the same roll diameter



The packing tape has a 2 inch core, which means that 127% more tape fits on a roll of the same diameter. Our 150 linear meter packing tape is available in different colors and quality levels. This PP adhesive tape is particularly economical because, in contrast to a standard 66 linear meter packing tape, there are fewer roll changes.



Thanks to more adhesive tape with the same roll diameter, you need less storage space than before.



Less waste is created from adhesive tape cores, outer packaging and films. This protects the environment and also your wallet.



By reducing delivery routes, you help reduce CO<sub>2</sub> emissions.



By having more tape on a roll, you save time and delivery routes.

## SAVE WITH OUR 150 LM TAPE

For a medium-sized company, we assume an average annual consumption of 10 pallets of adhesive tape. This corresponds to a number of 30,240 rolls. The number of rolls of the 150 linear meter packing tape per pallet corresponds to that of the 66 linear meter adhesive tape. Based on this value, you can see your savings in the chart below.

Each role change is calculated as 1.5 minutes each. To determine the financial savings, average values of €25 per pallet were used for handling and €40 per pallet for storage costs. Average values were used for the distance traveled by the truck used. This results in both cost savings and CO<sub>2</sub> savings.





# LIGHT

## 40 KG



Film thickness	23μ
Adhesive layer	15 μ (+/-1 μ)
Adhesive	PK6
Width (mm)	48, 72
Temperature	+ 60 °C // -30 °C

Lightweight, easy to handle, an easy decision. With activaTape® LIGHT, you get a reliable tape that effortlessly seals packages up to 40 kg. This dependable packaging tape is the right choice.

Just like with all our tapes, activaTape® LIGHT features our unique water-based PK6 adhesive, ensuring a secure seal even at temperatures as low as -30°C. This makes the tape suitable for use in cold storage and unheated warehouses.

### Hand adhesive tapes

Length (m)	66, 132, 150
Core (inch)	2", 3"
Colour	Transparent, brown

# BASIC

## 60 KG



Film thickness	23μ
Adhesive layer	20 μ (+/-1 μ)
Adhesive	PK6
Width (mm)	18, 24, 48, 72
Temperature	+ 60 °C // -30 °C

activaTape® - BASIC comes in various color and length options. This BASIC tape is the standard choice for most packages, offering excellent value for money. It reliably seals packages up to 60 kg and is cold-resistant down to -30°C. Unlike other tapes, activaTape® features the innovative PK6 adhesive, not only water-based but also gaining strength over time, rather than losing it, as is often the case with many other packaging tapes.

### Hand adhesive tapes

Length (m)	66, 132, 150
Core (inch)	2", 3"
Colour	Transparent, Braun, Blau, Rot, Gelb, Weiß

### Machine adhesive tapes

Length (m)	990, 1500, 2000
Core (inch)	3"
Colour	Transparent, Braun, Blau, Weiß

### Printed adhesive tape

Length (m)	66, 132, 150, 990, 1500, 1700, 2000
Core (inch)	2", 3"
Colour	Positiv- und Negativdruck (bis 6 Farben)



# POWER

## 80 KG



Film thickness	25µ
Adhesive layer	25 (+/-1 µ)
Adhesive	PK6
Width (mm)	48, 72
Temperature	+ 60 °C // -30 °

activaTape® - POWER ensures an incredibly strong grip for packages up to 80 kg. With a total material thickness of 50 µ, half of which is pure adhesive strength, you can trust in its robust performance.

Just like with all our tapes, activaTape® - POWER features our unique water-based PK6 adhesive, providing a secure seal even at temperatures as low as -30°C. This makes the tape suitable for use in cold storage and unheated warehouses.

### Hand adhesive tapes

Length (m)	66, 132, 150
Core (inch)	2", 3"
Colour	Transparent, Braun, Weiß, Blau

### Machine adhesive tapes

Length (m)	990, 1500
Core (inch)	3"
Colour	Transparent, Braun, Blau

### Printed adhesive tape

Length (m)	66, 132, 150, 990, 1500, 1700, 2000
Core (inch)	2", 3"
Colour	Positiv- und Negativdruck (bis 6 Farben)

# PCV

## 100 KG



Film thickness	35µ
Adhesive layer	30 µ (+/-1 µ)
Adhesive	PK6
Width (mm)	48, 72
Temperature	+ 60 °C // -30 °C

With activaTape® - PCV, you get an extra-strong tape that can withstand even the heaviest loads. The PCV grade of activaTape® boasts a film thickness of 35 µ and effortlessly seals packages weighing up to 100 kg. In contrast to other packaging tapes, our quality level not only increases the film thickness but also the amount of adhesive, ensuring no package will come undone during transport.

Just like with all our tapes, activaTape® - PCV features our unique water-based PK6 adhesive, providing a secure seal even at temperatures as low as -30°C. This makes the tape suitable for use in cold storage and unheated warehouses.

### Hand adhesive tapes

Length (m)	66
Core (inch)	3"
Colour	Transparent, Braun

### Machine adhesive tapes

Length (m)	660
Core (inch)	3"
Colour	Transparent, Braun, Blau

### Printed adhesive tape

Length (m)	66, 660
Core (inch)	2", 3"
Colour	Positiv- und Negativdruck (bis 6 Farben)





## activaTape® – RPET

### SUSTAINABLE ADHESION FOR A GREEN FUTURE!



 Ich bin aus mindestens 85% Recycelten PET-Flaschen.  I am made from

<b>Film Thickness</b>	<b>32µ</b>
<b>Adhesive Layer</b>	<b>20 µ (+/-1 µ)</b>
<b>Adhesive</b>	<b>PK6</b>
<b>Width (mm)</b>	<b>48</b>
<b>Length (Lfm)</b>	<b>200</b>
<b>Core</b>	<b>2"</b>
<b>Temperature</b>	<b>+ 60 °C // -30 °C</b>

Our transparent RPET tape from activaTape® sets standards for environmental friendliness and sustainability, offering numerous benefits for our customers:

**Environmental Friendliness:** By using recycled PET bottles, the demand for new raw materials is significantly reduced. This helps minimize the ecological footprint and paves the way towards a more sustainable future.

**Optimal Adhesion on Recycling Cartons:** Our RPET tape is specifically designed for recycling cartons, providing outstanding adhesion to ensure your packages are securely and stably sealed. This is crucial for shipping and emphasizes our commitment to quality and user-friendliness.

**Trust in Product Quality:** The use of PCR (Post-Consumer Recycled) granulate ensures that our tape is not only environmentally friendly but also of high quality. It retains the properties of conventional tape while providing the assurance of using sustainable materials.

**Versatile Applications:** Transparent RPET tape is suitable not only for shipping recycling cartons but also for a variety of other applications. From packaging to craft projects, its versatility makes it a top choice for various customer needs.

**Contribution to Circular Economy:** Choosing activaTape® – RPET actively contributes to promoting the circular economy. Integrating recycled materials into our product promotes material loop closure and supports sustainable economic practices.

By choosing activaTape® – RPET, you're not just opting for a high-quality tape but also a sustainable solution that protects the environment while meeting your packaging requirements. Take a step with us towards a greener future!



# DISPENSER



**3" hand dispenser (silent)**  
D28629



**3" hand dispenser**  
D28649



**2" hand dispenser (silent)**  
D27629



**2" hand dispenser (silent)**  
D27649



**Hand dispenser (2" and 3")**  
D29620



**Table dispenser**  
D58740

# SPECIAL TAPES



**Warning tape**  
Risk of breakage 66/150 m



**Warning tape**  
Be careful glass 66/150 m



**Sealing tape**  
Security print 66 m



**LLDPE-barrier tape**  
Red-White 500 m / 100 m



**LLDPE-barrier tape**  
Black-Yellow 500 m



**Floor marking tape**  
Red-White 33 m



**Double-sided tape**  
Yellow 25 m



**Cloth tape**  
Silver/Black 50 m



**Filament tape**  
Clear 50 m

# activaAir®

## MINIMUM CONSUMPTION- MAXIMUM PROTECTION

| LESS MATERIAL | 100% RECYCLABLE | LESS POLLUTANTS | MINIMAL STORAGE SPACE



Most protective pads use an unnecessary amount of material, which in turn takes up a lot of storage space.

Because air cushions are 99% air, in addition to providing reliable protection, they also offer a space-saving and efficient solution. Likewise, the Transport routes for the procurement of the upholstery material, since our Air cushions / and mats are supplied on a roll, which are filled with air only at your picking.

With the recyclable air cushions from activaTec® you also actively contribute to the protection of our environment.


Simply cut in, let air escape and save lots of packaging waste.





# AIR CUSHION OR PAPER?


Four reasons for air cushions



## 1. Less material

Overall, significantly less material is required for padding/protection compared to paper padding.

Air cushions consist of **99% air** and only **1% made of material**. This will not add any extra weight to your package.



## 2. 100% recyclable

The films from activaAir are recyclable and 100% recyclable.

**This saves natural resources**

and the films are fully suitable for energy recovery.

## 4. Less pollutants

Since air cushions only increase their volume obtained by filling with air, the rollers are extremely space-saving. As a result, they consume significantly less CO<sub>2</sub> than paper, for example. Furthermore, even more pollutants are saved during production.

**3x less carbon monoxide**

**6 x less nitrogen oxide**

**8x less hydrocarbon**



## 4. Less storage space

In this way, activaAir's film offers an immense potential for savings on delivery. **10 rolls of the air bag film are equivalent to a truck full of Styrofoam chips.** This saves expensive and required storage space.

# AIR CUSHIONING MACHINES

Pack shipping goods safely with activaAir®

## LIGHT BP2001

**For parcel volumes up to 50 parcels/day**

- Produces air cushion mats or pillows
- Suitable for smaller companies
- very good price-performance ratio
- Weight: 4kg
- Lightweight and compact design



## BASIC BP4000

**Industrial machine for several 1000 packages/day**

- Produces air cushion mats or pillows
- Suitable for medium-sized and large companies
- Easy and very clear operation
- Weight: 6kg
- Lightweight and compact design



## POWER BP5000

**If several packing locations of one machine can be operated**

- Produces air cushions
- Suitable for packing centers
- Easy and very clear operation
- Weight: 6kg
- Lightweight and compact design



## COLUM BP9000

**For extra-strong package base and Parcel wall protection**

- Weight: 20kg
- Power consumption: 100-230V
- Size: 65x65x38 cm





# AIR CUSHION, MATS & TUBES

## AIR CUSHION | Compatible with BP2001, BP4000 & BP5000



**HDPE -  
Multilayer foil**  
13µ  
200 x 130 mm  
2000 m

LP1137

Save even more material with the **LIGHT** air cushions from activaAir®  
The new air cushion from activaAir® with just 13µ saves even more material and is therefore even more economical.



Please note that roll lengths from 1500 m can only be processed with the BP4000 and BP5000.



**HDPE -  
Multilayer foil**  
18 µ  
200 x 100 mm  
700 m;  
1500 m

BP2104 // BP2107



**HDPE -  
Multilayer foil**  
18 µ  
200 x 150 mm  
700 m  
1500 m

BP2154 // BP2157



**HDPE -  
Multilayer foil**  
18 µ  
200 x 200 mm  
700 m;  
1500 m

BP2204 // BP2207

## AIR CUSHIONING MATS | Compatible with BP2001 & BP4000



**HDPE -  
Multilayer foil**  
18 µ  
1 Air chamber  
400 x 150 mm  
450 m

BP8425



**HDPE -  
Multilayer foil**  
18 µ  
2 Air chambers  
400 x 230 mm  
450 m

BP8404



**HDPE -  
Multilayer foil/  
Also available ESD**  
18 µ  
4 Air chambers  
400 x 320 mm  
450 m

BP8406



**HDPE -  
Multilayer foil/  
Also available ESD**  
18 µ  
7 Air chambers  
400 x 330 mm  
450 m;  
300 m

BP8402 // NP8422



**HDPE -  
Multilayer foil**  
18 µ  
10 Air chambers  
600 x 330 mm  
250 m

BP8422



**HDPE -  
Multilayer foil**  
18 µ  
14 Air chambers  
800 x 320 mm  
450 m

BP8442

## AIR CUSHIONS & MATS WITH RECYCLED CONTENT | Compatible with BP2001, BP4000



**HDPE-  
min. 50%  
recycled content**  
25 µ  
200 x 100 mm  
700 m

BR2134



**HDPE-  
min. 50%  
recycled content**  
18 µ  
4 Air chambers  
400 x 320 mm  
450 m

BR8406



**HDPE-  
min. 50%  
recycled content**  
18 µ  
7 Air chambers  
400 x 330 mm  
450 m

BR8402



## ACCESSORIES & SPARE PARTS



**Sensor**   
BP4030



**Knife**   
BP4010



**Knife**   
BP2010




**Teflonband**   
BP4020



**Teflonband**   
BP2021



**Pedal**   
BP4040



**Wall mount**   
BP5025



**Rewinder**   
BP5022



**Trolley**   
BP5020





# SUSTAINABLE DEGRADABLE ECO-FRIENDLY



## Air cushion, activaAir BASIC-RC 100%, 200x130mm

- Made from 100% recycled material.
- 700 m roll length
- Pre-perforated for clean separation
- Dimensions: 200mm x 130mm
- 1 chamber



## Air cushion 200x100mm

- 30g paper sealed airtight Cornstarch coating
- 300 m roll length
- Pre-perforated for clean separation
- Dimensions: 200mm x 100mm
- 1 chamber



## Air cushion 200x100mm

- 100% degradable film made from corn starch
- 700 m roll length
- Pre-perforated for clean separation
- Dimensions: 200mm x 100mm
- 1 chamber





# activaSystems®

**PACKSTATIONS TAILORED  
TO YOUR NEEDS**



## **PACKING STATIONS INNOVATIVE OPTIMIZED INDIVIDUALLY**

Large corporations that ship several 100,000 parcels a day have different requirements than medium-sized companies. Therefore, we have made it our business to address the individual requirements of each company to find an efficient and cost-effective solution. Our activaSystems® are designed for workstations where a large number of packages are packed and made ready for dispatch in the shortest possible time.

Quality, stability and order optimization are the top priorities in the development of our systems. The packaging process becomes easier, faster and more user-friendly. Arrange a free consultation and planning of your individually configurable packing system. Optimize your packaging process!





## BASKETS & SYSTEMS

To pre-produce  
Upholstery material



**BP5030 WAGON OH**

- Collection basket
- 900mm x 600mm x 900mm
- Can be used mobile



**BP5035 WAGON MH**

- Collecting basket with machine attachment
- 900mm x 600mm x 900mm
- Can be used mobile



**BP5010 BLOW-IN SYSTEM**

- For the BP4000 and BP5000
- Powerful

**LET US  
DESIGN & IMPLEMENT A  
SYSTEM TOGETHER.**





# activaStretch®

**HIGHEST STABILITY  
AND FLEXIBILITY**

## YOUR BENEFITS

- **Excellent extensibility:** activaStretch® is characterized by its exceptional extensibility of up to 300%, resulting in a high yield. This allows you to package more products with less material.
- **High puncture resistance:** Our machine stretch film offers outstanding puncture resistance, which ensures the safety of your goods during transportation. Your packaged goods are optimally protected.
- **Environmental friendliness:** activaStretch® is environmentally conscious and sustainable. With a thickness of only 12 – 15 µ and up to seven times recyclability, it helps to reduce packaging waste and protect the environment.
- **Pre-stretch options:** Our pre-stretched hand stretch film is particularly user-friendly and has a higher stretch-back force, resulting in even more secure fixation of your goods. Choose between Light and Basic thicknesses.
- **Individual application possibilities:** Whether light or heavy pallets – activaStretch® offers different versions (LIGHT, BASIC, POWER), which are optimally adapted to the requirements of your goods.
- **Cost-efficiency:** Thanks to the optimal stretchability, strength and recovery force, you save not only material, but also the cost of damaged goods and the packaging waste.
- **Versatile color selection:** The available color options, including transparent, blue and black, give you the ability to mark and keep track of pallets in the warehouse.
- **Sustainable materials:** activaStretch® relies on high-quality, renewable raw materials, which give the product a high level of popularity and sustainability.

These features set activaStretch® apart from conventional stretch films and provide you with an innovative, environmentally friendly and cost-effective solution for your packaging needs.





# activaStretch® MAXX

**LIGHTWEIGHT – EASY –  
SECURE – PACKAGING**

- **Ultra-Lightweight:** The activaStretch® MAXX is crafted from high-quality carbon fiber, making it not only extremely light but also exceptionally robust and durable. It is suitable for use in challenging environments.
- **Ergonomic Handle:** Designed with the operator in mind, the activaStretch® MAXX features an ergonomic design that reduces strain and fatigue for the users. Its well-thought-out handle and smooth rollers make pallet wrapping with pre-stretch film an effortless process.
- **Easy Handling:** The straightforward design of the activaStretch® MAXX makes pallet wrapping with stretch film a quick and easy task. The film is simply inserted into the activaStretch® MAXX and secured with the rotary knob.
- **Always at Hand:** The activaStretch® MAXX can be conveniently attached to any shelf at arm's reach using the magnets integrated into the handle. This eliminates the need for a prolonged search or unnecessary placement, making the work faster and easier.
- **Pre-Stretch Film:** Our pre-stretched hand stretch film is much easier to handle and has a higher restoring force, ensuring a stronger fixation of the goods. You can get pre-stretched stretch films in Light and Basic strengths.



## PRE STRETCHED



### AVAILABLE IN

Quality	Light   6 μ, 7 μ
Length (m)	900, 600
Width (mm)	400, 430
Colour	Transparent, Blue

L23743 // L34733

## PRE STRETCHED



### AVAILABLE IN

Quality	Basic   8 μ
Length (m)	600
Width (mm)	400
Colour	Transparent, Blue

B45733 // B45734





# MACHINE STRETCH FILM

Our **machine stretch film** is extremely puncture-resistant and has a high resilience. With an elasticity of up to 300%, the stretch film is very economical. Even more material can be saved with the **LIGHT+** and **LIGHT++**.

Thanks to a thickness of only 12 - 15  $\mu$ , consumption per stretched pallet is very low, which means your packaging waste can also be significantly reduced. In addition, with a **LIGHT++** roll you have almost 900 m more film available than with regular **LIGHT** film.

## LIGHT++

### AVAILABLE IN

Quality	Light   12 $\mu$
Length (m)	2900
Width (mm)	500
Strain (%)	150, 300
Colour	Transparent



L51653  
L51663

## LIGHT+

### AVAILABLE IN

Quality	Light   15 $\mu$
Length (m)	2320
Width (mm)	500
Strain (%)	150, 300
Colour	Transparent



L41653  
L41663

## LIGHT

### AVAILABLE IN

Quality	Light   17 $\mu$
Length (m)	2050
Width (mm)	500
Strain (%)	150, 300
Colour	Transparent



L25653  
L25663

## BASIC

### AVAILABLE IN

Quality	Basic   20 $\mu$
Length (m)	300
Width (mm)	500
Strain (%)	150, 300
Colour	Transparent, Black



B45653  
B45654  
B45663

## POWER

### AVAILABLE IN

Quality	Power   23 $\mu$
Length (m)	300
Width (mm)	500
Strain (%)	150, 300
Colour	Transparent, Black



P85653  
P85654  
P85663


# ACCESORIES



### activaCutter Safety knife

for opening boxes and removing of stretch film


K10702



### Sliding sleeves

For the pleasant unwinding of hand stretch film

901930



SM3000

### Pallet wrapper SM3000

12 wraps/min  
Pallet dimensions (max):  
L 1200mm (standard) W 800mm  
H 2200mm  
Max. load: 1000 kg  
Film thickness: 12 - 30  $\mu$



# HAND STRETCH FILM

With our **hand stretch film** you can choose between the versions **LIGHT** (for pallets up to 600 kg) – **BASIC** (for pallets up to 1000 kg) – and **POWER** (for pallets up to 1200 kg). In a special process, an extremely tear-resistant and very puncture-resistant stretch film was developed from high-quality raw materials. The activaStretch® products are equipped with improved resilience, which ensures greater stability.

## AVAILABLE IN

Quality	Light (Typ17)
Length (m)	300, 600
Width (mm)	450, 500
Colour	Transparent, Black, Blue



L21523  
L21623  
L21624  
L21625  
L21633

# LIGHT

## AVAILABLE IN

Quality	Basic (Typ 20)
Length (m)	300
Width (mm)	500
Colour	Transparent, Black, Blue



B41623  
B41624  
B41625

# BASIC

## AVAILABLE IN

Quality	Power (Typ23)
Length (m)	300
Width (mm)	500
Colour	Transparent, Black



P81623  
P81624

# POWER

## PRE STRETCHED



## AVAILABLE IN

Quality	Light   6 µ, 7 µ
Length (Lfm)	900, 600
Width (mm)	400, 430
Colour	Transparent, Blue

L23743 // L34733

## PRE STRETCHED



## AVAILABLE IN

Quality	Basic   8 µ
Length (Lfm)	600
Width (mm)	400
Colour	Transparent, Blue

B45733 // B45734

## MINI STRETCH



## AVAILABLE IN

Quality	Basic   20 µ
Length (Lfm)	150
Width (mm)	100
Colour	Transparent

B41213



Hand dispenser stretch film

With brake

901900



Dispenser for Mini stretch film

901920



Ergonomic stretch film dispenser  
Up to 40% material savings

901903

# activaPaper®

**EVERYTHING MADE OF PAPER -  
FOR A BETTER ENVIRONMENT**



## PACKAGING WITH PAPER

**Do you prefer paper for packaging your goods? No problem!**

We have an optimal solution for you here as well. From cushioning material to paper tapes, we offer everything you need to ship your goods. Paper is recyclable up to seven times and fully biodegradable, leaving no long-lasting residue.

The renewable raw material enjoys great popularity, thanks in part to its sustainability.

## YOUR BENEFITS

**Sustainable packaging solutions:** activaPaper® offers an environmentally friendly alternative to conventional packaging materials. The paper tape is made from sustainable raw materials and is recyclable up to seven times, helping to reduce the environmental footprint.

**Double sustainability approach:** activaPaper® not only uses paper as a backing material, but also relies on the use of a water-based PK6 adhesive. This combination guarantees an environmentally conscious and sustainable packaging solution.

**Custom branding:** We offer the possibility to print your paper tape according to your individual requirements. With a custom design, you can strengthen your brand identity and make your packaging unique.

**Versatile application:** activaPaper® is suitable for a wide range of packaging requirements. Whether for shipping, storage or retail, the paper tape can be used flexibly in various industries.

**Reduced environmental impact:** By being biodegradable and not containing harmful chemicals, activaPaper® minimizes long-term environmental impact and leaves no harmful residues.

**Sustainable raw material:** Paper is a renewable raw material that is becoming increasingly popular due to its environmentally friendly properties and low environmental impact. activaPaper® uses this resource for a sustainable packaging solution.

**Professional appearance:** With activaPaper® you not only convey a positive image to your customers in terms of environmental awareness, but also a professional and high-quality packaging experience.



# FILLING SYSTEMS AND CUSHIONING MACHINES

With our filling systems and paper cushioning machine, your products receive optimal protection for shipping. Our filling paper is ideal for void fill and, in combination with our two filling systems, optimizes your packaging process. Here you can choose between the Light variant and the Basic machine with automatic section. Our paper pads are especially suitable for sharp-edged goods. Air cushions are quickly punctured by metallic and sharp-edged objects. In the process, the air escapes and the protective function is eliminated. Whether for padding or padding out, with our activaPaper® your product can set off on its journey without hesitation.



**PA1500**

**Weight:** 20 kg  
**Dimensions:** 380x490x280mm  
**Colour:** White

## LIGHT PA1000

### TECHNICAL DETAILS

Weight	19 kg
Dimensions (mm)	420 x 420 x 600
Colour	Black-White



## LIGHT PA2000

### TECHNICAL DETAILS

Weight	19 kg
Dimensions (mm)	910 x 910 x 1620
Voltage	200 - 230 V
Colour	Black-White



**ALSO WITH  
ROLL HOLDER  
AVAILABLE**

## BASIC PA4000

### TECHNICAL DETAILS

Weight	25 kg
Dimensions (mm)	910 x 910 x 1620
Voltage	200 - 230 V
Colour	Black-White





**PA4800**

**BASIC+**

**PA4600**

#### TECHNICAL DETAILS

Weight	39 kg
Dimensions (mm)	630 x 400 x 370
Voltage	200 - 230 V
Colour	Black-White



**POWER**

**PA5000**

#### TECHNICAL DETAILS

Weight	78 kg
Dimensions (mm)	750 x 500 x 1260
Voltage	200 - 230 V
Colour	Black-White



**POWER+**

**PA6000**

#### TECHNICAL DETAILS

Weight	85 kg
Dimensions (mm)	1220 x 850 x 1570
Voltage	220 V
Colour	Black-White





## PAPER FILLING MATERIAL COMPATIBLE WITH PA2000 & PA4000



**Filling material**  
50 g/m<sup>2</sup>  
381 mm  
500 m  
perforated

**PA2200**



**Filling material**  
70 g/m<sup>2</sup>  
381 mm  
360 m  
perforated

**PA2400**

## PAPER PADDING MATERIAL COMPATIBLE WITH PA6000



**Filling material**  
90 g/m<sup>2</sup>  
700 mm  
7600 m  
perforated

**PA2602**



**Filling material**  
70 g/m<sup>2</sup>  
760 mm  
335 m  
perforated

**PA2402**

## PAPER PADDING MATERIAL COMPATIBLE WITH PA5000



**Padding material**  
70 g/m<sup>2</sup>  
3-ply  
700 mm  
350 m

**PA5400**



**Padding material**  
120 g/m<sup>2</sup>  
3-ply  
700 mm  
170 m

**PA5500**



**Padding material**  
70 g/m<sup>2</sup>  
3-ply  
700 mm  
350 m

**PA5400A**



**Padding material**  
120 g/m<sup>2</sup>  
3-ply  
700 mm  
170 m

**PA5500A**



**Padding material**  
70 g/m<sup>2</sup>  
2-ply  
700 mm  
220 m

**PA5401A2**

## PAPER FILLING MATERIAL TO GO | MANUAL OPERATION



**Padding material**  
80 g/m<sup>2</sup>  
380 mm  
250 m

**Art.-Nr.: PB1500**



**Padding material**  
70 g/m<sup>2</sup>  
350 mm  
450 m

**Art.-Nr.: PB3001K**



**Padding material**  
70 g/m<sup>2</sup>  
350 mm  
350 m  
perforated

**PB2500**



**Padding material**  
60 g/m<sup>2</sup>  
400 mm  
290 m  
perforated

**PB2800**



**Padding material**  
70 g/m<sup>2</sup>  
350 mm  
450 m  
perforated

**PB3001**



## WET ADHESIVE TAPE MACHINES

Whether you have lighter or heavier packaging, our wet tape provides the reliability you need. With its environmentally friendly paper base, you not only ensure secure closures, but also help reduce plastic waste. Simple water activation makes the packaging process a breeze, while optional thread reinforcement adds an extra layer of stability and protection. Rely on our wet tapes to securely seal your contents while making a positive contribution to the environment. Make the switch to wet tape and experience packaging security at a new level!

Experience the groundbreaking innovation of activaTec® wet taping machines! Our machines set new standards in the packaging process. Thanks to automatic strip length replication, you can count on consistent results, without interruptions. But that's not all – our machines offer the freedom to output different strip lengths in individually programmable sequence. The colorful buttons provide clarity and visibility, speeding up your workflow and making packaging a breeze. Discover the future of packaging with activaTec® and revolutionize your work process!



### NK2000



**Weight:** 9,5 kg

**Dimensions:** 380x230x220mm

### NK4000



**Weight:** 12 kg

**Dimensions:** 480x330x280mm

**Voltage:** 220-230 V



# WET ADHESIVE TAPE

## NK4552

Strength	Standard
Length (m)	200
Width (mm)	60
Grammage (g/m <sup>2</sup> )	60
Colour	Nature



## NK5552

Strength	Thread reinforced
Length (m)	200
Width (mm)	60
Grammage (g/m <sup>2</sup> )	60
Colour	Nature



## NK4652

Strength	Standard
Length (m)	200
Width (mm)	70
Grammage (g/m <sup>2</sup> )	60
Colour	Nature



## NK5652

Strength	Thread reinforced
Length (m)	200
Width (mm)	70
Grammage (g/m <sup>2</sup> )	60
Colour	Nature



## NK4655

Strength	Standard
Length (m)	200
Width (mm)	70
Grammage (g/m <sup>2</sup> )	75
Colour	Nature



## NK5852

Strength	Thread reinforced
Length (m)	200
Width (mm)	70
Grammage (g/m <sup>2</sup> )	75
Colour	Nature



## NK4654k

Strength	Standard
Length (m)	200
Width (mm)	70
Grammage (g/m <sup>2</sup> )	70
Colour	Nature



## N4655k

Strength	Grid reinforced
Length (m)	150
Width (mm)	70
Grammage (g/m <sup>2</sup> )	125
Colour	Nature



## NK4651 | NK4653

Strength	Standard
Length (m)	200
Width (mm)	70
Grammage (g/m <sup>2</sup> )	60, 70
Colour	White



## NK5651 | NK5851

Strength	Thread reinforced
Length (m)	200
Width (mm)	70
Grammage (g/m <sup>2</sup> )	60, 75
Colour	White



# PAPER ADHESIVE TAPE

## B44022

Quality	Basic
Length (m)	50
Width (mm)	48
Core (inch)	3"
Adhesive	PK6
Colour	Nature



## B44422

Quality	Basic
Length (m)	100
Width (mm)	48
Core (inch)	2"
Adhesive	PK6
Colour	Nature



## B44262

Quality	Basic
Length (m)	500
Width (mm)	48
Core (inch)	3"
Adhesive	PK6
Colour	Nature



## B44022-1 | B44022-2

Quality	Basic
Length (m)	50, 100
Width (mm)	48
Core (inch)	2", 3"
Adhesive	PK6
Colour	Nature





# activaWrap®

## THE NATURAL ALTERNATIVE TO BUBBLE WRAP

### YOUR BENEFITS

- **Versatile applicability:** activaWrap® is an extremely flexible packaging solution suitable for a wide range of products. Whether it's fragile items, bulky goods or sensitive electronics, activaWrap® provides reliable protection for a wide variety of contents.
- **Customization:** Our activaWrap® is available in different thicknesses and sizes, so it can be perfectly adapted to the requirements of your packaging tasks. This adaptability ensures customized protection for each shipment.
- **Excellent shock protection:** Thanks to its cushioning properties, activaWrap® absorbs shocks and vibrations during transport. Your products will arrive at their destination safe and sound.
- **Space-saving storage:** activaWrap® is lightweight and flexible, allowing efficient storage. It takes up less space compared to other packaging materials, saving storage space.
- **Environmentally friendly:** Our activaWrap® products are often made from recycled material and can be recycled after use. This helps reduce waste and promote sustainability.

- **Easy processing:** The flexible structure of activaWrap® allows effortless adaptation to the shapes of your products. It is easy to cut, fold and shape for perfect protection.
- **Time and cost savings:** activaWrap® saves you time and money because it can be wrapped around products easily and quickly. This speeds up the packaging process and reduces labor costs.
- **Professional presentation:** In addition to protecting your products, activaWrap® gives them a professional and high-quality presentation. It leaves a positive impression on your customers and strengthens your brand image.
- **Minimization of packaging material:** The efficient use of activaWrap® reduces the need for additional packaging material, which in turn reduces waste and costs.

These features set activaWrap® apart as an outstanding packaging solution that combines protection, adaptability, sustainability and efficiency.

### ANWENDUNG



Pull the activaWrap® apart and place the object to be padded on the material.



Stretch the wrapping material so that the honeycomb structure of the paper stands up vertically. Wrap the object to be padded while maintaining this tension.



Tear off the paper after a few wraps. It independently holds the shape and protects your object from external force.



## DISPENSER

### AW5000



**Weight:** 15 kg  
**Operation:** manual  
**Width (mm):** 533x312x283  
**Colour:** hellgrau

### AW8000



**Weight:** 23 kg  
**Voltage:** 100-230 V  
**Dimensions (mm):** 730x420x350  
**Colour:** hellgrau

## PADDING MATERIAL

### activaWrap®



**Width (mm):** 395, 500  
**Length (m):** 100, 250  
**Gammatur (g/m²):** 70, 90  
**Colour:** Nature, White, Red, Black

### SILKPAPER



**Width (mm):** 300  
**Length (m):** 840  
**Gammatur (g/m²):** 27  
**Colour:** White

## CARDBOARD SHREDDER

### KS3000



**Weight:** 30 kg  
**Width (mm):** 420x300x320  
**Voltage:** 230 V  
**Colour:** Black-White

### KS5000



**Weight:** 110 kg  
**Dimensions (mm):** 980x660x680  
**Voltage:** 230 V  
**Colour:** Black-grau  
Additional extraction available on request.

## PAPER MAILING BAGS

**Dimensions (mm):** 225 x 169 / 340 x 225 / 355 x 405  
**ExteriorMaterial:** Paper  
**Padding Material:** Paper/activaWrap®  
**Weight (g):** 24 / 49 / 87  
**Self-adhesive:** yes

AM1000 // AM1001 // AM1002







# activaBand®

## LIGHTNING FAST SECURING PALLETS



### Discover the potential of activaBand®

The dynamic stretch belt that optimizes any internal transport and storage process with safety and efficiency.

### Increase your advantages with our innovative Pallet stretch bands:

- Reduce accidents, damage and breakages for effective cost savings.
- Simply pulled over cartons or goods, this simple and effective method speeds up pallet transport and eliminates time-consuming accidents.
- And that's not all - thanks to different color options, activaBand® is perfect for marking pallets in your warehouse.

Always get the full overview and enrich your internal processes with activaBand®.



B49223 //  
B49213 // N49113 // N49313 // N49413

#### Pallet expansion strap

Length (mm)	600, 1200, 1400, 1600, 1800
Stk/VE	100
	200, 100, 85, 75, 65
Colour	Transparent



N19213

#### Safety tape, activaBand BASIC

Length (mm)	1200
Width (mm)	100
Stk/VE	100
Colour	Transpa- rent



B49000

#### Magnet Dispenser

The magnetic holder for the activaBand can be used flexibly on all metal objects be attached. This ensures maximum flexibility within the packaging process.



B49211

B49215

B49218

B49212

#### Pallet expansion strap

Length (mm)	1200
Width (mm)	100
Stk/VE	100
Colour	blue, green, yellow, red



Look this  
Application video  
on youtube.de





# activaDistributor

Are you looking for an exciting business opportunity that promises you success and growth in the world of packaging solutions? At activaTec® we are not only proud of our high-quality products, but also of our successful partnerships with distributors at home and abroad.

As an activaTec® distributor, you have the chance to become part of a dynamic network that sells innovative packaging solutions to a wide range of customers. Our products offer reliable protection for various products and meet the individual needs of a wide range of industries.

Why should you choose a partnership with activaTec®? Here are some unbeatable reasons:

- **High-quality products:** Our packaging solutions are recognized for their quality and reliability. As a distributor, you can present your customers with a product portfolio that creates trust.
- **Successful sales experience:** Thanks to our many years of experience in direct sales and with distributors, we can offer you proven sales strategies and support to make your business a success.
- **Worldwide network:** Our international distribution network gives you access to global markets, providing the opportunity for significant growth and success.
- **Working in partnership:** We believe in working in partnership with our distributors to achieve the best for our customers. Your success is also our success.

If you would like to become part of our successful team and benefit from the advantages of a partnership with activaTec®, please do not hesitate to contact us. We look forward to building a successful business relationship with you and revolutionizing the world of packaging solutions.

*We are pleased to get to know you!*



#### DIRECT AND PERSONAL

With us you will have your very personal contact person who will advise you and answer any questions you may have.



#### FAST DELIVERY

Your goods will be brought to you in the fastest and most efficient way.



#### SAVINGS THROUGH OPTIMIZATION

We optimize your packaging processes and materials and show the savings potential in your company.



#### HIGH STOCK

If there is a short-term need, we can deliver in the shortest possible time.



#### TECHNICAL SUPPORT

Do you need help with one of your machines? No problem! Simply contact our technical support free of charge:  
+49 173 201 7348



#### EUROPE-WIDE

With our network of reliable logistics partners, we can offer our service throughout Europe.



#### PRICE GUARANTEE

With us you will receive a price guarantee through framework orders or for a fixed period of time.



#### SAFETY & RELIABILITY

Rely on one consistently high quality of our products.





activaTec International GmbH & Co. KG  
Höher Birken 1  
51709 Marienheide | NRW | Germany

Fon +49 (0)40 669094-60  
Fax +49 (0)40 669094-79

[sales@activatec.de](mailto:sales@activatec.de)  
[www.activatec.de](http://www.activatec.de)