



# CATALOGUE

01-2026



**ROEDALE**

[www.roedale.de](http://www.roedale.de)

A person wearing a dark cap and jacket is seen from behind, looking through binoculars. They are standing in a field with a line of green bushes in the middle ground and a brown field in the background under a clear sky.

## HERITAGE - OUR ROOTS


Roedale is more than a name - it stands for origin and responsibility. The name traces back to a wild, untouched valley in the founder's home region, where he learned to hunt. "Roe" for roe deer and "Dale" for valley - literally, the "Valley of Roe Deer." It is a deliberate tribute to the place where a passion for hunting and firearms craftsmanship began, and from which the company later grew in Germany. That connection to history is still lived today: The family continues to work closely together, returns there regularly, hunts there as a team, and keeps those roots alive. Experience from the law-enforcement and military world - also part of the family's story - shapes our work as well. The result is products that bring together tradition, innovation and professional performance at the highest level.



## HIGH-PERFORMANCE TITANIUM SUPPRESSORS

ROEDALE'S TITANIUM 3D SERIES IS OUR FLAGSHIP SUPPRESSOR PLATFORM - BUILT FOR HUNTERS AND SHOOTERS WHO WANT A SOLUTION THAT FEELS EFFORTLESS: MINIMAL MAINTENANCE, MAXIMUM CONFIDENCE, AND PERFORMANCE YOU CAN RELY ON IN ANY SITUATION. MADE FROM PREMIUM T164 GRADE 23 TITANIUM AND PRODUCED WITH ADVANCED 3D MANUFACTURING, THESE SUPPRESSORS USE HIGHLY EFFICIENT INTERNAL GEOMETRY FOR CONSISTENT REAL-WORLD RESULTS - DESIGNED SO RESIDUE TENDS TO STICK FAR LESS AND PERFORMANCE STAYS STABLE UNDER HARD USE. THE MK-X (MARK X) GENERATION REFINES THE ENTIRE LINEUP WITH A MODERN DESIGN AND A UNIFIED STANDARD ACROSS THE RANGE, BACKED BY A 10-YEAR WARRANTY. THE IDEA IS SIMPLE: LESS WORRY, MORE FOCUS - SO YOU CAN FULLY CONCENTRATE ON YOUR PASSION.

100% MADE IN GERMANY



SUPPRESSORS

**TI42XK**



## ROEDALE TI42XK SUPPRESSOR

### Specifications

Length: 167 mm  
Diameter: 42 mm  
Added length: 102 mm  
Weight: from 230 g  
Suppression: 27-33 dB

When every gram counts, you need a suppressor that delivers real performance and fits your rifle like it was made for it. The Ti42XK is built for exactly that: strong suppression with minimal added weight – without compromise. It's ideal for ultra-light builds, hill stalking, general stalking, and varmint control, and it's also a great choice for driven-hunt shooters who want to avoid the bulk of larger suppressors. Despite its compact profile, it delivers impressive sound reduction and improves handling. The rifle stays well balanced, mounts quickly, and remains easy to control. It integrates so naturally you barely notice it's there – exactly what matters in fast, dynamic hunting situations. Reliability is key: premium materials, complete corrosion resistance, a resilient coating, and a virtually self-cleaning design ensure dependable performance in the field. Recommended for: .223 Rem., 6.5 Creedmoor, and .308 Win. (min. barrel length 50 cm), plus comparable, slightly higher-performance cartridges. For best results, standard barrel lengths are recommended – this is where the model

shows its strengths most clearly. A suppressor for hunters who want to feel the performance – but not the weight. The Ti42XK proves how a low-profile design keeps a rifle lively and well balanced, while delivering uncompromising capability – in the DNA of the Titan 3D series.

Calibre	Item Number
Calibre Group 4.5 – 5.5 mm	100110008-001
Calibre Group 5.5 – 6.5 mm	100110008-002
Calibre Group 6.5 mm – .30	100110008-003
Calibre Group 7 – 8 mm	100110008-004
Calibre Group 8 – 8.5 mm	100110008-005
Calibre Group 8.5 – 9.5 mm	100110008-006

RRP (net, excl. VAT) **755,47 €**

Additional calibre sizes (not larger than calibre group 8.5-9.5 mm) can be ordered on request, tailored to the specific calibre. Delivery time is approximately 14-21 days longer.

SUPPRESSORS

**TI42M**



## ROEDALE TI42M SUPPRESSOR

**Specifications**  
Length: 161 mm  
Diameter: 42 mm  
Added length: 141 mm  
Weight: from 230 g  
Suppression: 29-35 dB

With every gram counting in both hunting and sport – and maximum flexibility is the priority – the Ti42M is the logical choice. It shares the DNA of the Ti42XK but uses a muzzle-forward (non-over-barrel) design. The added forward length increases expansion volume, delivering outstanding suppression for its size while staying agile and extremely lightweight. Whether stalking in the hills or shooting on a driven hunt, the Ti42M integrates seamlessly and adds noticeable comfort. Its muzzle-forward configuration fits virtually any setup – including full-stock “Stutzen” rifles, long handguards, or iron sights. Tracking and follow-up specialists value it as a rugged companion that still allows straightforward use of front and rear sights. This versatility carries over to sporting use: on semi-automatic rifles with adjustable gas systems, the Ti42M combines fast handling with reliable cycling. In bolt-action disciplines where balance matters, it stands out with low mass and excellent durability. Recommended for: .223 Rem., 6.5 Creedmoor, and .308 Win. (min. barrel length 45 cm), plus cartridges in similar performance ranges. Standard barrel lengths are rec-

ommended for optimal suppression. A suppressor for hunters and shooters who don't just hear performance – they feel it in the handling. The Ti42M proves how minimalism can deliver maximum manoeuvrability and uncompromising capability – embedded in the DNA of the Titan 3D series.

Calibre	Item Number
Calibre Group 4.5 – 5.5 mm	100110007-001
Calibre Group 5.5 – 6.5 mm	100110007-002
Calibre Group 6.5 mm – .30	100110007-003
Calibre Group 7 – 8 mm	100110007-004
Calibre Group 8 – 8.5 mm	100110007-005
Calibre Group 8.5 – 9.5 mm	100110007-006

RRP (net, excl. VAT) **755,47 €**

Additional calibre sizes (not larger than calibre group 8.5-9.5 mm) can be ordered on request, tailored to the specific calibre. Delivery time is approximately 14-21 days longer.

**Ti42**



**ROEDALE  
Ti42  
SUPPRESSOR**

**Specifications**  
 Length: 199 mm  
 Diameter: 42 mm  
 Added length: 134 mm  
 Weight: from 295 g  
 Suppression: 30–36 dB

The Ti42 is the slim, elegant choice in the Titanium 3D Series - made for hunters who want a suppressor that doesn't change their rifle's handling. With its 42 mm diameter and extremely low 21 mm build height from the bore axis, it sits close to the barrel line and looks especially harmonious on break-action rifles and slender hunting rifles. But the Ti42 isn't only about aesthetics: on short barrels with clip-on devices, it can be the practical solution that creates the clearance you need when space is tight. Despite the slim profile, it delivers strong real-world suppression (30–36 dB) while adding only 134 mm, and it stays very light at 295 g - so the rifle remains quick to shoulder and easy to carry all day. Like every model in the series, it is built layer by layer from premium Ti64 Grade 23 titanium, with internal 3D geometry designed to keep performance consistent under hard use. In the MK-X generation, the entire Ti-

tanium 3D lineup moves forward together - more efficient, more compact, lighter, with a modern design and a unified standard across the series, backed by a 10-year warranty.

Calibre	Item Number
Calibre Group 4.5 - 5.5 mm	100110008-001
Calibre Group 5.5 - 6.5 mm	100110008-002
Calibre Group 6.5 mm - .30	100110008-003
Calibre Group 7 - 8 mm	100110008-004
Calibre Group 8 - 8.5 mm	100110008-005
Calibre Group 8.5 - 9.5 mm	100110008-006

RRP (net, excl. VAT) **831,94 €**

Additional calibre sizes (not larger than calibre group 8.5–9.5 mm) can be ordered on request, tailored to the specific calibre. Delivery time is approximately 14–21 days longer.

SUPPRESSORS

**TI48XK**



## ROEDALE TI48XK SUPPRESSOR



### Specifications

Length: 167 mm  
Diameter: 48.7 mm  
Added length: 102 mm  
Weight: from 280 g  
Suppression: 30-36 dB

The Ti48XK is the ultra-compact specialist in the Titanium 3D Series - built for hunters who want maximum manoeuvrability without giving up serious suppression. With only 102 mm added length (and 167 mm total length), it keeps the rifle short, fast, and easy to control in tight blinds, thick brush, and dynamic hunting situations. Even in this compact format, it achieves impressive real-world suppression (30-36 dB) and feels almost “invisible” on the rifle at just 280 g, helping maintain a natural balance. This model is all about compactness done properly: robust, full-titanium construction and internal 3D geometry that supports consistent performance under heavy use. One important note: because the Ti48XK is designed around maximum compactness, it is not compatible with the DeltaBrake22 - a deliberate decision to keep the system as short and handy as possible. As part of MK-X, it benefits from the new generation's refined efficiency and modern design language, backed by a 10-year warranty.

Calibre	Item Number
Calibre Group 4.5 - 5.5 mm	100110007-001
Calibre Group 5.5 - 6.5 mm	100110007-002
Calibre Group 6.5 mm - .30	100110007-003
Calibre Group 7 - 8 mm	100110007-004
Calibre Group 8 - 8.5 mm	100110007-005
Calibre Group 8.5 - 9.5 mm	100110007-006

RRP (net, excl. VAT) **822,69 €**

Additional calibre sizes can be ordered on request, tailored to the specific calibre. Delivery time is approximately 14-21 days longer.

SUPPRESSORS

**TI48M**



## ROEDALE TI48M SUPPRESSOR

**Specifications**  
Length: 161 mm  
Diameter: 48.7 mm  
Added length: 141 mm  
Weight: from 325 g  
Suppression: 32-38 dB

The Ti48M is the practical problem-solver in the Titanium 3D Series - made for rifles where classic overbarrel designs simply don't work. If your setup allows no rear overhang behind the muzzle, if you run open sights, or if you use very short barrels (especially with clip-on devices), the Ti48M's non-overbarrel concept is designed specifically for those real-world constraints. It stays compact and handling-friendly while still delivering strong suppression (32-38 dB) at a weight starting from 335 g. A key benefit is its medium-pressure design, intended to reduce back pressure - especially helpful on semi-automatic rifles for a smoother suppressed experience (an adjustable gas block is still recommended). Built from premium Ti64 Grade 23 titanium with internal 3D geometry tuned for consistent performance, it's a purpose-built solution that still feels at home as an everyday hunting suppressor. In MK-X, it's part of the refined generation - more efficient, more compact, lighter, with a modern design and a 10-year warranty.

**Also available as Ti48M DL-S (DeltaLock Steel):** fast, secure, repeatable mounting via DeltaLock with a locking interface. Ideal for frequent mounting and semi-auto use; stated compatibility includes DeltaBrake27 as well as systems such as Ase Ultra BoreLock, Klärig BoreLock 2 and Hera Link System.

Calibre	Item Number
Calibre Group 4.5 - 5.5 mm	100110009-001
Calibre Group 5.5 - 6.5 mm	100110009-002
Calibre Group 6.5 mm - .30	100110009-003
Calibre Group 7 - 8 mm	100110009-004
Calibre Group 8 - 8.5 mm	100110009-005
Calibre Group 8.5 - 9.5 mm	100110009-006
Calibre Group 10.5 mm - .45	100110009-007

RRP (net, excl. VAT) **881,52 €**

Additional calibre sizes can be ordered on request, tailored to the specific calibre. Delivery time is approximately 14-21 days longer.



## ROEDALE TI48 SUPPRESSOR

**Specifications**  
 Length: 193 mm  
 Diameter: 48.7 mm  
 Added length: 128 mm  
 Weight: from 335 g  
 Suppression: 33-39 dB

The Ti48 is the “one suppressor for almost everything” model in the Titanium 3D Series - built for hunters who want top performance without overthinking the setup. It combines strong suppression and broad versatility with a balanced format that keeps rifles feeling natural and not front-heavy. With 33-39 dB suppression, 128 mm added length, and a weight starting at 325 g, it hits a sweet spot for everyday hunting - effective reduction while staying comfortable to carry and shoot. The Ti48 is also designed with enough performance reserve to remain a confident choice for standard magnum calibres, making it a true all-rounder. Like every Titanium 3D model, it is built layer by layer from premium Ti64 Grade 23 titanium, using internal 3D geometry that conventional manufacturing can't easily replicate - optimised for stable performance under demanding conditions. In the MK-X generation, the Ti48 becomes part of the unified new standard - more efficient, more compact, lighter, with a modern design and a 10-year warranty.

Calibre	Item Number
Calibre Group 4.5 - 5.5 mm	100110010-001
Calibre Group 5.5 - 6.5 mm	100110010-007
Calibre Group 6.5 mm - .30	100110010-003
Calibre Group 7 - 8 mm	100110010-004
Calibre Group 8 - 8.5 mm	100110010-005
Calibre Group 8.5 - 9.5 mm	100110010-006

RRP (net, excl. VAT) **906,73 €**

Additional calibre sizes can be ordered on request, tailored to the specific calibre. Delivery time is approximately 14-21 days longer.

SUPPRESSORS

Ti55



## ROEDALE Ti55 SUPPRESSOR



### Specifications

Length: 214 mm  
Diameter: 55 mm  
Added length: 149 mm  
Weight: from 420 g  
Suppression: 35-41 dB

The Ti55 is the flagship power model of the Titanium 3D Series - built for hunters and shooters who want maximum suppression reserves and serious durability in demanding calibres. Developed for ultra-magnum cartridges such as .338 Lapua Magnum, it targets top-end performance where other systems approach their limits. With its 55 mm diameter, it delivers strong real-world suppression (35-41 dB) while remaining surprisingly practical in the field. A key advantage is how much performance it packs into a manageable setup: weight starts at 410 g with only 149 mm added length, making it compact for its class. That “extra headroom” also makes it attractive beyond ultra-magnums - ideal when you want maximum reduction and reserve capacity for tough conditions. Built layer by layer from premium Ti64 Grade 23 titanium, the Ti55 carries Titanium 3D DNA at its strongest: robust construction, advanced internal 3D geometry, and consistent

performance under hard use. In the MK-X generation, it sits within the unified new standard - more efficient, more compact, lighter, with a modern design and a 10-year warranty.

Calibre	Item Number
Calibre Group 5.5 - 6.5 mm	100110011-001
Calibre Group 6.5 mm - .30	100110011-002
Calibre Group 7 - 8 mm	100110011-003
Calibre Group 8 - 8.5 mm	100110011-004
Calibre Group 8.5 - 9.5 mm	100110011-005

RRP (net, excl. VAT) 1.091,60 €

Additional calibre sizes (from 5.5-6.5 mm upwards) can be ordered on request, tailored to the specific calibre. Delivery time is approximately 14-21 days longer.



## **HIGH-PERFORMANCE ALUMINIUM SUPPRESSORS**

THE ROEDALE HUNTER SERIES IS BUILT FOR HUNTERS AND SHOOTERS WHO WANT VERY HIGH SUPPRESSION AT AN ACCESSIBLE PRICE—A LIGHTWEIGHT, COMPACT SETUP THAT KEEPS RIFLES PRACTICAL AND EASY TO HANDLE IN THE FIELD. IT DELIVERS STRONG REAL-WORLD NOISE REDUCTION WITHOUT TURNING YOUR RIFLE INTO AN OVERSIZED OR FRONT-HEAVY PACKAGE. THE MK-X GENERATION REFINES THE SERIES WITH A MODERN DESIGN AND MK-X PERFORMANCE HARD ANODISING TO IMPROVE WEAR AND CORROSION RESISTANCE. AS WITH ANY ALUMINIUM SUPPRESSOR, SERVICE LIFE DEPENDS ON SENSIBLE USE, HEAT MANAGEMENT AND PROPER CARE OVER TIME. IN SHORT: THE HUNTER SERIES IS THE STRAIGHTFORWARD CHOICE WHEN YOU WANT EXCELLENT SUPPRESSION VALUE AND CLEAN, BALANCED HANDLING—AND YOU'RE HAPPY TO LOOK AFTER YOUR EQUIPMENT.

100% MADE IN GERMANY



SUPPRESSOR  
**HUNTER 40F**



# ROEDALE HUNTER 40F SUPPRESSOR

**Specifications**  
Length: 151.5 mm  
Diameter: 39 mm  
Added length: 130 mm  
Weight: from 185 g  
Suppression: 23-27 dB

The Hunter 40F is built for shooters who want outstanding noise reduction with minimal added weight—without changing the feel of their air rifle. It keeps your setup compact and easy to handle while maintaining its original balance and precision. Thanks to its low weight, the 40F is especially comfortable for longer sessions and practical field use. A key highlight is the all-aluminium construction, which is uncommon in air-rifle suppressors. The MK-X generation is refined for an even more compact setup while maintaining strong performance for typical air-rifle use. The new MK-X Performance hard anodising improves wear and corrosion resistance. Aluminium suppressors are wear items, so longevity depends on use, heat management and proper care over time. A lightweight, compact solution that keeps handling clean and balanced.

Calibre	Item Number
Calibre Group max .22 / 5.5 mm	100100017

RRP (net, excl. VAT) **138,66 €**

SUPPRESSOR

# HUNTER 40H



## ROEDALE HUNTER 40H SUPPRESSOR

### Specifications

Length: 151.5 mm  
Diameter: 39 mm  
Added length: 130 mm  
Weight: from 185 g  
Suppression: 23-27 dB

The Hunter 40H is purpose-built for Hornet calibres, delivering excellent noise reduction without making your rifle feel front-heavy. It keeps handling quick and familiar, which is exactly what you want for practical hunting use. Thanks to its lightweight design, it stays comfortable to carry and shoot, even over longer sessions. Mounting and everyday use are straightforward, so it fits naturally into your regular setup. The MK-X generation is refined for a more compact, more efficient package while keeping performance where it matters. The new MK-X Performance hard anodising improves wear and corrosion resistance. Aluminium suppressors are wear items, so longevity depends on use, heat management and proper care over time. A compact Hornet suppressor that keeps your rifle balanced and field-ready.

Calibre	Item Number
Calibre Group max .22 / 5.5 mm	100100018

RRP (net, excl. VAT) **151,26 €**

SUPPRESSORS

# HUNTER 40KK



## ROEDALE HUNTER 40KK SUPPRESSOR

**Specifications**  
Length: 151.5 mm  
Diameter: 39 mm  
Added length: 130 mm  
Weight: from 185 g  
Suppression: 23-27 dB

The Hunter 40KK is designed for rimfire and smallbore rifles, offering effective noise reduction in a compact, handling-friendly format. It keeps your rifle light and easy to point, supporting the balance and precision rimfire shooters rely on. Its low weight makes it a great choice for longer sessions and practical field use. The design focuses on everyday usability: simple, consistent, and easy to live with. The MK-X generation further refines the concept for a cleaner, more compact setup without sacrificing real-world performance. The new MK-X Performance hard anodising improves wear and corrosion resistance. Aluminium suppressors are wear items, so longevity depends on use, heat management and proper care over time. A practical rimfire choice when you want suppression without extra bulk.

Calibre	Item Number
Calibre Group max .22 / 5.5 mm	100100019

RRP (net, excl. VAT) **168,07 €**

SUPPRESSORS

## HUNTER 50XK+



## ROEDALE HUNTER 50XK+ SUPPRESSOR

**Specifications**  
Length: 182 mm  
Diameter: 49 mm  
Added length: 105 mm  
Weight: from 320 g  
Suppression: 31-35 dB


The Hunter 50XK+ is made for shooters who want strong suppression in a notably compact design for standard large calibres. It keeps your rifle lively and well balanced, which is why it's one of the most popular all-round models. The focus is efficiency: meaningful noise reduction without turning the rifle into a long, cumbersome setup. The MK-X generation is refined to be even more compact and more capable, built for real hunting use where handling matters. The new MK-X Performance hard anodising improves wear and corrosion resistance. Aluminium suppressors are wear items, so longevity depends on use, heat management and proper care over time. The compact "sweet spot" for everyday standard calibre hunting setups.

Calibre	Item Number
Calibre Group 4.5 - 5.5 mm	100100014-001
Calibre Group 5.5 - 6.5 mm	100100014-002
Calibre Group 6.5 mm - .30	100100014-003
Calibre Group 7 - 8 mm	100100014-004
Calibre Group 8 - 8.5 mm	100100014-005
Calibre Group 8.5 - 9.5 mm	100100014-006

RRP (net, excl. VAT) **441,18 €**

SUPPRESSORS

## HUNTER 50+



# ROEDALE HUNTER 50+ SUPPRESSOR

**Specifications**  
Length: 222 mm  
Diameter: 49 mm  
Added length: 145 mm  
Weight: from 385 g  
Suppression: 34-38 dB


The Hunter 50+ is the right choice when your priority is very high noise reduction while keeping handling comfortably field-usable. It's designed for shooters who want maximum suppression on standard large calibres and accept a slightly larger setup to get it. Robust and confidence-inspiring, it's well suited for regular hunting use where consistent performance matters. The MK-X generation refines the platform into a more efficient, modern package without changing what users value most: quiet performance. The new MK-X Performance hard anodising improves wear and corrosion resistance. Aluminium suppressors are wear items, so longevity depends on use, heat management and proper care over time. For those who want "as quiet as possible" on standard calibres.

Calibre	Item Number
Calibre Group 4.5 - 5.5 mm	100100015-001
Calibre Group 5.5 - 6.5 mm	100100015-002
Calibre Group 6.5 mm - .30	100100015-003
Calibre Group 7 - 8 mm	100100015-004
Calibre Group 8 - 8.5 mm	100100015-005
Calibre Group 8.5 - 9.5 mm	100100015-006

RRP (net, excl. VAT) **483,20 €**

SUPPRESSORS

## HUNTER 55+



## ROEDALE HUNTER 55+ SUPPRESSOR

**Specifications**  
Length: 222 mm  
Diameter: 54 mm  
Added length: 145 mm  
Weight: from 455 g  
Suppression: 37-42 dB

The Hunter 55+ is built for shooters who want maximum noise reduction in a hunting-ready large-calibre suppressor. Its larger-volume concept is aimed at top-end suppression performance while still keeping the rifle manageable in the field. It's also intended for standard magnum calibres in long-term use, making it a serious option for high-output hunting rifles. The MK-X generation refines the flagship design for an optimised, modern setup that stays practical for real-world use. The new MK-X Performance hard anodising improves wear and corrosion resistance. Aluminium suppressors are wear items, so longevity depends on use, heat management and proper care over time. Flagship suppression performance for demanding large-calibre and standard magnum setups.

Calibre	Item Number
Calibre Group 4.5 - 5.5 mm	100100016-001
Calibre Group 5.5 - 6.5 mm	100100016-002
Calibre Group 6.5 mm - .30	100100016-003
Calibre Group 7 - 8 mm	100100016-004
Calibre Group 8 - 8.5 mm	100100016-005
Calibre Group 8.5 - 9.5 mm	100100016-006
Calibre Group 10.5 mm - .45	100100016-007

RRP (net, excl. VAT) **537,82 €**



ROEDALE  
HYBRID III 47X4

## HIGH-PERFORMANCE HYBRID SUPPRESSORS

THE ROEDALE HYBRID SERIES IS DESIGNED FOR USERS WHO LIKE THE LIGHTWEIGHT, COMPACT HANDLING OF CLASSIC HUNTING SUPPRESSORS, BUT WANT A SMARTER SERVICE CONCEPT FOR LONG-TERM USE. OUTER PARTS AND SOME INTERNAL COMPONENTS ARE ALUMINIUM TO KEEP WEIGHT AND HANDLING COMFORTABLE, WHILE ALL GAS-EXPOSED CORE ELEMENTS ARE MADE FROM GRADE 5 TITANIUM FOR DURABILITY WHERE IT MATTERS MOST. HYBRID MODELS ARE NOT MAINTENANCE-FREE BY DESIGN - INSTEAD, THEY ARE BUILT TO BE MAINTAINED AND REFRESHED WITH REPLACEMENT PARTS OVER TIME, HELPING YOU KEEP PERFORMANCE CONSISTENT ACROSS MANY SEASONS. AN INTELLIGENT, PRACTICAL STEP IN OUR LINEUP FOR CUSTOMERS WHO WANT MORE SERVICEABILITY - WHILE THE TITANIUM 3D SERIES REMAINS THE ULTIMATE FULL-TITANIUM FLAGSHIP PLATFORM.

100% MADE IN GERMANY



SUPPRESSORS

## HYBRID 47XK+



# ROEDALE HYBRID 47XK+ SUPPRESSOR

The Roedale Hybrid 47XK+ marks the start of Roedale's Hybrid Series—built for hunters who want top suppression in a compact, lightweight and well balanced setup. As an overbarrel monocore suppressor, it delivers maximum performance in minimal space, with very little added length (101 mm) and an expansion chamber extending around 81 mm back over the barrel. The Hybrid concept is service-friendly: all gas-exposed core elements are Grade 5 titanium, while outer parts and some internal components are aluminium to keep weight low and handling comfortable. It's not designed to be maintenance-free; instead, the design idea is simple: it's built to be maintained and re-

freshed with replacement parts over time - an intelligent step between the Hunter aluminium line and our flagship platform, the Titanium 3D Series.

Calibre	Item Number
Calibre Group 4.5 - 5.5 mm	100105001-001
Calibre Group 5.5 - 6.5 mm	100105001-002
Calibre Group 6.5 mm - .30	100105001-003
Calibre Group 7 - 8 mm	100105001-004
Calibre Group 8 - 8.5 mm	100105001-005
Calibre Group 8.5 - 9.5 mm	100105001-006

#### Specifications

Length: 182 mm  
Diameter: 47.8 mm  
Added length: 101 mm  
Weight: from 325 g  
Suppression: 32-37 dB

RRP (net, excl. VAT) 609,25 €

SUPPRESSORS

## HYBRID 47M+



## ROEDALE HYBRID 47M+ SUPPRESSOR

**Specifications**  
Length: 163 mm  
Diameter: 47.8 mm  
Added length: 143 mm  
Weight: from 320 g  
Suppression: 32-37 dB

The Roedale Hybrid 47M+ is a solution for setups where an overbarrel design isn't possible. As a non-overbarrel suppressor, it's ideal for rifles with open sights or semi-automatics with a long handguard - any configuration where no overhang is possible. Even so, it remains compact for its class, adding only 143 mm, while delivering strong suppression in a lightweight, practical format. All gas-exposed core elements are Grade 5 titanium, while outer parts and some internal components are aluminium to keep weight low and handling comfortable. It's not designed to be maintenance-free; instead, the design idea is simple: it's built to be maintained and refreshed with replacement parts over time - an intelligent step between

the Hunter aluminium line and our flagship platform, the Titanium 3D Series.

Calibre	Item Number
Calibre Group 4.5 - 5.5 mm	100105004-001
Calibre Group 5.5 - 6.5 mm	100105004-002
Calibre Group 6.5 mm - .30	100105004-003
Calibre Group 7 - 8 mm	100105004-004
Calibre Group 8 - 8.5 mm	100105004-005
Calibre Group 8.5 - 9.5 mm	100105004-006
Calibre Group 10.5 mm - .45	100105004-007

RRP (net, excl. VAT) 659,67 €

SUPPRESSORS

## HYBRID 47S+



# ROEDALE HYBRID 47S+ SUPPRESSOR

**Specifications**  
Length: 222 mm  
Diameter: 47.8 mm  
Added length: 141 mm  
Weight: from 380 g  
Suppression: 34-40 dB

The Roedale Hybrid 47S+ is the versatile Hybrid all-rounder for standard calibres such as .308 Win, .30-06 and similar. As an overbarrel design, it combines low weight and moderate added length with a very high suppression level, making it a strong choice for many hunting and sporting applications. All gas-exposed core elements are Grade 5 titanium, while outer parts and some internal components are aluminium to keep weight low and handling comfortable. It can also be used on standard magnum calibres (e.g., .300 Win Mag) when needed, while Roedale offers a dedicated specialist model for frequent magnum use. Not designed to be maintenance-free, but to be maintained and refreshed with replacement parts over time - an intelligent step between the Hunter aluminium line and our flagship platform, the Titanium 3D Series.

Calibre	Item Number
Calibre Group 4.5 - 5.5 mm	100105002-001
Calibre Group 5.5 - 6.5 mm	100105002-002
Calibre Group 6.5 mm - .30	100105002-003
Calibre Group 7 - 8 mm	100105002-004
Calibre Group 8 - 8.5 mm	100105002-005
Calibre Group 8.5 - 9.5 mm	100105002-006

RRP (net, excl. VAT) **668,07 €**

SUPPRESSORS

## HYBRID 47SH+



## ROEDALE HYBRID 47SH+ SUPPRESSOR


**Specifications**  
Length: 222 mm  
Diameter: 47.8 mm  
Added length: 141 mm  
Weight: from 400 g  
Suppression: 36-41 dB

The Roedale Hybrid 47SH+ is the Hybrid specialist for standard magnum calibres such as .300 Win Mag and comparable cartridges. As an overbarrel design with dedicated internal tuning, it's built to suppress these magnum calibres effectively while staying compact and handling-friendly for practical hunting use.

All gas-exposed core elements are Grade 5 titanium, while outer parts and some internal components are aluminium to keep weight low and handling comfortable. Not designed to be maintenance-free, but to be maintained and refreshed with replacement parts over time - an intelligent step between the Hunter aluminium line and our flagship platform, the Titanium 3D Series.

Calibre	Item Number
Calibre Group 4.5 - 5.5 mm	100105003-001
Calibre Group 5.5 - 6.5 mm	100105003-002
Calibre Group 6.5 mm - .30	100105003-003
Calibre Group 7 - 8 mm	100105003-004
Calibre Group 8 - 8.5 mm	100105003-005
Calibre Group 8.5 - 9.5 mm	100105003-006

RRP (net, excl. VAT) **693,28 €**



## **MOUNTING SYSTEMS, ACCESSORIES & TOOLS**

THIS SECTION COVERS ROEDALE'S MOUNTING SYSTEMS (THREAD ADAPTERS, RASP-LOCK, DELTALOCK), MUZZLE BRAKES, AND A WIDE RANGE OF ACCESSORIES AND TOOLS. DESIGNED FOR PRACTICAL USE AND CLEAN INTEGRATION, THESE COMPONENTS HELP YOU CONFIGURE YOUR SETUP, EXPAND COMPATIBILITY ACROSS DIFFERENT RIFLES, AND SUPPORT PROPER HANDLING, TRANSPORT AND MAINTENANCE IN EVERYDAY FIELD USE.

100% MADE IN GERMANY

---

QUICK MOUNT SYSTEM

RASP-LOCK

## ROEDALE RASP-LOCK QUICK MOUNT SYSTEM

The Roedale RASP-Lock (Rapid Attach Safety Precision – Lock) quick-mount system is built for hunters who want fast, repeatable suppressor mounting—without the hassle of time-consuming screwing on and off. With just three turns ( $3 \times 360^\circ$ ), the suppressor can be fitted or removed in under 2.5 seconds, and the large contact surface is designed for a secure, stable connection. RASP-Lock combines Roedale's TRS18 quick thread with a conical contact surface that provides a reliable locking effect for consistent seating and centring—supporting repeatable precision and point of impact. It also adds flexibility: one suppressor can be used across multiple rifles within the same calibre group, and different suppressors can be swapped between rifles. The barrel-thread adapter features DLC coating, and the system supports bullet diameters up to 9.5 mm.

## BARREL ADAPTER



Size	Item Number	RRP (net, excl. VAT)
1/2x20	101101001-001	42,02 €
1/2x28	101101001-002	42,02 €
5/8x24	101101001-003	56,30 €
M13x1	101101001-004	42,02 €
M14x1	101101001-005	42,02 €
M15x1	101101001-006	42,02 €
M16x1	101101001-007	56,30 €
M17x1	101101001-008	56,30 €
M18x1	101101001-009	56,30 €
M15x1 H&K	101101001-010	56,30 €

# SUPPRESSOR-ADAPTER



Size	Item Number	RRP (net, excl. VAT)
M22x1,5	101101002-002	33,62 €
M18x1	101101002-001	33,62 €

# THREAD CAP



Colour	Item Number	RRP (net, excl. VAT)
Black	101101003-001	21,01 €
Gold	101101003-002	46,22 €

# RASP-BRAKE



Perfectly suited for scenarios where suppressors are not permitted. It effectively minimizes muzzle flash and recoil, even during rapid fire. The system enables a seamless and quick switch between a suppressor and a muzzle brake.

Calibre	Item Number	RRP (net, excl. VAT)
upto 6.5 mm	250102003-001	125,21 €
upto 8.5 mm	250102003-002	125,21 €
upto 9.5 mm	250102003-003	125,21 €

# SET

Set consisting of a barrel adapter, suppressor adapter and black thread protection cap.



Set	Item Number	RRP (net, excl. VAT)
M22x1,5 1/2x20	101101004-001	89,92 €
M22x1,5 1/2x28	101101004-002	89,92 €
M22x1,5 5/8x24	101101004-003	104,21 €
M22x1,5 M13x1	101101004-004	89,92 €
M22x1,5 M14x1	101101004-005	89,92 €
M22x1,5 M15x1	101101004-006	89,92 €
M22x1,5 M16x1	101101004-007	104,21 €
M22x1,5 M17x1	101101004-008	104,21 €
M22x1,5 M18x1	101101004-009	104,21 €
M22x1,5 M15x1 H&K	101101004-010	104,21 €
M18x1 1/2x20	101101004-011	89,92 €
M18x1 1/2x28	101101004-012	89,92 €
M18x1 5/8x24	101101004-013	104,21 €
M18x1 M13x1	101101004-014	89,92 €
M18x1 M14x1	101101004-015	89,92 €
M18x1 M15x1	101101004-016	89,92 €
M18x1 M16x1	101101004-017	104,21 €
M18x1 M17x1	101101004-018	104,21 €
M18x1 M18x1	101101004-019	104,21 €
M18x1 M15x1 H&K	101101004-020	104,21 €



## ROEDALE METRIC M22X1,5 THREAD ADAPTER

Roedale thread adapters, made from stainless steel, are highly durable and offer exceptional flexibility. They are available in a wide range of thread sizes and, thanks to their design, can be adapted for many different applications. Two adapter base sizes are available (M18x1 and M22x1.5); please select the base size that matches your product. They are typically installed using threadlocker, but can also be used without bonding, provided careful attention is paid to correct installation every time. The well-designed construction allows quick, easy adapter changes with the correct hex key (10 mm hex for threads up to 14 mm, 12 mm hex for threads 15 mm and above).



Size	Item Number
M13x1	101100001-002
M14x1	101100001-003
M15x1	101100001-004
M16x1	101100001-005
M17x1	101100001-006
M18x1	101100001-007

RRP (net, excl. VAT) 21,01 €



## ROEDALE IMPERIAL M22X1,5 THREAD ADAPTER

Roedale thread adapters, made from stainless steel, are highly durable and offer exceptional flexibility. They are available in a wide range of thread sizes and, thanks to their design, can be adapted for many different applications. Two adapter base sizes are available (M18×1 and M22×1.5); please select the base size that matches your product. They are typically installed using threadlocker, but can also be used without bonding, provided careful attention is paid to correct installation every time. The well-designed construction allows quick, easy adapter changes with the correct hex key (10 mm hex for threads up to 14 mm, 12 mm hex for threads 15 mm and above).



Size	Item Number
1/2x20	101100001-008
1/2x28	101100001-009
5/8x18	101100001-010
5/8x24	101100001-011
9/16x24	101100001-012
11/16x24	101100001-013

RRP (net, excl. VAT) **21,01 €**

# SPECIAL THREADS



## ROEDALE SPECIAL THREADS M22X1,5 THREAD ADAPTER



Roedale thread adapters, made from stainless steel, are highly durable and offer exceptional flexibility. They are available in a wide range of thread sizes and, thanks to their design, can be adapted for many different applications. Two adapter base sizes are available (M18x1 and M22x1.5); please select the base size that matches your product. They are typically installed using threadlocker, but can also be used without bonding, provided careful attention is paid to correct installation every time. The well-designed construction allows quick, easy adapter changes with the correct hex key (10 mm hex for threads up to 14 mm, 12 mm hex for threads 15 mm and above).

Size	Item Number
M20x1	101100001-014
3/4x24	101100001-015
1/4x24	101100001-021
M13x1 LH	101100001-016
M13,5x1 LH	101100001-017
M14x1 LH	101100001-018
M16x1 LH	101100001-019
M15x1 H&K	101100001-020

RRP (net, excl. VAT) **29,42 €**



## ROEDALE METRIC M18X1 THREAD ADAPTER

Roedale thread adapters, made from stainless steel, are highly durable and offer exceptional flexibility. They are available in a wide range of thread sizes and, thanks to their design, can be adapted for many different applications. Two adapter base sizes are available (M18x1 and M22x1.5); please select the base size that matches your product. They are typically installed using threadlocker, but can also be used without bonding, provided careful attention is paid to correct installation every time. The well-designed construction allows quick, easy adapter changes with the correct hex key (10 mm hex for threads up to 14 mm, 12 mm hex for threads 15 mm and above).



Size	Item Number
M13x1	101100002-002
M14x1	101100002-002
M15x1	101100002-003
M16x1	101100002-004
M17x1	101100002-005

RRP (net, excl. VAT) **21,01 €**

## ROEDALE SPECIAL THREADS M18X1 THREAD ADAPTER

Size	Item Number
M13x1.5 LH	101100002-019
M14x1 LH	101100002-012
M19x1	101100002-015
M20x1	101100002-021
3/4x24	101100002-023
9/16x24	101100002-013
11/16x24	101100002-014

RRP (net, excl. VAT) **29,42 €**

THREAD ADAPTER

**IMPERIAL**



## ROEDALE IMPERIAL M18X1 THREAD ADAPTER



Roedale thread adapters, made from stainless steel, are highly durable and offer exceptional flexibility. They are available in a wide range of thread sizes and, thanks to their design, can be adapted for many different applications. Two adapter base sizes are available (M18×1 and M22×1.5); please select the base size that matches your product. They are typically installed using threadlocker, but can also be used without bonding, provided careful attention is paid to correct installation every time. The well-designed construction allows quick, easy adapter changes with the correct hex key (10 mm hex for threads up to 14 mm, 12 mm hex for threads 15 mm and above).

Size	Item Number
1/2x20	101100002-007
1/2x28	101100002-008
5/8x18	101100002-009
5/8x24	101100002-010

RRP (net, excl. VAT) **21,01 €**



## MESH KIT (RETROFIT/REPLACEMENT)



Material: Stainless Steel

Type	Fits	Item Number	RRP (net, excl. VAT)	
Kit 1   3 x 2 cm wide	Hunter 50XK+, Hybrid 47XK+, Hybrid 47S+	101110016-001	80,00 €	53,60 €
Kit 2   5 x 2 cm wide	Hunter 50+	101110016-002	90,00 €	38,99 €
Kit 3   5 x 2 cm wide / extra long	Hunter 55+, Hybrid 47SH+	101110016-003	100,00 €	38,99 €
Kit 4   4 x 2 cm wide	Old Gen's: H50K, H50, H55K, H55	101110016-004	100,00 €	38,99 €

## GUIDE BUSHING (SPARE PART HUNTER & HYBRID SERIES)



Size	Item Number
For enlargement (∅ 14 mm)	101110011-001
Standard up to 18 mm (∅ 18,25 mm)	101110011-002
Semi-Weight up to 20 mm (∅ 20,25 mm)	101110011-003
Varmint up to 22 mm / RASP-Lock (∅ 22,25 mm)	101110011-004

RRP (net, excl. VAT) 21,01 €

# NEOPRENE COVERS

## TI48 MK-X, MK2

Colour	Item Number	Colour	Item Number
Green	101105004-001	Tree Orange	101105004-004
Brown	101105004-002	Tree Green	101105004-005
Black	101105004-003	Tree Brown	101105004-006
		Tree Pink	101105004-007
	RRP (net, excl. VAT) <b>21,01 €</b>		RRP (net, excl. VAT) <b>21,01 €</b>

## TI48XK, TI48M, HYBRID 47M+

Colour	Item Number	Colour	Item Number
Green	101105006-001	Tree Orange	101105006-004
Brown	101105006-002	Tree Green	101105006-005
Black	101105006-003	Tree Brown	101105006-006
		Tree Pink	101105006-007
	RRP (net, excl. VAT) <b>21,01 €</b>		RRP (net, excl. VAT) <b>21,01 €</b>

## TI42 MK-X, MK3

Colour	Item Number	Colour	Item Number
Green	101105011-001	Tree Orange	101105011-004
Brown	101105011-002	Tree Green	101105011-005
Black	101105011-003	Tree Brown	101105011-006
		Tree Pink	101105011-007
	RRP (net, excl. VAT) <b>21,01 €</b>		RRP (net, excl. VAT) <b>21,01 €</b>

## TI55

Colour	Item Number	Colour	Item Number
Green	101105009-001	Tree Orange	101105009-004
Brown	101105009-002	Tree Green	101105009-005
Black	101105009-003	Tree Brown	101105009-006
		Tree Pink	101105009-007
	RRP (net, excl. VAT) <b>21,01 €</b>		RRP (net, excl. VAT) <b>21,01 €</b>

# NEOPRENE COVERS

## HUNTER 50XK+, HYBRID 47XK+

Colour	Item Number
Green	101105003-001
Brown	101105003-002
Black	101105003-003

RRP (net, excl. VAT) 21,01 €

Colour	Item Number
Tree Orange	101105003-004
Tree Green	101105003-005
Tree Brown	101105003-006
Tree Pink	101105003-007

RRP (net, excl. VAT) 21,01 €

## HUNTER 55, HUNTER 50, HYBRID 47S+/47SH+

Colour	Item Number
Green	101105007-001
Brown	101105007-002
Black	101105007-003

RRP (net, excl. VAT) 21,01 €

Colour	Item Number
Tree Orange	101105007-004
Tree Green	101105007-005
Tree Brown	101105007-006
Tree Pink	101105007-007

RRP (net, excl. VAT) 21,01 €

## HUNTER 40 (H40F/H40H/H40KK)

Colour	Item Number
Green	101105008-001
Brown	101105008-002
Black	101105008-003

RRP (net, excl. VAT) 21,01 €

Colour	Item Number
Tree Orange	101105008-004
Tree Green	101105008-005
Tree Brown	101105008-006
Tree Pink	101105008-007

RRP (net, excl. VAT) 21,01 €

Neoprene covers for older models are available on request.

Tree Brown | Tree Green | Brown | Tree Pink | Green | Black | Tree Orange





## RIFLE SLING UNIVERSAL

Colour	Item Number	RRP (net, excl. VAT)
Green	301111001-006	33,53 €
Brown	301111001-007	33,53 €
Black	301111001-001	33,53 €
Tree Orange	301111001-002	33,53 €
Tree Green	301111001-003	33,53 €
Treen Brown	301111001-004	33,53 €
Tree Pink	301111001-005	33,53 €

## SUPPRESSOR HOLDER (MAGNETIC)

Colour	Item Number	RRP (net, excl. VAT)
Carbon Black	101115001-001	29,42 €
Orange	101115001-002	29,42 €



## TOOLS & ADDITIONAL ACCESSORIES

Product	Item Number	RRP (net, excl. VAT)
Suppressor Transport Box (Ø max. 60 mm)	101110017	4,63 €
Roedale Rifle Case (1200 x 260 x 50 mm)	301109001	58,74 €
Hex key SW10 (for adapters up to 14 mm)	101110003	12,61 €
Hex key SW12 (adapters from 15 mm)	101110004	12,61 €
Disassembly Tool (SW24 - Octagonal Suppressor Interface, Hunter & Hybrid)	101110010	21,01 €
Threadlocker (adhesive), medium-strength, 50 g	101110006	29,42 €
Threadlocker (adhesive), high-strength, 50 g	101110007	29,42 €

## MIRAGE BAND



Product	Item Number	RRP (net, excl. VAT)
Standard	251100003	33,20 €
Long	251100004	33,53 €
Universal Mount	251100005	9,16 €

# ROEDALE DELTABRAKE22

The DeltaBrake22 is a muzzle brake with an integrated M22x1.5 thread interface. It allows multiple rifles of similar calibre with different muzzle thread sizes to be used with the same suppressor - an alternative to the standard thread adapters.

Finish: black plasma-nitrided.  
Compatible with most models of the Titanium 3D Series & the older Delta Series.



Thread: 1/2x20  
Calibre: up to 6.5mm/.260  
Item number: 250102001-001 RRP (net, excl. VAT): 134,46 €

Thread: 1/2x28  
Calibre: up to 6.5mm/.260  
Item number: 250102001-002 RRP (net, excl. VAT): 134,46 €

Thread: 5/8x24  
Calibre: up to 8.5mm/.338  
Item number: 250102001-012 RRP (net, excl. VAT): 134,46 €

Thread: M13x1  
Calibre: up to 8.5mm/.338  
Item number: 250102001-003 RRP (net, excl. VAT): 134,46 €

Thread: M14x1  
Calibre: up to 8.5mm/.338  
Item number: 250102001-004 RRP (net, excl. VAT): 134,46 €

Thread: M15x1  
Calibre: up to 8.5mm/.338  
Item number: 250102001-005 RRP (net, excl. VAT): 134,46 €

Thread: M16x1  
Calibre: up to 8.5mm/.338  
Item number: 250102001-006 RRP (net, excl. VAT): 134,46 €

Thread: M17x1  
Calibre: up to 8.5mm/.338  
Item number: 250102001-008 RRP (net, excl. VAT): 134,46 €

Thread: M18x1  
Calibre: up to 8.5mm/.338  
Item number: 250102001-009 RRP (net, excl. VAT): 134,46 €

Thread: M18x1.5  
Calibre: up to 8.5mm/.338  
Item number: 250102001-010 RRP (net, excl. VAT): 134,46 €

Thread: 11/16x24  
Calibre: up to 8.5mm/.338  
Item number: 250102001-007 RRP (net, excl. VAT): 151,27 €

Thread: 3/4x24  
Calibre: up to 8.5mm/.338  
Item number: 250102001-011 RRP (net, excl. VAT): 151,27 €

# ROEDALE DELTABRAKE27

The DeltaBrake27 is a muzzle brake that, together with the DeltaLock (installed in the suppressor), forms the locking interface for the Ti48M DL-S suppressors. In addition to providing the lock-up, it also allows different rifle muzzle thread sizes to be accommodated - so the Ti48M can be used conveniently and universally across multiple rifles.

Finish: black plasma-nitrided.  
Compatible with the Roedale DeltaLock system.



Thread: 1/2x20  
Calibre: up to 6.5mm/.260  
Item number: 250102002-001 RRP (net, excl. VAT): 134,46 €

Thread: 1/2x28  
Calibre: up to 6.5mm/.260  
Item number: 250102002-002 RRP (net, excl. VAT): 134,46 €

Thread: 1/2x28  
Calibre: up to 8.5mm/.338  
Item number: 250102002-003 RRP (net, excl. VAT): 134,46 €

Thread: 5/8x24  
Calibre: up to 8.5mm/.338  
Item number: 250102002-012 RRP (net, excl. VAT): 134,46 €

Thread: M13x1  
Calibre: up to 8.5mm/.338  
Item number: 250102002-005 RRP (net, excl. VAT): 134,46 €

Thread: M14x1  
Calibre: up to 8.5mm/.338  
Item number: 250102002-006 RRP (net, excl. VAT): 134,46 €

Thread: M15x1  
Calibre: up to 8.5mm/.338  
Item number: 250102002-007 RRP (net, excl. VAT): 134,46 €

Thread: M16x1  
Calibre: up to 8.5mm/.338  
Item number: 250102002-008 RRP (net, excl. VAT): 134,46 €

Thread: M17x1  
Calibre: up to 8.5mm/.338  
Item number: 250102002-010 RRP (net, excl. VAT): 134,46 €

Thread: M18x1  
Calibre: up to 8.5mm/.338  
Item number: 250102002-011 RRP (net, excl. VAT): 134,46 €

Thread: M18x1.5  
Calibre: up to 8.5mm/.338  
Item number: 250102002-012 RRP (net, excl. VAT): 134,46 €

Thread: 11/16x24  
Calibre: up to 8.5mm/.338  
Item number: 250102002-009 RRP (net, excl. VAT): 151,27 €

Thread: 3/4x24  
Calibre: up to 8.5mm/.338  
Item number: 250102002-013 RRP (net, excl. VAT): 151,27 €

# ROEDALE MUZZLEBRAKE (THREAD)



Deep Black Blued



Stainless Steel

Thread: M14x1  
 Calibre: up to 8.5 mm / .30 / .338  
 Item number: 250100001-001 RRP (net, excl. VAT): 134,46 €

Thread: M15x1  
 Calibre: up to 6.5 mm / .260  
 Item number: 250100002-003 RRP (net, excl. VAT): 134,46 €

Thread: M15x1  
 Calibre: upto 8.5 mm / .30 / .338  
 Item number: 250100002-001 RRP (net, excl. VAT): 134,46 €

Thread: M15x1  
 Calibre: upto 11.5 mm / .45  
 Item number: 250100002-002 RRP (net, excl. VAT): 134,46 €

Thread: M17x1  
 Calibre: up to 6.5 mm / .260  
 Item number: 250100003-001 RRP (net, excl. VAT): 134,46 €

Thread: M17x1  
 Calibre: upto 8.5 mm / .30 / .338  
 Item number: 250100003-002 RRP (net, excl. VAT): 134,46 €

Thread: M17x1  
 Calibre: upto 11.5 mm / .45  
 Item number: 250100003-003 RRP (net, excl. VAT): 134,46 €

Thread: M18x1  
 Calibre: up to 6.5 mm / .260  
 Item number: 250100004-001 RRP (net, excl. VAT): 134,46 €

Thread: M18x1  
 Calibre: upto 8.5 mm / .30 / .338  
 Item number: 250100004-002 RRP (net, excl. VAT): 134,46 €

Thread: M18x1  
 Calibre: upto 11.5 mm / .45  
 Item number: 250100004-003 RRP (net, excl. VAT): 134,46 €

Thread: M18x1.5  
 Calibre: up to 6.5 mm / .260  
 Item number: 250100006-001 RRP (net, excl. VAT): 134,46 €

Thread: M18x1.5  
 Calibre: upto 8.5 mm / .30 / .338  
 Item number: 250100006-002 RRP (net, excl. VAT): 134,46 €

Thread: M18x1.5  
 Calibre: upto 11.5 mm / .45  
 Item number: 250100006-003 RRP (net, excl. VAT): 134,46 €

Thread: 1/2x28  
 Calibre: up to 6.5 mm / .260  
 Item number: 250100007-001 RRP (net, excl. VAT): 134,46 €

Thread: 5/8x18  
 Calibre: up to 6.5 mm / .260  
 Item number: 250100008-001 RRP (net, excl. VAT): 134,46 €

Thread: 5/8x18  
 Calibre: upto 8.5 mm / .30 / .338  
 Item number: 250100008-002 RRP (net, excl. VAT): 134,46 €

Thread: 5/8x18  
 Calibre: upto 11.5 mm / .45  
 Item number: 250100008-003 RRP (net, excl. VAT): 134,46 €

Thread: 5/8x24  
 Calibre: up to 6.5 mm / .260  
 Item number: 250100009-001 RRP (net, excl. VAT): 134,46 €

Thread: 5/8x24  
 Calibre: upto 8.5 mm / .30 / .338  
 Item number: 250100009-002 RRP (net, excl. VAT): 134,46 €

Thread: 5/8x24  
 Calibre: upto 11.5 mm / .45  
 Item number: 250100009-003 RRP (net, excl. VAT): 134,46 €

Thread: M18x1 Stainless Steel  
 Calibre: up to 6.5 mm / .260  
 Item number: 250100005-001 RRP (net, excl. VAT): 151,27 €

Thread: M18x1 Stainless Steel  
 Calibre: upto 8.5 mm / .30 / .338  
 Item number: 250100005-002 RRP (net, excl. VAT): 151,27 €

Thread: M18x1 Stainless Steel  
 Calibre: upto 11.5 mm / .45  
 Item number: 250100005-003 RRP (net, excl. VAT): 151,27 €

Thread: 5/8x24 Stainless Steel  
 Calibre: up to 6.5 mm / .260  
 Item number: 250100010-001 RRP (net, excl. VAT): 151,27 €

Thread: 5/8x24 Stainless Steel  
 Calibre: upto 8.5 mm / .30 / .338  
 Item number: 250100010-002 RRP (net, excl. VAT): 151,27 €

Thread: 5/8x24 Stainless Steel  
 Calibre: upto 11.5 mm / .45  
 Item number: 250100010-003 RRP (net, excl. VAT): 151,27 €

# ROEDALE MUZZLEBRAKE (CLAMP)

BARREL-Ø IN MM : C20 = 19.8-20.2, C20.5 = 20.3-20.7, C21 = 20.8-21.2, C21.5 = 21.3-21.7, C22 = 21.8-22.2



Type: C20  
Calibre: up to 6.5 mm / .260  
Item number: 250101001-001 RRP (net, excl. VAT): 134,46 €

Type: C20  
Calibre: up to 8.5 mm / .30 / .338  
Item number: 250101001-002 RRP (net, excl. VAT): 134,46 €

Type: C20  
Calibre: up to 9.5 mm / 9.3x62  
Item number: 250101001-003 RRP (net, excl. VAT): 134,46 €

Type: C20.5  
Calibre: up to 6.5 mm / .260  
Item number: 250101003-001 RRP (net, excl. VAT): 134,46 €

Type: C20.5  
Calibre: up to 8.5 mm / .30 / .338  
Item number: 250101003-002 RRP (net, excl. VAT): 134,46 €

Type: C20.5  
Calibre: up to 9.5 mm / 9.3x62  
Item number: 250101003-003 RRP (net, excl. VAT): 134,46 €

Type: C21  
Calibre: up to 6.5 mm / .260  
Item number: 250101004-001 RRP (net, excl. VAT): 134,46 €

Type: C21  
Calibre: up to 8.5 mm / .30 / .338  
Item number: 250101004-002 RRP (net, excl. VAT): 134,46 €

Type: C21  
Calibre: up to 9.5 mm / 9.3x62  
Item number: 250101004-003 RRP (net, excl. VAT): 134,46 €

Type: C21.5  
Calibre: up to 6.5 mm / .260  
Item number: 250101006-001 RRP (net, excl. VAT): 134,46 €

Type: C21.5  
Calibre: up to 8.5 mm / .30 / .338  
Item number: 250101006-002 RRP (net, excl. VAT): 134,46 €

Type: C21.5  
Calibre: up to 9.5 mm / 9.3x62  
Item number: 250101006-003 RRP (net, excl. VAT): 134,46 €

Type: C22  
Calibre: up to 6.5 mm / .260  
Item number: 250101008-001 RRP (net, excl. VAT): 134,46 €

Type: C22  
Calibre: up to 8.5 mm / .30 / .338  
Item number: 250101008-002 RRP (net, excl. VAT): 134,46 €

Type: C22  
Calibre: up to 9.5 mm / 9.3x62  
Item number: 250101008-003 RRP (net, excl. VAT): 134,46 €

Type: C21 Stainless Steel  
Calibre: up to 6.5 mm / .260  
Item number: 250101005-001 RRP (net, excl. VAT): 151,27 €

Type: C21 Stainless Steel  
Calibre: up to 8.5 mm / .30 / .338  
Item number: 250101005-002 RRP (net, excl. VAT): 151,27 €

Type: C21 Stainless Steel  
Calibre: up to 9.5 mm / 9.3x62  
Item number: 250101005-003 RRP (net, excl. VAT): 151,27 €

Type: C21.5 Stainless Steel  
Calibre: up to 6.5 mm / .260  
Item number: 250101007-001 RRP (net, excl. VAT): 151,27 €

Type: C21.5 Stainless Steel  
Calibre: up to 8.5 mm / .30 / .338  
Item number: 250101007-002 RRP (net, excl. VAT): 151,27 €

Type: C21.5 Stainless Steel  
Calibre: up to 9.5 mm / 9.3x62  
Item number: 250101007-003 RRP (net, excl. VAT): 151,27 €

Type: C22 Stainless Steel  
Calibre: up to 6.5 mm / .260  
Item number: 250101009-001 RRP (net, excl. VAT): 151,27 €

Type: C22 Stainless Steel  
Calibre: up to 8.5 mm / .30 / .338  
Item number: 250101009-002 RRP (net, excl. VAT): 151,27 €

Type: C22 Stainless Steel  
Calibre: up to 9.5 mm / 9.3x62  
Item number: 250101009-003 RRP (net, excl. VAT): 151,27 €

Standard finish for steel muzzle brakes: Deep Black Blued



## Contact & Orders

Our switchboard will be pleased to connect you with your desired contact person and assist with any enquiries.

Phone: +49 (0) 5404 - 9597921

E-mail: [support@roedale.de](mailto:support@roedale.de)

Orders: [order@roedale.de](mailto:order@roedale.de)

or via [www.roedale.de](http://www.roedale.de)

Roedale GmbH & Co. KG  
[www.roedale.de](http://www.roedale.de)