



PRODUCT CATALOG

Global Compressor-Centric
Solutions



www.csgcompressors.com

CSG COMPRESSORS

The CSG Enterprise


The story of CSG Compressors has been decades in the making. It began in 1966 with a vision to address a gap in the market and has since evolved into a revolutionary enterprise that continues to expand beyond expectations.

The CSG enterprise is the result of the merger of three companies: Houston Hermetics, American Hermetics-Texas, and Certified Service. Houston Hermetics, the founding brand, brings over 100 years of combined experience in compressor remanufacturing, while American Hermetics is nationally recognized for excellence in commercial air conditioning and refrigeration compressor remanufacturing and technical support. Our latest acquisition - Certified Service adds third-generation, family owned business value with a commitment to the industry since 1959.

CSG Compressors' services cater to HVAC contractors, the chemical and refining industries, school districts, the marine and refrigerated transport sectors, storage companies, ice plants, and more. CSG consistently surpasses industry standards, producing high-quality remanufactured compressors at multiple locations across Texas, while serving companies nationwide.

A full range of rotary screw and semi-hermetic compressors is offered, including Carrier/Carlyle, Copeland, Trane, York, Hanbell, FuSheng, and Hitachi models, all stocked and ready for delivery to job sites.

CSG: Global Compressor-Centric Solutions.

- 
- Scroll Compressors
 - Screw Compressors
 - Semi-Hermetic Compressors
 - Retrofit Solutions
 - Compressor Cores
 - Service Valves
 - Rotors
 - Compressor Parts
 - Copeland Valve Plates
 - Oil Pumps
 - Compressor Demo

BUY COMPRESSORS ONLINE

The Compressors You Need. When You Need Them.

Downtime costs money. That's why CSG makes it easy to find and order the compressors, parts, and accessories you need—anytime, from anywhere.



Shop Online for:

- Scroll Compressors
- Screw Compressors
- Semi-Hermetic Compressors
- Retrofit Solutions

Whether you're replacing a failed compressor or stocking your shelves, our online store helps you get the job done faster. CSG offers a wide selection of products from trusted manufacturers, backed by expert support when you need it.

WHY ORDER FROM CSG?

Fast Online Ordering

Find the products you need and place your order in minutes.

Inventory You Can Count On

Thousands of compressors, parts, and accessories ready to ship.


Expert Technical Support

Questions? Our compressor specialists are just a phone call away




Need Help Finding the Right Compressor?

(800) 579-6197



CSG LOCATIONS



NEXT DAY SHIPPING TO OVER 70% OF THE US POPULATION




CITY LOCATIONS

- ★ **ARLINGTON, TX**
(Dallas–Fort Worth)
32.7357° N, 97.1081° W
- ★ **DAYTON, OH**
39.7589° N, 84.1916° W
- ★ **HOUSTON, TX**
29.7604° N, 95.3698° W
- ★ **PHOENIX, AZ**
33.4484° N, 112.0740° W

MAP LEGEND

- Next-Day Coverage (~600 Miles / ~10–11 Hours)
- ArLington, TX Coverage
- Dayton, OH Coverage
- Houston, TX Coverage
- Phoenix, AZ Coverage
- Major Metro Area (Inside Coverage)
- Additional Metro / Large City
- Near Coverage Boundary



NEXT-DAY TRUCKING REACH COMPARISON

Location	Est. Population Within Next-Day Reach	Key Strengths	Primary Markets Reached Next-Day
★ Arlington, TX	55 – 65 Million	Central location in South/Central U.S., excellent highway connectivity	Dallas–Fort Worth, Houston, Austin, San Antonio, Oklahoma City, Kansas City, St. Louis, New Orleans, Little Rock, Tulsa, Wichita, Memphis
★ Dayton, OH	80 – 100 Million	Best access to Midwest & Northeast manufacturing and population	Chicago, Detroit, Indianapolis, Columbus, Cincinnati, Cleveland, Pittsburgh, Nashville, St. Louis, Atlanta, Philadelphia, Washington DC, New York (outer areas)
★ Houston, TX	30 – 40 Million	Strong Gulf Coast access, port & energy hub	Dallas–Fort Worth, Austin, San Antonio, New Orleans, Baton Rouge, Shreveport, Corpus Christi, Oklahoma City
★ Phoenix, AZ	25 – 35 Million	Excellent Southwest coverage & California markets	Los Angeles, San Diego, Las Vegas, Tucson, Riverside, San Bernardino, Fresno, El Paso, Albuquerque

ONE, TWO & THREE-DAY TRUCKING COVERAGE (EST. POPULATION)

Location	1-Day (~600 mi)	2-Day (~1,200 mi)	3-Day (~1,800 mi)
★ Arlington, TX	55 – 65M	~120 – 140M	~200 – 220M
★ Dayton, OH	80 – 100M	~150 – 170M	~250 – 270M
★ Houston, TX	30 – 40M	~90 – 110M	~180 – 200M
★ Phoenix, AZ	25 – 35M	~80 – 100M	~160 – 180M

Population estimates are approximate and based on 2023 U.S. Census data and travel distances using major highways.

KEY TAKEAWAYS



Dayton, OH provides the largest next-day reach, covering much of the Midwest, Ohio Valley, and Northeast.



Arlington (Dallas–Fort Worth) offers the best central position for the South and Central U.S.



Houston excels for Gulf Coast, port access, and energy sector distribution.



Phoenix is the ideal hub for the Southwest and Southern California markets.



Performance Review & Operational Verification Environment

The Final Step Before Every Compressor Ships

Every compressor is only as good as its final test. That's why CSG developed PROVEN™—our comprehensive operational verification process designed to validate compressor performance before it leaves our facility.

Engineered to simulate real operating conditions across a broad range of refrigeration temperatures and applications, PROVEN™ provides confidence that every tested compressor is ready for the demands of the field.

Why PROVEN™ Matters

- ✓ Operationally verifies compressor performance before shipment
- ✓ Designed to test compressors across virtually any refrigeration temperature or application
- ✓ Confirms critical operating functions under real-world conditions
- ✓ Reduces startup uncertainty and helps minimize installation issues
- ✓ Reinforces CSG's commitment to dependable remanufactured compressor quality

PROVEN™ is engineered to validate performance across a wide range of HVAC and refrigeration applications.

Whether your system serves:

- ✓ Commercial Air Conditioning
- ✓ Refrigeration/Cold Storage
- ✓ Industrial Process Cooling
- ✓ Food Processing
- ✓ Specialty Refrigeration

PROVEN™ delivers confidence before installation.

The CSG Difference

Every compressor that completes the PROVEN™ process has undergone operational verification as the final step of CSG's remanufacturing process. Combined with CSG's nationwide inventory and next-day shipping to more than 70% of the U.S., PROVEN™ helps ensure your compressor arrives ready for the job.



CORE BUY BACK PROGRAM

CSG Compressors Buys HVAC Cores

At CSG Compressors, we're always in the market for commercial HVAC compressor cores—and we make the process fast, simple, and profitable for you. Whether you're a contractor cleaning out the shop, a wholesaler with surplus inventory, or a service company with a truckload ready to move, we've got you covered.

What We Buy

- York MTS & CTS
- Copeland (any model)
- Trane CHHT
- Danfoss Turbocor
- Carrier 06T & 06Z



Why Sell to CSG?

We know your time is valuable, so we've built our program to be quick, fair, and hassle-free:

- We Pay All Freight – No shipping headaches, no hidden costs.
- Quick Payment Options – Get your money fast, on your terms.
- No Hassle. No Wait. – Simple process, smooth turnaround.

How It Works

- Gather Your Cores – From a few spares to a full load, no lot is too big or too small.
- Contact CSG – Give us the details and we'll handle the logistics.
- Ship On Us – We arrange and pay all freight
- Get Paid – Choose from quick, secure payment methods.

Why CSG Compressors?

We've been in the HVAC industry for generations. That means we know cores inside and out—and we know how to take care of our partners. When you sell to CSG, you're working with people who value long-term relationships, straight talk, and fair prices.

Don't let unused compressors gather dust.

DORIN COMPRESSORS

DORIN COMPRESSORS | SEMI-HERMETIC

MODEL	DESCRIPTION	VOLTAGE OPTIONS	H.P.	PHASE	WEIGHT
1HVS	Dorin Semi-Hermetic Compressor (Open Drive)	Direct Drive	Direct Drive	Direct Drive	100
2GVS	Dorin Semi-Hermetic Compressor (Open Drive)	Direct Drive	Direct Drive	Direct Drive	100
3LVS	Dorin Semi-Hermetic Compressor (Open Drive)	Direct Drive	Direct Drive	Direct Drive	120
52VSM	Dorin Semi-Hermetic Compressor (Open Drive)	Direct Drive	Direct Drive	Direct Drive	150
63VSC	Dorin Semi-Hermetic Compressor (Open Drive)	Direct Drive	Direct Drive	Direct Drive	200
H851CS	Dorin Semi-Hermetic Compressor	208/230 & 460	9	3	275
H1201CC	Dorin Semi-Hermetic Compressor	208/230 & 460	12	3	275
H1001CS	Dorin Semi-Hermetic Compressor	208/230 & 460	12	3	300
H1501CC	Dorin Semi-Hermetic Compressor	208/230 & 460	15	3	320
H1501CS	Dorin Semi-Hermetic Compressor	208/230 & 460	15	3	320
H2001CC	Dorin Semi-Hermetic Compressor	208/230 & 460	22	3	330
H2000CS	Dorin Semi-Hermetic Compressor	208/230 & 460	18	3	450
H2500CC	Dorin Semi-Hermetic Compressor	208/230 & 460	25	3	450
H2500CS	Dorin Semi-Hermetic Compressor	208/230 & 460	23	3	450
H3000CC	Dorin Semi-Hermetic Compressor	208/230 & 460	30	3	480
H3000CS	Dorin Semi-Hermetic Compressor	208/230 & 460	28	3	575
H3500CC	Dorin Semi-Hermetic Compressor	208/230 & 460	35	3	575
H3500CS	Dorin Semi-Hermetic Compressor	208/230 & 460	34	3	575
H4000CC	Dorin Semi-Hermetic Compressor	208/230 & 460	40	3	575
H4500CS	Dorin Semi-Hermetic Compressor	208/230 & 460	44	3	675
H5000CC	Dorin Semi-Hermetic Compressor	208/230 & 460	50	3	725

CARRIER COMPRESSORS

CARRIER COMPRESSORS | SCREW

MODEL	DESCRIPTION	VOLTAGE OPTIONS	H.P.	PHASE	WEIGHT
06N* Any Model	Carrier Screw Compressor 104mm	208-230 & 460	45-120	3	950
06TA & 06TR	Carrier Screw Compressor 74mm	208-230 & 460	15-60	3	650
06T*137	Carrier Paragon "Thunderbolt" Screw Compressor	230 & 460	60-65	3	850
06T*155	Carrier Paragon "Thunderbolt" Screw Compressor	230 & 460	70-75	3	880
06T*186	Carrier Paragon "Thunderbolt" Screw Compressor	230 & 460	120	3	1500
06T*266	Carrier Paragon "Thunderbolt" Screw Compressor	230 & 460	120-150	3	1500
06T*301	Carrier Paragon "Thunderbolt" Screw Compressor	230 & 460	120-150	3	1600
06T*356	Carrier Paragon "Thunderbolt" Screw Compressor	230 & 460	120-150	3	1600
06T*483	Carrier Paragon "Thunderbolt" Screw Compressor	230 & 460	160-225	3	2200
06T*554	Carrier Paragon "Thunderbolt" Screw Compressor	230 & 460	160-225	3	2300
06Z*	Carrier VFD Screw Compressor	200 & 460	130-325	3	1900-3100

CARRIER COMPRESSORS | SEMI-HERMETIC

MODEL	DESCRIPTION	VOLTAGE OPTIONS	H.P.	PHASE	WEIGHT
06D*1096	Carrier 06D Semi-Hermetic Compressor	208/230 & 460	2	3	145
06D*8086	Carrier 06D Semi-Hermetic Compressor	208/230 & 460	2	3	145
06D*3166	Carrier 06D Semi-Hermetic Compressor	208/230 & 460	5	3	222
06D*3136	Carrier 06D Semi-Hermetic Compressor	208/230 & 460	5	3	222
06D*8186	Carrier 06D Semi-Hermetic Compressor	208/230 & 460	7.5	3	222
06D*7246	Carrier 06D Semi-Hermetic Compressor	208/230 & 460	7.5	3	282
06D*8246	Carrier 06D Semi-Hermetic Compressor	208/230 & 460	10	3	282
06D*3286	Carrier 06D Semi-Hermetic Compressor	208/230 & 460	10	3	282
06D*3376	Carrier 06D Semi-Hermetic Compressor	208/230 & 460	10	3	282
06D*5376	Carrier 06D Semi-Hermetic Compressor	208/230 & 460	15	3	282
06D*241B	Carrier 06D Semi-Hermetic Compressor	208/230 & 460	15	3	282
06E*150	Carrier 06E Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	15	3	450
06E*166	Carrier 06E Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	15	3	450
06E*250	Carrier 06E Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	20	3	450
06E*175	Carrier 06E Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	25	3	550
06E*199	Carrier 06E Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	30	3	550
06E*265	Carrier 06E Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	25	3	550
06E*266	Carrier 06E Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	20	3	550
06E*275	Carrier 06E Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	30	3	550
06E*299	Carrier 06E Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	40	3	580
5F20	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	175
5F30	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	215
5F40	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	355
5F60	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	400
5H40	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	610
5H46	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	610
5H60	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	795
5H66	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	795
5H80	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	1150
5H86	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	1150
5H120	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	1580
5H126	Carrier Direct Drive Semi-Hermetic Compressor	Direct Drive	Direct Drive	Direct Drive	1580
06LH069 (6L40)	Carrier Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	30	3	1100
06LH109 (6L43)	Carrier Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	35	3	1100
06LH209 (6L45)	Carrier Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	45	3	1100
06LH014 (6L60)	Carrier Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	50	3	1500
06LH114 (6L63)	Carrier Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	55	3	1500
06LH214 (6L65)	Carrier Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	60	3	1500
06LH018 (6L80)	Carrier Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	55	3	1890
06LH118 (6L83)	Carrier Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	60	3	1890
06LH218 (6L85)	Carrier Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	75	3	1890
06LH128 (6L123)	Carrier Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	100	3	2200
06LH228 (6L125)	Carrier Semi-Hermetic Compressor	208/230 & 460 Single & Duel Volt	125	3	2200

COPELAND COMPRESSORS

COPELAND COMPRESSORS | SEMI-HERMETIC

MODEL	DESCRIPTION	VOLTAGE OPTIONS	H.P.	PHASE	WEIGHT
K Model	Copeland Semi-Hermetic Compressor (Reed Type)	208, 230 & 460	1/2-2	1 & 3	85
E Model	Copeland Semi-Hermetic Compressor (Reed Type)	208, 230 & 460	2-3	1 & 3	180
L Model	Copeland Semi-Hermetic Compressor (Reed Type)	208, 230 & 460	3	1 & 3	215
MR*-NR*	Copeland Semi-Hermetic Compressor (Reed Type)	208, 230 & 460	5-7 1/2	3	250
9R*	Copeland Semi-Hermetic Compressor (Reed Type)	208, 230 & 460	5-15	3	330
4R*	Copeland Semi-Hermetic Compressor (Reed Type)	208/230 & 460 Single & Duel Volt	10-30	3	430
6R*	Copeland Semi-Hermetic Compressor (Reed Type)	208/230 & 460 Single & Duel Volt	20-40	3	500
2DA-0600	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	6	3	285
2DA-0750	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	7.5	3	285
2DB-0600	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	6	3	285
2DF-0300	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	3	3	285
2DL-0400	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	4	3	285
2DL-0750	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	7.5	3	285
3DA/E-0600	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	6	3	365
3DB/P-0750	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	7.5	3	365
3DB/P-1000	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	10	3	365
3DF/G-0900	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	9	3	365
3DF/G-1200	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	12	3	365
3DS-1000	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	10	3	365
3DS-1500	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	15	3	365
3DT-1500	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460	15	3	365
4DA/E-1000	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	10	3	450
4DA/E-2000	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	20	3	450
4DL/P-1500	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	15	3	450
4DC-2200	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	22	3	450
4DT-2200	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	22	3	450
4DK/H-2500	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	25	3	450
4DR/J-3000	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	30	3	450
6DT-3000	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	30	3	540
6DY/W/B-3000	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	30	3	540
6DG/N/M-3500	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	35	3	540
6DK/P/H-3500	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	35	3	540
6DS/R/J-4000	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	40	3	540
8DP-5000	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	50	3	815
8DS-6000	Copeland Semi-Hermetic Compressor (Discus)	208/230 & 460 Single & Duel Volt	60	3	815
4DCN	Copeland Semi-Hermetic Compressor (Discus 3)	208/230 & 460 Single & Duel Volt	22	3	450
4DHN	Copeland Semi-Hermetic Compressor (Discus 3)	208/230 & 460 Single & Duel Volt	25	3	450
4DJN	Copeland Semi-Hermetic Compressor (Discus 3)	208/230 & 460 Single & Duel Volt	30	3	450
6DKN	Copeland Semi-Hermetic Compressor (Discus 3)	208/230 & 460 Single & Duel Volt	35	3	540
6DJN	Copeland Semi-Hermetic Compressor (Discus 3)	208/230 & 460 Single & Duel Volt	40	3	540

TRANE COMPRESSORS

TRANE COMPRESSORS | SCREW

MODEL	DESCRIPTION	VOLTAGE OPTIONS	H.P.	PHASE	WEIGHT
CHHN035	Trane Screw Compressor- RTAA	200, 230 & 460	35	3	750
CHHN040	Trane Screw Compressor- RTAA	200, 230 & 460	40	3	750
CHHN050	Trane Screw Compressor- RTAA	200, 230 & 460	50	3	800
CHHN060	Trane Screw Compressor- RTAA	200, 230 & 460	60	3	800
CHHB070	Trane Screw Compressor- RTAA	200, 230 & 460	70	3	950
CHHB085	Trane Screw Compressor- RTAA	200, 230 & 460	85	3	1150
CHHB100	Trane Screw Compressor- RTAA	200, 230 & 460	100	3	1150
CHHPOM1	Trane Screw Compressor-RTAC	200, 230 & 460	70	3	1250
CHHPOM2	Trane Screw Compressor-RTAC	200, 230 & 460	80	3	1250
CHHPON1	Trane Screw Compressor-RTAC	200, 230 & 460	100	3	1600
CHHPON2	Trane Screw Compressor-RTAC	200, 230 & 460	120	3	1600
CHHT0M3	Trane Screw Compressor-RTAC	200, 230 & 460	100	3	1250
CHHT0M4	Trane Screw Compressor-RTAC	200, 230 & 460	100	3	1250
CHHT0N4	Trane Screw Compressor-RTAC	200, 230 & 460	120	3	1600
CHHT0N6	Trane Screw Compressor-RTAC	200, 230 & 460	150	3	1600

TRANE COMPRESSORS | SEMI-HERMETIC

MODEL	DESCRIPTION	VOLTAGE OPTIONS	H.P.	PHASE	WEIGHT
CRHM200	Trane Semi-Hermetic Compressor	200, 230 & 460	20	3	430
CRHM250	Trane Semi-Hermetic Compressor	200, 230 & 460	25	3	520
CRHM300	Trane Semi-Hermetic Compressor	200, 230 & 460	30	3	520
CRHR400	Trane Semi-Hermetic Compressor	200, 230 & 460	40	3	820
CRHR500	Trane Semi-Hermetic Compressor	200, 230 & 460	50	3	950
CRHR600	Trane Semi-Hermetic Compressor	200, 230 & 460	60	3	950
2E5*48	Trane Semi-Hermetic Compressor	230 & 460	50	3	1350
2E5*58	Trane Semi-Hermetic Compressor	230 & 460	60	3	1600
2E5*68	Trane Semi-Hermetic Compressor	230 & 460	75	3	1600
2E5*88	Trane Semi-Hermetic Compressor	230 & 460	100	3	1800

TRANE COMPRESSORS | HERMETIC

MODEL	DESCRIPTION	VOLTAGE OPTIONS	H.P.	PHASE	WEIGHT
CRHK200	Trane Hermetic Compressor	200, 230 & 460	20	3	480
CRHK250	Trane Hermetic Compressor	200, 230 & 460	25	3	560
CRHK300	Trane Hermetic Compressor	200, 230 & 460	30	3	560

YORK COMPRESSORS

YORK COMPRESSORS | SCREW

MODEL	DESCRIPTION	VOLTAGE OPTIONS	H.P.	PHASE	WEIGHT
DXS12	York Screw Compressor 112mm	200 & 460	75	3	950
DXS24	York Screw Compressor 124mm	200 & 460	90	3	1175
DXS36	York Screw Compressor 136mm	200 & 460	120	3	1250
DXS45	York Screw Compressor 145mm	200 & 460	120	3	1300
MTS24	York VFD Screw Compressor	460	150	3	1100
MTS36	York VFD Screw Compressor	460	150	3	1100
MTS45	York VFD Screw Compressor	460	150	3	1100
CTS24	York VFD Screw Compressor	460	150	3	1100
CTS36	York VFD Screw Compressor	460	150	3	1200
CTS45	York VFD Screw Compressor	460	150	3	1200
CTS51	York VFD Screw Compressor	460	223	3	1600
CTS70	York VFD Screw Compressor	460	255	3	2800

YORK COMPRESSORS | SEMI-HERMETIC

MODEL	DESCRIPTION	VOLTAGE OPTIONS	H.P.	PHASE	WEIGHT
J Model (4 Cyl.)	York Semi-Hermetic Compressor	460	50-60	3	1200
J Model (6 Cyl.)	York Semi-Hermetic Compressor	460	70-90	3	1430
J Model (8 Cyl.)	York Semi-Hermetic Compressor	460	90-125	3	1675
PA Model (4 Cyl.)	York Semi-Hermetic Compressor	460	50-60	3	1200
PA Model (6 Cyl.)	York Semi-Hermetic Compressor	460	70-90	3	1430
PA Model (8 Cyl.)	York Semi-Hermetic Compressor	460	90-125	3	1675

FU SHENG COMPRESSORS

FU SHENG COMPRESSORS | SCREW

MODEL	DESCRIPTION	VOLTAGE OPTIONS	H.P.	PHASE	WEIGHT
SR2	Fu Sheng Screw Compressor	460	50	3	1600
SR3	Fu Sheng Screw Compressor	460	60	3	1600

HITACHI COMPRESSORS

HITACHI | SCREW COMPRESSORS | SCREW

MODEL	DESCRIPTION	VOLTAGE OPTIONS	H.P.	PHASE	WEIGHT
4000 Series	Hitachi Screw Compressor	460	40	3	1600
5000 Series	Hitachi Screw Compressor	460	50	3	1600
6000 Series	Hitachi Screw Compressor	460	60	3	1600



AUTHORIZED DISTRIBUTOR

CSG Compressors is proud to be an authorized dealer of BITZER products, providing customers with access to one of the most recognized and trusted names in the refrigeration and HVAC industry. We offer a broad selection of new BITZER compressors and components designed to deliver dependable performance, energy efficiency, and long-term reliability across commercial and industrial applications.

Backed by strong inventory levels, expert product knowledge, and responsive customer support, CSG Compressors helps customers reduce downtime and keep critical systems operating at peak performance. Our team is committed to delivering quality solutions, fast shipping, and the trusted products customers need to meet demanding system requirements.

BITZER AUTHORIZED DISTRIBUTOR BENEFITS

- Authorized dealer of new BITZER compressors and components
- Extensive inventory available for fast turnaround and shipment
- Reliable solutions for commercial and industrial refrigeration systems
- Products engineered for efficiency, durability, and long-term performance
- Expert support from an experienced compressor and refrigeration team
- OEM-quality products from a globally recognized refrigeration manufacturer



COMPRESSOR CROSS REFERENCE CHART

R22 and R407C Refrigerant

COMPRESSOR TONNAGE	ARRCO SINGLE PHASE MODEL #	OEM SINGLE PHASE MODEL #	ARRCO THREE PHASE MODEL #	OEM THREE PHASE MODEL #
1.5T	AR16KP-BFV	ZR16KE-PFV (KC,K4,KA,K5) ZR18KE-PFV (KC,K4,KA,K5)	-	-
	AR18KP-BFV	ZR16KE-PFV (KC,K4,KA,K5) ZR18KE-PFV (KC,K4,KA,K5)	-	-
2T	AR22KP-BFV	ZR21KE-PFV (KA,K5) ZR22KE-PFV (KC,K3,K4) ZR24KE-PFV (KC,KC,K4)	-	-
	AR24KP-BFV	ZR22KE-PFV (KC,K3,K4) ZR24KE-PFV (KC,KC,K4) ZR25KE-PFV (K5)	-	-
2.5T	AR26KP-BFV	ZR25KE-PFV (K5) ZR26KE-PFV (KC,K3,KA,K5) ZR28KE-PFV (KC,K3,KA,K5)	-	-
	AR28KP-BFV	ZR26KE-PFV (KC,K3,KA,K5) ZR28KE-PFV (KC,K3,KA,K5) ZR30KE-PFV (KC,K3)	AR28KP-HF5 (200/230V-3) AR28KP-HFD (460V-3)	ZR28KE-TF5 (200/230V-3) ZR28KE-TFD (460V-3)
3T	AR30KP-BFV OR AR32KP-BFV	ZR28KE-PFV (KC,K3,KA,K5) ZR30KE-PFV (KC,K3) ZR32KP-PFV (KC,K3,KA,K5) ZR34KE-PFV (KC,K3,KA,K5)	AR30KP-HF5 (200/230V-3) AR30KP-HFD (460V-3) AR32KP-HF5 (200/230V-3) AR32KP-HFD (460V-3)	ZR30KE-TF5 (200/230V-3) ZR30KE-TFD (460V-3) ZR32KE-TF5 (200/230V-3) ZR32KE-TFD (460V-3)
	AR34KP-BFV	ZR32KP-PFV (KC,K3,KA,K5) ZR34KE-PFV (KC,K3,KA,K5) ZR36KE-PFV (KC,K3,KA,K5)	AR34KP-HF5 (200/230V-3) AR34KP-HFD (460V-3)	ZR34KE-TF5 (200/230V-3) ZR34KE-TFD (460V-3)
	AR36KP-BFV	ZR34KE-PFV (KC,K3,KA,K5) ZR36KE-PFV (KC,K3,KA,K5) ZR38KE-PFV (KA,K5)	AR36KP-HF5 (200/230V-3) AR36KP-HFD (460V-3)	ZR36KE-TF5 (200/230V-3) ZR36KE-TFD (460V-3)
	AR38KP-BFV	ZR36KE-PFV (KC,K3,KA,K5) ZR38KE-PFV (KA,K5) ZR40KE-PFV (KC,K3)	AR38KP-HF5 (200/230V-3) AR38KP-HFD (460V-3)	ZR38KE-TF5 (200/230V-3) ZR38KE-TFD (460V-3)
	AR40KP-BFV OR AR42KP-BFV	ZR38KE-PFV (KA,K5) ZR40KE-PFV (KC,K3) ZR42KE-PFV (KC,K3,KA,K5) ZR44KE-PFV (KA,K5)	AR40KP-HF5 (200/230V-3) AR40KP-HFD (460V-3) AR42KP-HF5 (200/230V-3) AR42KP-HFD (460V-3)	ZR40KE-TF5 (200/230V-3) ZR40KE-TFD (460V-3) ZR42KE-TF5 (200/230V-3) ZR42KE-TFD (460V-3)
	AR45KP-BFV	ZR45KE-PFV (KC,K3) ZR46KE-PFV (KC,K2,K3)	-	-
4T	AR48KP-BFV	ZR46KE-PFV (KC,K2,K3) ZR47KE-PFV (KC,K3,K5) ZR48KE-PFV (KC,K3,KA,K5) ZR49KE-PFV (KC,K2,K3)	AR48KP-HF5 (200/230V-3) AR48KP-HFD (460V-3)	ZR48KE-TF5 (200/230V-3) ZR48KE-TFD (460V-3)
	AR54KP-BFV	ZR52KE-PFV (KC,K3) ZR54KE-PFV (KC,K3,KA,K5) ZR57KE-PFV (KC,K3)	AR54KP-HF5 (200/230V-3) AR54KP-HFD (460V-3)	ZR54KE-TF5 (200/230V-3) ZR54KE-TFD (460V-3)
5T	AR57KP-BFV	ZR57KE-PFV (KC,K3) ZR61KE-PFV (KC,K3)	AR57KP-HF5 (200/230V-3) AR57KP-HFD (460V-3)	ZR57KE-TF5 (200/230V-3) ZR57KE-TFD (460V-3)
	AR61KP-BFV	ZR57KE-PFV (KC,K3) ZR61KE-PFV (KC,K3)	AR61KP-HF5 (200/230V-3) AR61KP-HFD (460V-3)	ZR61KE-TF5 (200/230V-3) ZR61KE-TFD (460V-3)

R410A Refrigerant

COMPRESSOR TONNAGE	ARRCO SINGLE PHASE MODEL #	OEM SINGLE PHASE MODEL #	ARRCO THREE PHASE MODEL #	OEM THREE PHASE MODEL #
1.5T	AA14KP-BFV	ZP14KE-PFV (K3,K5,K6) ZP16KE-PFV (KC,K3)	-	-
	AA16KP-BFV	ZP14KE-PFV (K5,K6) ZP16KE-PFV (KC,K3) ZP20KE-PFV (K3,K5,K6,K7)	-	-
2T	AA20KP-BFV	ZP21KE-PFV (K3,K5,K6) ZP20KE-PFV (K3,K5,K6,K7) ZP23KE-PFV (KC,K3)	-	-
2.5T	AA23KP-BFV	ZP24KE-PFV (K5,K6,K7) ZP23KE-PFV (KC,K3) ZP25KE-PFV (K5,K6,K7)	AA25KP-HF5 (200/230V-3) AA25KP-HFD (460V-3)	ZP23KE-TF5 (200/230V-3) ZP23KE-TFD (460V-3)
	AA25KP-BFV	ZP24KE-PFV (K5,K6,K7) ZP25KE-PFV (K5,K6,K7) ZP26KE-PFV (K5,K6,K7)	AA25KP-HF5 (200/230V-3) AA25KP-HFD (460V-3)	ZP25KE-TF5 (200/230V-3) ZP25KE-TFD (460V-3)
3T	AA28KP-BFV	ZP28KE-PFV (K5,K6,K7) ZP29KE-PFV (K5,K6,K7)	AA28KP-HF5 (200/230V-3) AA28KP-HFD (460V-3)	ZP28KE-TF5 (200/230V-3) ZP28KE-TFD (460V-3)
	AA31KP-BFV	ZP28KE-PFV (K5,K6,K7) ZP29KE-PFV (K5,K6,K7) ZP31KE-PFV (K5,K6,K7) ZP32KE-PFV (KC,K3) ZP34KE-PFV (KC,K3,K5)	AA31KP-HF5 (200/230V-3) AA31KP-HFD (460V-3)	ZP31KE-TF5 (200/230V-3) ZP31KE-TFD (460V-3)
	AA34KP-BFV	ZP32KE-PFV (KC,K3) ZP34KE-PFV (KC,K3,K5) ZP36KE-PFV (K3,K5)	AA34KP-HF5 (200/230V-3) AA34KP-HFD (460V-3)	ZP34KE-TF5 (200/230V-3) ZP34KE-TFD (460V-3)
	AA36KP-BFV	ZP34KE-PFV (KC,K3,K5) ZP36KE-PFV (K3,K5) ZP38KE-PFV (K3,K5,K6,K7)	AA36KP-HF5 (200/230V-3) AA36KP-HFD (460V-3)	ZP36KE-TF5 (200/230V-3) ZP36KE-TFD (460V-3)
3.5T	AA39KP-BFV	ZP38KE-PFV (K3,K5,K6,K7) ZP39KE-PFV (K5,K6) ZP42KE-PFV (K3,K5)	AA38KP-HF5 (200/230V-3) AA38KP-HFD (460V-3)	ZP39KE-TF5 (200/230V-3) ZP39KE-TFD (460V-3)
4T	AA42KP-BFV	ZP39KE-PFV (K5,K6) ZP42KE-PFV (K3,K5) ZP44KE-PFV (KC,K3,K5)	AA42KP-HF5 (200/230V-3) AA42KP-HFD (460V-3)	ZP42KE-TF5 (200/230V-3) ZP42KE-TFD (460V-3)
	AA49KP-BFV	ZP49KE-PFV (K5,K6,K7) ZP51KE-PFV (K5,K6,K7)	AA49KP-HF5 (200/230V-3) AA49KP-HFD (460V-3)	ZP49KE-TF5 (200/230V-3) ZP49KE-TFD (460V-3)
5T	AA51KP-BFV	ZP49KE-PFV (K5,K6,K7) ZP51KE-PFV (K5,K6,K7) ZP54KE-PFV (K3,K5,K6,K7)	AA51KP-HF5 (200/230V-3) AA51KP-HFD (460V-3)	ZP51KE-TF5 (200/230V-3) ZP51KE-TFD (460V-3)
	AA54KP-BFV	ZP49KE-PFV (K5,K6,K7) ZP51KE-PFV (K5,K6,K7) ZP54KE-PFV (K3,K5,K6,K7) ZP57KE-PFV (KC,K3,K5)	AA54KP-HF5 (200/230V-3) AA54KP-HFD (460V-3)	ZP54KE-TF5 (200/230V-3) ZP54KE-TFD (460V-3)

Additional compressor models are available upon request
R22 Product Line: 16,000 BTU - 81,000 BTU's Single and Three Phase Available
R410A Product Line: 14,000 BTU - 122,000 BTU Single and Three Phase Available
R410A 2 Stage Compressors Launch in Spring of 2025

ARRCO
AIR REFRIGERATION REMANUFACTURING COMPANY




CONTACT YOUR CSG SALES REP FOR MORE INFO ON ARRCO PRODUCTS

ARRCO COMPRESSORS

3 Phase Compressor Cross Reference Example

ARRCO COMPRESSORS EMERSON/COPELAND

AR57KP-HF5	ZR57KE-TF5
AR57KP-HFD	ZR57KE-TFD





CSG

CSG COMPRESSORS

Corporate Headquarters
10222 Bent Oak Drive
Houston, TX 77040

(800) 579-6197