



PRODUCT CATALOG

HEBEI TIANMAI TRADING CO., LTD.



HEBEI TIANMAI TRADING CO., LTD.

Address: Room 1001, Building D, Hyde Park Plaza, No.66 West Yuhua Road,
Shijiazhuang, China

Hotline: +86-311-82621398 82620755

Http://www.hbtianmai.com

E-mail: admin@hbtianmai.com



◆ Forti Panel

The panel is reinforced with "V" foldings to increase the rigidity and strength.
All panels have a 30mm barbed top edge for anti-climbing.
Coating: The panels are made with hot dip galvanized wire then powder coated.
Colours: Colours are available in green, white, black, others available on request.



Type available:

Mesh: 200x50mm, 200x55mm, 100x50mm, 100x55mm, 200x65mm.


Wire dia: 5 / 4.5 / 4mm





Panel Height(mm)	Panel Length(mm)	No. Of "V" Foldings
830	2000 or 2500	2
1030	2000 or 2500	2
1230	2000 or 2500	2
1530	2000 or 2500	3
1730	2000 or 2500	4
1830	2000 or 2500	4
1930	2000 or 2500	4
2030	2000 or 2500	4



◆ Double Wire Panel



◆ Single Wire Panel



◆ Single Gate

Single Gate Round Frame and Post



Door frames and goal posts hot-dip galvanized and powder-coated. Including gate brackets and frame lock. Goalposts are longer than the door height for secure embedding in concrete.

Frame height(mm)	Frame width(mm)	Gate width(mm)	Post length(mm)
800	870	1000	1300
1000	870	1000	1500
1250	870	1000	1750
1500	870	1000	2000
1750	870	1000	2250
2000	870	1000	2500



Single Gate Square Frame And Post



Door frames and goal posts hot-dip galvanized and powder-coated. Including gate brackets and frame lock. Goalposts are longer than the door height for secure embedding in concrete.

Frame height(mm)	Frame width(mm)	Gate width(mm)	Post length(mm)
800	870	1000	1300
1000	870	1000	1500
1250	870	1000	1750
1500	870	1000	2000
1750	870	1000	2250
2000	870	1000	2500



◆ Single Gate

Single Gate Easy System

Easy to set up thanks to the already aligned posts thanks to the cross bracing. Width: 100 cm (clear width!) - Height: 80-, 100- or 120 cm selectable - Colour: Green RAL 6005 or Anthracite RAL 7016. 3 brackets for the bar mats - incl. mounting material and lock. No individual alignment of the posts necessary - incl. mounting material and lock. You can also use fitting instead of bracket like what we show in assemble.



Frame height(mm)	Frame width(mm)	Gate width(mm)	Post length(mm)
800	870	1000	1300
1000	870	1000	1500
1200	870	1000	1700

Single Eco Gate

Single Eco gate is becoming more and more popular fence for private residence, gardens, and parks. The gate is manufactured from galvanized wire with high protection powder coating. Optional gate installation method: (optional) directly buried installation or fixed with bracket. Quick locking and installation can be achieved by using easier bolt hinges. Three keys are included, good quality barrel is used for smoothing lock.



Frame height(mm)	Frame width(mm)	Post length(mm)
800	1000	1300
1000	1000	1500
1200	1000	1700
1500	1000	2000
1750	1000	2250
2000	1000	2500

Single Gate Square With Tube Infill

Made of galvanized square tube, tube infill. Material: Inner hot dipped galvanized, Then powder coated.




Tube for gate frame	40mmx40mm
Infill tube	25mmx25mm
Post size	60mmx60mm
Full set gate Size	H80xW100, H100xW100, H125xW100, H150xW100, H175xW100, H200xW100 H80xW125, H100xW125, H125xW125, H150xW125, H175xW125, H200xW125 H80xW150, H100xW150, H125xW150, H150xW150, H175xW150, H200xW150

◆ Double Gate

Double Gate Round Frame And Post

A great combination of strength and stability, this garden gate features a classic design and provides the ideal entrance to your garden, patio or yard! It is rust and corrosion resistant and suitable for long-term outdoor use. The garden gate is welded with thick wire mesh to provide extra strength. It offers a high level of security and at the same time forms a fabulous access to your property. The gate comes with lock and 3 keys.



Height(mm)	Width(mm)	Post Height(mm)
800	2*1500/2*2000	1300
1000	2*1500/2*2000	1500
1250	2*1500/2*2000	1750
1500	2*1500/2*2000	2000
1750	2*1500/2*2000	2250
2000	2*1500/2*2000	2500



Double Gate Square Frame And Post

A great combination of strength and stability, this garden gate features a classic design and provides the ideal entrance to your garden, patio or yard! It is rust and corrosion resistant and suitable for long-term outdoor use. The garden gate is welded with thick wire mesh to provide extra strength. It offers a high level of security and at the same time forms a fabulous access to your property. The gate comes with lock and 3 keys.



Height(mm)	Width(mm)	Post Height(mm)
800	2*1500/2*2000	1300
1000	2*1500/2*2000	1500
1250	2*1500/2*2000	1750
1500	2*1500/2*2000	2000
1750	2*1500/2*2000	2250
2000	2*1500/2*2000	2500



◆ Kennel & Cage



◆ Fence Post

Euro Pipe Post



Euro-pipe-post

Dia x Length(mm)	Wire holder	For netting height(mm)
34x900	2	500
34x950	2	600
34x1200	3	800
34x1500	3	1000
34x1750	3	1250
34x2000	3	1500
40x1500	3	1000
40x1750	3	1250
40x2000	3	1500
40x2250	3	1750
40x2500	4	2000

Brace Post



Euro brace post

Dia x Length(mm)	Dia x Length(mm)
34x1200	40x1200
34x1500	40x1500
34x1750	40x1750
34x2000	40x2000
34x2250	40x2250
34x2500	40x2500

Multi Post



Multi-post

Dia.(mm)	Length(mm)
48	900
48	1000
48	1250
48	1500
48	1750
48	2000
48	2300
48	2500

◆ Fence Post

Square Post



Square post

Pipe(mm)	Length(mm)	For fence height(mm)
40/40	1000	630
40/40	1250	830
40/40	1500	1030
40/40	1700	1230
40/40	2000	1430
40/40	2200	1630
40/40	2600	1830
40/40	3000	2400



Square corner post

Pipe(mm)	Length(mm)	For fence height(mm)
40/40	1000	630
40/40	1250	830
40/40	1500	1030
40/40	1700	1230
40/40	2000	1430
40/40	2200	1630
40/40	2600	1830
40/40	3000	2400



Square post with plate

Pipe(mm)	Length(mm)	For fence height(mm)
60/40	1200	630
60/40	1400	830
60/40	1600	1030
60/40	1800	1230
60/40	2000	1430
60/40	2200	1630
60/40	2400	1830
60/40	2600	2030
60/40	2800	2230
60/40	3000	2430






Square corner post with plate

Pipe(mm)	Length(mm)	For fence height(mm)
60/60	1200	630
60/60	1400	830
60/60	1600	1030
60/60	1800	1230
60/60	2000	1430
60/60	2200	1630
60/60	2400	1830
60/60	2600	2030
60/60	2800	2230
60/60	3000	2430



Peach Post



◆ Accessories



PA001



PA002



PA003



PA004



PA005



PA006



PA007



PA008



PA009



PA010



PA011



PA012



PA013



PA014



PA015



PA016



PA017



PA018



PA019



PA020

◆ Wire Strainer




Size	Finish	Pcs/Ctn
No.2	Plastic coated	100pcs
No.3	Plastic coated	100pcs
No.4	Plastic coated	50pcs
No.2	Hot dipped galv.	100pcs
No.3	Hot dipped galv.	100pcs
No.4	Hot dipped galv.	50pcs
No.2	Electric galv.	100pcs
No.3	Electric galv.	100pcs
No.4	Electric galv.	50pcs

◆ Steel Base



◆ Ground Spike






◆ Euro Garden Fence

- Electro welded wire mesh, plastic coated on galvanized core
- Green ral6005 powder coating
- Tensile strength: line wires: 450-550nwt/mm2.
cross wires: 600-700nwt/mm2.
- Mesh: 100x50mm
- Wire: 2.2/1.7mm


Height	Length
60cm	10m
80cm	10m
100cm	10m
120cm	10m
60cm	25m
80cm	25m
100cm	25m
120cm	25m
150cm	25m
180cm	25m
200cm	25m



◆ Euro Garden Fence Plus

- Same as eurofence but with three top wires
- Electro welded wire mesh, plastic coated on galvanized core
- Green ral6005 powder coating
- Tensile strength: line wires: 450-550nwt/mm2.
cross wires: 600-700nwt/mm2.
- Mesh: 100x50mm / 100x75mm
- Wire: 2.2/1.7mm


Height	Length
60cm	10m
80cm	10m
100cm	10m
120cm	10m
60cm	25m
80cm	25m
100cm	25m
120cm	25m
150cm	25m
180cm	25m
200cm	25m



◆ Euro Garden Fence Strong

- Same as eurofence but with three top wires
- Electro welded wire mesh, plastic coated on galvanized core
- Green ral6005 powder coating
- Tensile strength: line wires: 450-550nwt/mm2.
cross wires: 600-700nwt/mm2.
- Mesh: 100x50mm
- Wire: 2.5/2.0mm


Height	Length
60cm	25m
80cm	25m
100cm	25m
120cm	25m
150cm	25m
180cm	25m
200cm	25m



◆ Light Garden Fence

- Electro welded wire mesh, plastic coated on galvanized core
- Green ral6005 powder coating
- Tensile strength: line wires: 450-550nwt/mm2.
cross wires: 600-700nwt/mm2.
- Mesh: 100x75mm
- Wire: 2.2/1.7mm

Height	Length
60cm	10m
90cm	10m
60cm	20m
90cm	20m
120cm	20m
150cm	20m
60cm	25m
90cm	25m
100cm	25m
120cm	25m
150cm	25m



◆ Promo Garden Fence


- Electro welded wire mesh, plastic coated on galvanized core
- Green ral6005 powder coating
- Tensile strength: line wires: 450-550nwt/mm2.
cross wires: 600-700nwt/mm2.
- Mesh: 100x100mm
- Wire: 2.2/1.7mm

Height	Length
100cm	20m
120cm	20m
100cm	25m
120cm	25m
150cm	25m

◆ Promo Garden Fence Kit

- Electro welded wire mesh, plastic coated on galvanized core
- Green ral6005 powder coating
- Tensile strength: line wires: 450-550nwt/mm2. cross wires: 600-700nwt/mm2.
- With 2.5mm dia.green coated lining wire and no.2 green wire strainers packed on top of the fence
- Mesh: 100x100mm
- Wire: 2.2/1.7mm

Height	Length	Length of lining wire	No.of strainers
100cm	20m	50m	2
120cm	20m	50m	2
100cm	25m	60m	2
120cm	25m	60m	2
150cm	25m	100m	3



◆ Forti Garden Fence

- Electro welded wire mesh, plastic coated on galvanized core
- Green ral6005 powder coating
- Tensile strength:
line wires: 450-550nwt/mm2.
cross wires: 600-700nwt/mm2.
- Mesh: 50x60mm

Forti garden fence medium

Height	Length	Wire Dia.
100cm	25m	2.5/2.0mm
120cm	25m	2.5/2.0mm
150cm	25m	2.5/2.0mm
180cm	25m	2.5/2.0mm
200cm	25m	2.5/2.0mm

Forti garden fence strong

Height	Length	Wire Dia.
100cm	25m	3.0/2.5mm
120cm	25m	3.0/2.5mm
150cm	25m	3.0/2.5mm
180cm	25m	3.0/2.5mm
200cm	25m	3.0/2.5mm

