

PORTABLE LIFTER CM SERIALS




PORTABLE LIFTER CM340

- Basic Height: 38" / 97 cm
- Lifting Height: 10' / 330 cm
- Max. Load : 3 M – 130 kg / 290 lbs
- 3.3M – 120 kg / 260 lbs
- Dimension (operate):
 - 96 x 96 cm / 38"x38"
- Dimension (store) :
 - 30 x 25 x 97 cm / 12"x12"x38"
- Unit Weight: 21 kg / 46 lbs



PORTABLE LIFTER CM439

- Basic Height: 115 cm / 45"
- Lifting Height: 427 cm / 14'
- Max. Load : 130 kg / 280 lbs
- Dimension (operate):
 - 115x118 cm / 45" x 46"
- Dimension (store) :
 - 30x25x115 cm / 11"x10"x45"
- Unit Weight: 26 kgs / 57 lbs




PORTABLE LIFTER CM520

- Basic Height: 119 cm / 46"
- Lifting Height: 4900 cm / 16'
- Max. Load : 3 M – 140 kg / 300 lbs
- 4 M – 120 kg / 270 lbs
- 4.9 M – 90 kg / 190 lbs
- Dimension (operate):
- 143 x 143 cm / 56"x56"
- Dimension (store) :
- 38 x 38 x 119 cm / 15"x15"x46"
- Unit Weight: 38 kgs / 83 lbs



Optional Accessories:

1. CM Outriggers for all models



2. CM340 wheel sets , optional accessory for CM340



Features:

1. Telescoping Legs - For uneven surfaces, stairways, slopes etc.
2. Level in Mast - Ensure mast is vertical before operation.
3. Telescoping Mast - Compact, Strong and Light - made with robust, specialty heat-treated aluminum.
4. Electric Motor - Variable speed controller with long cable and belt clip.
5. Manual Controls - If no mains power available, use electric drill or handle to wind lifter.
6. Emergency Stop Button - Also used to switch to manual control.
7. Setup in 30 seconds - No tools required.
8. Overload Cut-Out - Fitted with overload clutch for safety.
9. Wheels for Mobility - Included with CM520 - optional accessory with CM340.
10. A Retractable Leg - Lift loads adjacent to wall.
11. Fine Positioning - Align load precisely with variable speed controller.

PORTABLE LIFTER-CM SERIES

K.S.F.



Retractable leg (All CM Models)
Position next to a wall.



CM340 With Standard Platform.

04

<http://www.ksf.com.tw>

CM520 - Standard L

Mounted on heavy duty castor
manoeuvrability

CM520



CM340 with standard platform.



CM340 With Optional Plasterboard Cradle.

MADE IN TAIWAN

03

CE



CM520

L/H: 16 ft

L/C: 260 lbs

CM340


L/H: 11 ft

L/C: 260 lbs




MATERIAL LIFTER BDI

- Basic Height: 117 cm / 46"
- Lifting Height: 303 cm / 10'
- Load Capacity: 180 kg / 400 lbs
- Dimension (operate):
92 x 77(106) cm / 36" x 30"
- Dimension (store) :
78x47x117cm / 31"x19"x46"
- Unit Weight: 53 kg / 117 lbs




MATERIAL LIFTER BD2




- Basic Height: 117 cm / 46"
- Lifting Height: 374 cm / 12'
- Load Capacity: 180 kg / 400 lbs
- Dimension (operate):
92 x 77(106) cm / 36" x 30"
- Dimension (store) :
80x55x117cm / 32"x22"x46"
- Unit Weight: 64 kg / 142 lbs

3029287



BD1-C

3029399




BD1-F

3029294



BD1-H



MATERIAL LIFTER-BD1

***Max. Load capacity 180 kg (400 lbs)**

BD1 Specifications	
Max. Load capacity	180 kg (400 lbs)
Lifting height	303 cm (10 ft)
Basic height	116 cm (45 in)
Operator Dimension	105x62 cm (41x36 in)
Machine weight	80 kg (130 lbs)

*Load capacity subject to original weight notices.



BD1 is a multi-purpose material lifter with:

- A variety of accessories for increased ease of installation of air-conditioners, garage doors, retractable awnings, electric heaters and more!
- One person easily transportable due to its compact design.
- 90° swing to allow slim, easy access through doorways.
- 250mm rear wheels for smooth ride over rough ground.
- Adjustable wheel base from 77cm to 105 cm, and locking castors for increased stability.



Choice of Attachments:


- Forks



- Pipe cradle



- Jib crane





BD | mit wood beam 180 kg - 7 m Length



MANUAL LIFTS

AL330



- Basic Height: 124 cm
- Lifting Height: 330 cm
- Load Capacity: 130 kg
- Dimension (operate):
- Dimension (store) :
- Unit Weight:



